FURBEARER TRAPPING, HUNTING AND HARVEST REPORT

LICENSE YEAR 1998

MONTANA

Montana Fish, Wildlife & Parks

Montana State Library
3 0864 1006 9534 8

Furbearer Survey
Trapping, Hunting, and Harvest Report

License Year 1998

Harvest Surveys

Montana Fish Wildlife and Parks

March 27, 2002

Table of Contents

Introduction 1

Furbearer Tables

Estimates of Trapping and Hunting Effort, and Harvest Success 10

Summary of Trapping, Hunting, and Houndsman Activities 11
Detail of All Furbearer Activities Combined 25
Detail of Trapping and Snaring Activities 39
Detail of Hunting (without hounds) Activities 59
Detail of Hunting with Hounds Activities 64

Confidence Bounds on Statistical Estimates 67

All Furbearer Activities Combined 68
Trapping and Snaring Activities 79
Hunting (without hounds) Activities 99
Hunting with Hounds Activities 103

Enclosures
1998 Furbearer Survey Questionnaire
1998 Montana Furbearer Regulations

Digitized by the Internet Archive
in 2019 with funding from
Montana State Library

https://archive.org/details/furbearertrappin1998mont

Introduction

This report contains statistical estimates of Montana Furbearer trapping and hunting effort, and harvest success, during license year 1998 (LY1998). The LY1998 Furbearer season began in autumn of 1998 and ended in spring of 1999. The estimates are based on summary and analysis of returns from a mail survey of 100% of known Furbearer license holders, conducted following the LY1998 season (see **Furbearer Survey Questionnaire** enclosure). The Furbearer license holder was asked if he/she actively trapped/snared, hunted, or hunted using hounds during the LY1998 season. Then, for each of these three Furbearer related activities, the respondent was asked for effort and success information, by County and Furbearer Species. Survey responses were summarized at various groupings of Species, Location, and Activity. The inverse of the overall survey response rate (license holders/responses analyzed) determines the factor by which these summary statistics are expanded into statistical estimates of Furbearer activity effort and success in Montana.

Information on Furbearer license sales, sampling effort, survey return, response rate, expansion factor, and participation rate are presented below. All Furbearer license holders in the Sportsperson/License database by late April following the Fur season are sampled. The effective sample rate is less than 100% because not all Furbearer licenses are forwarded for entry into the database. Sampled Furbearer license holders are sent the Furbearer Survey by mail, usually sometime in late April or early May following the end of the Furbearer season.

LY1998 Furbearer License Sales, Sample Size, Survey Returns, and Number Reporting Fur Activity, with related Rates.

Total Sales	Holders Sampled	Responses Returned	Sample Rate	Return Rate	Response Rate	Expansion Factor	Active In Fur	Percent Active
2,588	2,491	862	96.3	34.6	33.3	3.002	489	56.7%

Estimation of Furbearer Effort and Success Statistics

The statistical estimates of Furbearer trapping/hunting effort and harvest success were summarized and analyzed based on three variables: Species, Location, and Activity. They are organized in the tables of this report based on these three identifying variables.

1. **Furbearer Species (in order presented in report tables):**

- **All Species Combined**
- **Beaver**
- **Otter**
- **Muskrat**
- **Mink**
- **Marten**
- **Fisher**
- **Wolverine**
- **Lynx**
-
- **Bobcat**
- **Weasel**
- **Skunk**
- **Coyote**
- **Fox**
- **Raccoon**
- **Badger**
- **Other**

The category "All Species Combined" indicates statistics are computed without regard to Furbearer species.

2. **Location of Trapping or Hunting Effort:**

- **Statewide (State):** Indicates that statistics are computed without regard to County of effort and provides an overall picture of Furbearer activities and harvest in Montana.
- **Furbearer District (District 1 ... 7, District ?):** Statistics are computed based effort reported within groupings of Counties which approximate MFWP Administrative Regions. Reported effort or success in an unknown County is lumped into District ?.

- **County:** Statistics are computed based on County of Furbearer effort. Counties are ordered alphabetically within Furbearer Districts. No attempt is made to screen out data reporting trapping or hunting of Furbearer species in Counties where their presence is unlikely. Reported location data are presented ***as is*** so Regional managers and biologists will have the opportunity to interpret it for themselves.

3. **Furbearer Activity Type (corresponding to the 3 separate portions of the survey):**

- **All:** Statistics are computed without regard to the Furbearer Activity Type.
- **Trapping/Snaring:** Statistics are computed for effort and success information from the "Trapping/Snaring" portion of the survey only.
- **Hunting (without hounds):** Statistics are computed for effort and success information from the "Hunting without hounds" portion of the survey only.
- **Hunting with Hounds:** Statistics are computed for effort and success information from the "Hunting with Hounds" portion of the survey only.

Statistical Confidence and Precision

The presented statistics relating to Furbearer trapping/hunting effort and harvest success are estimates based on the underlying Furbearer survey response set for a particular combination of the various levels of Furbearer Species, Location, and Activity. One Furbearer expansion factor is derived from the population of holders of all Furbearer License Types divided by the number of holders returning survey responses, for a given license year. (**See table above.**) The raw summarized survey response counts are multiplied by the expansion factor to obtain the estimates and 80% confidence bounds on the estimates. A low expansion factor (close to 1) indicates a high response rate, and favors good statistical precision in the estimate. Good statistical precision is reflected in relatively narrow 80% confidence bounds on the estimate. An expansion factor significantly higher than 1 indicates a lower response rate, relatively poor statistical precision, and relatively wide 80% confidence bounds on the estimate. A second factor influencing precision of an effort or success estimate is the raw number of survey responses reporting trapping/hunting activity or harvest, for a given combination of Species, Location, and Activity. The higher the total count of responding active trappers/hunters, or reported kill, the better the precision of the estimate of the effort or success statistic.

Relative statistical precision will be better for estimates at levels and groupings of Species, Location, and Activity where the total reported number trapping/hunting or harvesting is relatively higher. Total reported trappers/hunters and kill accumulate as the three grouping variables are lumped into higher levels. Therefore, relative precision of the estimates get better. For example, precision in the Statewide estimates will be better than precision in Furbearer District level estimates, which will generally be better than precision in the County level estimates. In general, the poorest relative precision in the estimates occur at the finest level of response data splitting. This is particularly true at the County level for Furbearer species with relatively restricted populations or low hunter interest.

Estimates of Hunters and Successful Hunters by Location will not sum to the District wide or Statewide estimates because an individual trapper/hunter may expend effort and take animals in more than one County. The Trapper/Hunter Days and Total Harvest estimates will sum across Locations because hunters report days and kill by County, and the same expansion factor is used to obtain the estimates for all Locations.

In cases where there was no Furbearer trapping/hunting effort for a given Species, at a given Location, for a given Activity, no row of effort or success statistics was generated. In cases where there was no Furbearer trapping/hunting success, some of the ratios comparing harvest within defined categories will be undefined. These are flagged in the tables as **–0.0**. In other cases, effort or success ratios were too large to fit in the space formatted for the table column. These will appear as **#####** and generally indicate values outside a meaningful range.

Tables of Statistical Estimates of Furbearer Effort and Success

The Furbearer tables are organized as follows:

Tables of Trapping and Hunting Effort, and Harvest Success

1. **Summary of Trapping, Hunting, and Houndsman Activities**
2. **Detail of All Furbearer Activities Combined**
3. **Detail of Trapping and Snaring Activities**
4. **Detail of Hunting (without hounds) Activities**
5. **Detail of Hunting with Hounds Activities**

Tables of Confidence Bounds on Statistical Estimates

6. **All Furbearer Activities Combined**
7. **Trapping and Snaring Activities**
8. **Hunting (without hounds) Activities**
9. **Hunting with Hounds Activities**

A description of each table, including definitions of each column is given below.

Table 1: Summary of Trapping, Hunting, and Houndsman Activities

This presentation joins the key statistics for the three Furbearer Activities with those for All Activities Combined into a single table. It is similar to the presentation given in Furbearer reports prior to LY1996. **The following statistics were computed by Furbearer Species (ALL combined and individual) and Location (State, Furbearer District, and County within District):**

Trapping Activity

- **Active Trapper:** Point estimate of number of Furbearer license holders that actively set traps or snares during the Furbearer season.
- **Trap Days:** Point estimate of the sum of Number of Traps Set multiplied by Days Set across every trapper reporting trapping for a given Furbearer species within a given County. An estimate of trapping effort.
- **Total Catch:** Point estimate of the total number of Furbearer animals caught of a given species at a given Location.
- **Trap Days/Catch:** Traps Days divided by Total Catch for a given Species and Location . An estimate of the trapping/snaring effort required to harvest an animal.

Hunting Activity

- **Active Hunter:** Point estimate of number of Furbearer license holders that actively hunted without hounds for Furbearer species during the Furbearer season.
- **Hunter Days:** Point estimate of the sum of days or partial days afield hunting (without hounds) for a given Furbearer species at a given Location.
- **Total Harvest:** Point estimate of the total number of Furbearer animals taken while hunting (without hounds), of a given species at a given Location.

Houndsman Activity

- **Active Hounds:** Point estimate of number of Furbearer license holders that actively hunted with hounds for Furbearer species during the Furbearer season.

- **Hunter Days:** Point estimate of the sum of days or partial days afield hunting with hounds for a given Furbearer species at a given Location.
- **Total Harvest:** Point estimate of the total number of Furbearer animals taken while hunting with hounds, of a given species at a given Location.

All Activities

- **Active in Fur:** Point estimate of number of Furbearer license holders that actively trapped, snared, hunted or used hounds in the effort to take a Furbearer species during the Furbearer season.
- **Total Harvest:** Point estimate of the total number of Furbearer animals taken while engaged in any Furbearer Activity, of a given species at a given Location.
- **Mean Harvest:** Total Harvest divided by the number Active in Fur. An estimate of the number of Furbearer animals taken by an average active Furbearer License Holder regardless of Furbearer Activity, for a given Furbearer species at a given Location.
- **Species % Comp. (Species Percent Composition):** Total Harvest of a given Species, divided by Total Harvest of ALL species, within a given Location, regardless of Activity of take, expressed as a percent. Provides an estimate of the percent Furbearer species composition of Harvest at a given Location.

Table 2: Detail of All Furbearer Activities Combined

The statistics in this table were computed without regard to type of Furbearer Activity.

- **Active in Fur:** Point estimate of number of Furbearer license holders that actively trapped, snared, hunted or used hounds in the effort to take a Furbearer species during the Furbearer season.
- **Activity Days:** Point estimate of the sum of days or partial days afield while engaged in any Furbearer Activity, for a given Furbearer species at a given Location.
- **Days/Hunter:** Activity Days divided by Active In Fur. An estimate of the number of days the average active Furbearer license holder spent afield while engaged in any Furbearer Activity, for a given Furbearer species at a given Location.
- **Success Hunter (Successful Trappers/Hunters):** Point estimate of number of Furbearer license holders that successfully trapped, snared, hunted or used hounds to take a Furbearer species at a given Location.
- **Percent Success:** Success Hunter divided by Active in Fur. An estimate of the percent of active Furbearer license holders that successfully trapped, snared, hunted or used hounds to take a Furbearer species at a given Location.
- **Total Harvest:** Point estimate of the total number of Furbearer animals taken while engaged in any Furbearer Activity, of a given species at a given Location.
- **Mean Harvest:** Total Harvest divided by the number Active in Fur. An estimate of the number of Furbearer animals taken by an average active Furbearer License Holder regardless of Furbearer Activity, for a given Furbearer species at a given Location.
- **% Take 1 (Percent of Harvest of Bag Size 1):** An estimate of the percent of Harvest where only one animal was taken, of a given Species, at a given Location, disregarding Activity of take. The percent of harvest within the 8 bag size classes (% Take 1 ... % Take 30+) provide a frequency distribution of number of animals harvested which can be compared across Locations and between Species.
- **% Take 2-3 (Percent of Harvest of Bag Size 2-3):** An estimate of the percent of Harvest where 2 to 3 animals were taken, of a given Species, at a given Location, disregarding Activity of take.
- **% Take 4-6 (Percent of Harvest of Bag Size 4-6):** An estimate of the percent of Harvest where 4 to 6 animals were taken, of a given Species, at a given Location, disregarding Activity of take.
- **% Take 7-10 (Percent of Harvest of Bag Size 7-10):** An estimate of the percent of Harvest where 7 to 10 animals were taken, of a given Species, at a given Location, disregarding Activity of take.
- **% Take 11-15 (Percent of Harvest of Bag Size 11-15):** An estimate of the percent of Harvest where 11 to 15 animals were taken, of a given Species, at a given Location, disregarding Activity of take.
- **% Take 16-21 (Percent of Harvest of Bag Size 16-21):** An estimate of the percent of Harvest where 16 to 21 animals were taken, of a given Species, at a given Location, disregarding Activity of take.

- **% Take 22-29 (Percent of Harvest of Bag Size 22-29):** An estimate of the percent of Harvest where 22 to 29 animals were taken, of a given Species, at a given Location, disregarding Activity of take.
- **% Take 30+ (Percent of Harvest of Bag Size 30 or more):** An estimate of the percent of Harvest where 30 or more animals were taken, of a given Species, at a given Location, disregarding Activity of take.
- **Species % Comp. (Species Percent Composition):** Total Harvest of a given Species, divided by Total Harvest of ALL species, within a given Location, regardless of Activity of take, expressed as a percent. Provides an estimate of the percent Furbearer species composition of Harvest at a given Location.

Table 3: Detail of Trapping and Snaring Activities

The statistics were computed from the Trapping and Snaring section of the Furbearer Survey.

- **Active Trapper:** Point estimate of number of Furbearer license holders that actively set traps or snares during the Furbearer season.
- **Activity Days:** Point estimate of the sum of days or partial days afield while engaged in Trapping or Snaring, for a given Furbearer species at a given Location.
- **Days/Hunter:** Activity Days divided by Active Trapper. An estimate of the number of days the average active Furbearer license holder spent afield while engaged in Trapping or Snaring, for a given Furbearer species at a given Location.
- **Traps Set:** Point estimate of the sum of Average Number of Traps Set across every trapper reporting trapping for a given Furbearer Species within a given County.
- **Traps Per Hunter:** Traps Set divided by Active Trappers. An estimate of the number of traps or snares set by an average Trapper, for a given Furbearer Species at a given Location
- **Trap Days:** Point estimate of the sum of Number of Traps Set multiplied by Activity Days across every trapper reporting trapping for a given Furbearer species within a given County. An estimate of trapping effort.
- **Trap Days/Hunter:** Traps Days divided by Active Trappers, for a given Species and Location . An estimate of the trapping or snaring effort expended by the average Trapper.
- **Success Hunters (Successful Trappers):** Point estimate of number of Active Trappers that successfully trapped or snared at least one animal of a given Furbearer Species at a given Location.
- **Percent Success:** Success Hunter divided by Active Trapper. An estimate of the percent of Active Trappers that were successful in taking at least one animal of a given Furbearer Species at a given Location.
- **Total Catch:** Point estimate of the total number of Furbearer animals caught of a given Species at a given Location.
- **Mean Catch:** Total Catch divided by the number of Active Trappers. An estimate of the number of Furbearer animals taken by an average active trapper, for a given Furbearer species at a given Location.
- **Trap Days/Catch:** Traps Days divided by Total Catch for a given Species and Location . An estimate of the trapping or snaring effort required to catch an animal.
- **% Take 1 (Percent of Harvest of Bag Size 1):** An estimate of the percent of Harvest where only one animal was taken, of a given Species, at a given Location, by Trapping or Snaring. The percent of harvest within the 8 bag size classes (% Take 1 ... % Take 30+) provide a frequency distribution of number of animals harvested which can be compared across Locations and between Species.
- **% Take 2-3 (Percent of Harvest of Bag Size 2-3):** An estimate of the percent of Harvest where 2 to 3 animals were taken, of a given Species, at a given Location, by Trapping or Snaring.
- **% Take 4-6 (Percent of Harvest of Bag Size 4-6):** An estimate of the percent of Harvest where 4 to 6 animals were taken, of a given Species, at a given Location, by Trapping or Snaring.
- **% Take 7-10 (Percent of Harvest of Bag Size 7-10):** An estimate of the percent of Harvest where 7 to 10 animals were taken, of a given Species, at a given Location, by Trapping or Snaring.
- **% Take 11-15 (Percent of Harvest of Bag Size 11-15):** An estimate of the percent of Harvest where 11 to 15 animals were taken, of a given Species, at a given Location, by Trapping or Snaring.

- **% Take 16-21 (Percent of Harvest of Bag Size 16-21):** An estimate of the percent of Harvest where 16 to 21 animals were taken, of a given Species, at a given Location, by Trapping or Snaring.
- **% Take 22-29 (Percent of Harvest of Bag Size 22-29):** An estimate of the percent of Harvest where 22 to 29 animals were taken, of a given Species, at a given Location, by Trapping or Snaring.
- **% Take 30+ (Percent of Harvest of Bag Size 30 or more):** An estimate of the percent of Harvest where 30 or more animals were taken, of a given Species, at a given Location, by Trapping or Snaring.
- **Species % Comp. (Species Percent Composition):** Total Harvest of a given Species, divided by Total Harvest of ALL species, by Trapping or Snaring within a given Location, expressed as a percent. Provides an estimate of the percent Furbearer species composition of Trapping or Snaring Harvest at a given Location.

Table 4: Detail of Hunting (without hounds) Activities

The statistics were computed from the Hunting without hounds section of the Furbearer Survey.

- **Active Hunter:** Point estimate of number of Furbearer license holders that actively hunted without hounds for Furbearer species during the Furbearer season.
- **Hunter Days:** Point estimate of the sum of days or partial days afield hunting (without hounds) for a given Furbearer species at a given Location.
- **Days/Hunter:** Hunter Days divided by Active Hunters. An estimate of the number of days the average active Furbearer hunter spent afield while engaged in Hunting without hounds, for a given Furbearer species at a given Location.
- **Success Hunter (Successful Hunters):** Point estimate of number of Active Hunters that successfully Hunted without hounds to take a Furbearer species at a given Location.
- **Percent Success:** Success Hunter divided by Active Hunter. An estimate of the percent of active hunters that successfully hunted without hounds to take a Furbearer species at a given Location.
- **Total Harvest:** Point estimate of the total number of Furbearer animals taken while hunting without hounds, of a given Species at a given Location.
- **Mean Harvest:** Total Harvest divided by Active Hunter. An estimate of the number of Furbearer animals taken by an average active Furbearer Hunter not using hounds, for a given Furbearer species at a given Location.
- **% Take 1 (Percent of Harvest of Bag Size 1):** An estimate of the percent of Harvest where only one animal was taken, of a given Species, at a given Location, while Hunting without hounds. The percent of harvest within the 8 bag size classes (% Take 1 … % Take 30+) provide a frequency distribution of number of animals harvested which can be compared across Locations and between Species.
- **% Take 2-3 (Percent of Harvest of Bag Size 2-3):** An estimate of the percent of Harvest where 2 to 3 animals were taken, of a given Species, at a given Location, while Hunting without hounds.
- **% Take 4-6 (Percent of Harvest of Bag Size 4-6):** An estimate of the percent of Harvest where 4 to 6 animals were taken, of a given Species, at a given Location, while Hunting without hounds.
- **% Take 7-10 (Percent of Harvest of Bag Size 7-10):** An estimate of the percent of Harvest where 7 to 10 animals were taken, of a given Species, at a given Location, while Hunting without hounds.
- **% Take 11-15 (Percent of Harvest of Bag Size 11-15):** An estimate of the percent of Harvest where 11 to 15 animals were taken, of a given Species, at a given Location, while Hunting without hounds.
- **% Take 16-21 (Percent of Harvest of Bag Size 16-21):** An estimate of the percent of Harvest where 16 to 21 animals were taken, of a given Species, at a given Location, while Hunting without hounds.
- **% Take 22-29 (Percent of Harvest of Bag Size 22-29):** An estimate of the percent of Harvest where 22 to 29 animals were taken, of a given Species, at a given Location, while Hunting without hounds.
- **% Take 30+ (Percent of Harvest of Bag Size 30 or more):** An estimate of the percent of Harvest where 30 or more animals were taken, of a given Species, at a given Location, while Hunting without hounds.
- **Species % Comp. (Species Percent Composition):** Total Harvest of a given Species, divided by Total Harvest of ALL species, while Hunting without hounds within a given Location, expressed as a percent. Provides an estimate of the percent Furbearer species composition of Hunting without hounds Harvest at a given Location.

Table 5: Detail of Hunting with Hounds Activities

The statistics were computed from the Hunting with Hounds section of the Furbearer Survey.

- **Active Hunter:** Point estimate of number of Furbearer license holders that actively Hunted with Hounds for Furbearer species during the Furbearer season.
- **Hunter Days:** Point estimate of the sum of days or partial days afield Hunting with Hounds for a given Furbearer species at a given Location.
- **Days/Hunter:** Hunter Days divided by Active Hunters. An estimate of the number of days the average active Furbearer hunter spent afield while engaged in Hunting with Hounds, for a given Furbearer species at a given Location.
- **Success Hunter (Successful Hunters):** Point estimate of number of Active Hunters that successfully Hunted with Hounds to take a Furbearer species at a given Location.
- **Percent Success:** Success Hunter divided by Active Hunter. An estimate of the percent of active hunters that successfully Hunted with Hounds to take a Furbearer species at a given Location.
- **Total Harvest:** Point estimate of the total number of Furbearer animals taken while Hunting with Hounds, of a given Species at a given Location.
- **Mean Harvest:** Total Harvest divided by Active Hunter. An estimate of the number of Furbearer animals taken by an average active Furbearer Hunter with Hounds, for a given Furbearer species at a given Location.
- **% Take 1 (Percent of Harvest of Bag Size 1):** An estimate of the percent of Harvest where only one animal was taken, of a given Species, at a given Location, while Hunting with Hounds. The percent of harvest within the 8 bag size classes (% Take 1 ... % Take 30+) provide a frequency distribution of number of animals harvested which can be compared across Locations and between Species.
- **% Take 2-3 (Percent of Harvest of Bag Size 2-3):** An estimate of the percent of Harvest where 2 to 3 animals were taken, of a given Species, at a given Location, while Hunting with Hounds.
- **% Take 4-6 (Percent of Harvest of Bag Size 4-6):** An estimate of the percent of Harvest where 4 to 6 animals were taken, of a given Species, at a given Location, while Hunting with Hounds.
- **% Take 7-10 (Percent of Harvest of Bag Size 7-10):** An estimate of the percent of Harvest where 7 to 10 animals were taken, of a given Species, at a given Location, while Hunting with Hounds.
- **% Take 11-15 (Percent of Harvest of Bag Size 11-15):** An estimate of the percent of Harvest where 11 to 15 animals were taken, of a given Species, at a given Location, while Hunting with Hounds.
- **% Take 16-21 (Percent of Harvest of Bag Size 16-21):** An estimate of the percent of Harvest where 16 to 21 animals were taken, of a given Species, at a given Location, while Hunting with Hounds.
- **% Take 22-29 (Percent of Harvest of Bag Size 22-29):** An estimate of the percent of Harvest where 22 to 29 animals were taken, of a given Species, at a given Location, while Hunting with Hounds.
- **% Take 30+ (Percent of Harvest of Bag Size 30 or more):** An estimate of the percent of Harvest where 30 or more animals were taken, of a given Species, at a given Location, while Hunting with Hounds.
- **Species % Comp. (Species Percent Composition):** Total Harvest of a given Species, divided by Total Harvest of ALL species, while Hunting with Hounds within a given Location, expressed as a percent. Provides an estimate of the percent Furbearer species composition of Hunting with Hounds Harvest at a given Location.

Table 6: Confidence Bounds, All Furbearer Activities Combined

This table repeats the following statistical estimates, computed without regard to Type of Furbearer Activity, accompanied by lower and upper 80% Confidence Bounds on the estimates:

Active Trappers/Hunters, Activity Days, Successful Trappers/Hunters, Total Harvest.

Table 7: Confidence Bounds, Trapping and Snaring Activities

This table repeats the following statistical estimates, computed from the Trapping and Snaring section of the Furbearer Survey, accompanied by lower and upper 80% Confidence Bounds on the estimates:

Active Trappers, Activity Days, Traps Set, Trap Days, Successful Trappers, Total Harvest.

Table 8: Confidence Bounds, Hunting (without hounds) Activities

This table repeats the following statistical estimates, computed from the Hunting without hounds section of the Furbearer Survey, accompanied by lower and upper 80% Confidence Bounds on the estimates:

Active Hunters, Activity Days, Successful Hunters, Total Harvest.

Table 9: Confidence Bounds, Hunting with Hounds Activities

This table repeats the following statistical estimates, computed from the Hunting with Hounds section of the Furbearer Survey, accompanied by lower and upper 80% Confidence Bounds on the estimates:

Active Hunters, Activity Days, Successful Hunters, Total Harvest.

Notes Applying to All Furbearer Tables:

- **Species are presented in the following order: All Species Combined, Beaver, Otter, Muskrat, Mink, Marten, Fisher, Wolverine, Lynx, Bobcat, Weasel, Skunk, Coyote, Fox, Raccoon, Badger, Other**. Furbearer Survey returns were edited for obvious errors and interpretation problems, but beyond that effort, reported Species were not screened by Location.
- **Counties are presented in alphabetical order after the Furbearer District to which they belong.** Furbearer Districts approximate MFWP administrative Regions 1..7.
- **If no trapping or hunting effort was reported for a given Species, at a given Location, for a given Activity, no record for that combination of identifying columns will appear in the table.** This explains why certain Species for a given type of Activity will have no row of statistics for a given Location.
- **Undefined values are indicated with the flag –0.0**. It occurs when a Harvest of zero is used in the denominator of a ratio.
- **Out of format range values are indicated with ######.** These entries occur when the numerator of a ratio, relative to the denominator, is so large that the ratio is essentially meaningless.
- **The page numbers** in the lower right hand corner indicate the consecutive page in the Furbearer Report. The page numbers in the upper right of each table title header indicate a page within a given table. Each table will have pages numbered beginning with 1.
- **The date** March 27, 2002 printed throughout this report and in the title of the tables indicates the date the statistical estimates presented in this Furbearer Report were generated. This provides a version stamp in the event the statistics are regenerated.

1998 Furbearer Survey Report

Tables of Statistical Estimates

Trapping and Hunting Effort
and
Harvest Success

1. Summary of Trapping, Hunting, and Houndsman Activities
2. Detail of All Furbearer Activities Combined
3. Detail of Trapping and Snaring Activities
4. Detail of Hunting (without hounds) Activities
5. Detail of Hunting with Hounds Activities

Each Table Ordered by
Furbearer Species (Including ALL Combined)
and
Location (Statewide, Furbearer District, and County)

Statistical Estimates

Summary of Trapping, Hunting, and Houndsman Activities

March 27th, 2002 page 1

Montana Fish Wildlife and Parks
1998 Furbearer Survey Report: Statistical Estimates of Trapping, Hunting, and Harvest
Summary of Trapping, Hunting, and Houndsman Activities, by Species and Location

Species: ALL

	TRAPPING ACTIVITY				HUNTING ACTIVITY			HOUNDSMAN ACTIVITY			ALL ACTIVITIES			
Location	Active Trapper	Trap Days	Total Catch	T Days /Catch	Active Hunter	Hunter Days	Total Harvest	Active Hounds	Hunter Days	Total Harvest	Active In Fur	Total Harvest	Mean Harvest	Species % Comp.
STATEWIDE	1,168	1,326,506	37,586	35.3	354	4,972	3,077	294	4,957	772	1,468	41,435	28.2	100.0
DISTRICT 1	183	119,814	4,209	28.5	30	429	300	114	1,729	120	288	4,630	16.1	100.0
Flathead	99	57,903	2,849	20.3	9	51	72	36	378	30	132	2,951	22.3	100.0
Lake	12	1,549	132	11.7	3	45	27	6	21	0	18	159	8.8	100.0
Lincoln	60	56,161	1,120	50.2	12	93	18	48	793	45	114	1,183	10.4	100.0
Sanders	24	4,200	108	38.9	12	240	183	36	537	45	57	336	5.9	100.0
DISTRICT 2	162	185,435	5,314	34.9	30	126	84	63	796	39	213	5,437	25.5	100.0
Deer Lodge	27	21,346	895	23.9	3	3	6	3	3	0	27	901	33.3	100.0
Granite	18	10,013	231	43.3	3	15	9	6	39	0	24	240	10.0	100.0
Mineral	18	1,279	99	12.9	0	0	0	15	165	6	27	105	3.9	100.0
Missoula	39	9,265	291	31.8	9	21	6	36	516	33	75	330	4.4	100.0
Powell	30	46,125	1,393	33.1	6	63	51	6	6	0	33	1,444	43.7	100.0
Ravalli	48	97,407	2,405	40.5	9	24	12	9	66	0	60	2,417	40.3	100.0
DISTRICT 3	264	356,372	9,553	37.3	81	1,210	591	42	495	153	312	10,298	33.0	100.0
Beaverhead	42	56,495	2,192	25.8	6	63	129	3	9	0	45	2,321	51.5	100.0
Broadwater	9	1,030	132	7.8	9	57	51	3	60	18	18	201	11.2	100.0
Gallatin	84	123,098	2,738	45.0	18	504	111	15	147	84	90	2,933	32.6	100.0
Jefferson	33	63,586	1,477	43.0	15	147	81	0	0	0	39	1,558	39.9	100.0
Madison	57	57,951	1,414	41.0	15	228	87	6	63	6	72	1,507	20.9	100.0
Park	51	46,758	1,462	32.0	24	201	120	18	216	45	72	1,627	22.6	100.0
Silver Bow	18	7,455	138	54.0	3	9	12	0	0	0	21	150	7.1	100.0
DISTRICT 4	306	228,732	9,145	25.0	87	1,060	874	51	988	60	363	10,079	27.7	100.0
Cascade	63	48,902	2,279	21.5	12	405	348	9	57	0	72	2,627	36.5	100.0
Chouteau	36	25,670	652	39.4	15	276	252	3	9	24	36	928	25.7	100.0
Fergus	39	32,527	2,006	16.2	18	108	75	9	18	0	54	2,081	38.5	100.0
Glacier	6	378	3	126.0	0	0	0	0	0	0	6	3	0.5	100.0
Judith Basin	15	6,269	195	32.1	6	18	9	9	78	6	24	210	8.7	100.0
Lewis & Clark	66	73,677	1,762	41.8	6	54	21	18	330	15	84	1,798	21.4	100.0
Liberty	6	15,132	195	77.5	6	42	21	6	96	6	15	222	14.8	100.0
Meagher	30	13,585	652	20.9	9	45	54	6	57	9	39	715	18.3	100.0
Petroleum	9	2,894	201	14.4	6	30	24	0	0	0	15	225	15.0	100.0
Pondera	12	1,732	339	5.1	0	0	0	6	174	0	18	339	18.8	100.0
Teton	42	7,533	817	9.2	6	12	3	3	165	0	42	820	19.5	100.0
Toole	3	432	45	9.6	6	69	66	3	3	0	6	111	18.5	100.0
DISTRICT 5	171	276,165	5,341	51.7	72	760	468	45	913	381	225	6,191	27.5	100.0
Bighorn	24	42,366	685	61.9	9	186	198	3	9	0	27	883	32.7	100.0
Carbon	48	91,856	1,312	70.0	15	96	81	9	63	105	51	1,498	29.4	100.0
Golden Valley	12	2,447	27	90.6	6	15	0	0	0	0	15	27	1.8	100.0
Musselshell	9	4,050	195	20.8	9	87	6	9	249	12	21	213	10.1	100.0
Stillwater	24	5,059	375	13.5	6	51	3	9	276	12	33	390	11.8	100.0
Sweetgrass	21	88,905	1,231	72.2	9	42	9	9	132	21	39	1,261	32.3	100.0
Wheatland	21	18,837	727	25.9	6	27	78	3	3	72	24	877	36.5	100.0
Yellowstone	24	22,647	790	28.7	18	255	93	9	180	159	42	1,042	24.8	100.0
DISTRICT 6	54	38,658	2,105	18.4	33	222	210	3	27	18	78	2,333	29.9	100.0
Blaine	21	8,328	276	30.2	3	6	3	3	27	18	27	297	11.0	100.0
Hill	9	18,107	679	26.7	6	30	39	0	0	0	15	718	47.8	100.0
Mccone	3	72	27	2.7	0	0	0	0	0	0	3	27	9.0	100.0
Phillips	3	120	0	-0.0	9	27	12	0	0	0	9	12	1.3	100.0
Richland	3	4,503	297	15.2	6	15	0	0	0	0	6	297	49.5	100.0
Roosevelt	3	1,171	126	9.3	0	0	0	0	0	0	3	126	42.0	100.0
Sheridan	9	829	540	1.5	3	60	108	0	0	0	12	649	54.0	100.0
Valley	9	5,527	159	34.7	9	84	48	0	0	0	12	207	17.3	100.0
DISTRICT 7	90	121,330	1,918	63.2	42	1,165	549	6	9	0	111	2,468	22.2	100.0
Carter	12	34,136	618	55.2	9	141	72	0	0	0	15	691	46.0	100.0
Custer	15	6,599	117	56.4	9	150	90	0	0	0	18	207	11.5	100.0
Dawson	21	8,010	351	22.8	6	129	123	3	3	0	24	474	19.8	100.0
Fallon	3	1,081	12	90.0	0	0	0	0	0	0	3	12	4.0	100.0
Garfield	6	14,892	189	78.7	3	3	0	3	6	0	12	189	15.8	100.0
Powder River	12	7,446	69	107.8	6	210	21	0	0	0	15	90	6.0	100.0
Prairie	3	8,106	108	75.0	6	60	69	0	0	0	9	177	19.7	100.0
Rosebud	12	5,452	132	41.3	9	291	108	0	0	0	18	240	13.3	100.0
Treasure	6	35,608	321	110.8	3	180	66	0	0	0	6	387	64.5	100.0

Montana Fish Wildlife and Parks
1998 Furbearer Survey Report: Statistical Estimates of Trapping, Hunting, and Harvest
Summary of Trapping, Hunting, and Houndsman Activities, by Species and Location

Species: BEAVER

	TRAPPING ACTIVITY				HUNTING ACTIVITY			HOUNDSMAN ACTIVITY			ALL ACTIVITIES			
Location	Active Trapper	Trap Days	Total Catch	T Days /Catch	Active Hunter	Hunter Days	Total Harvest	Active Hounds	Hunter Days	Total Harvest	Active In Fur	Total Harvest	Mean Harvest	Species % Comp.
STATEWIDE	721	231,869	11,634	19.9	0	0	0	0	0	0	721	11,634	16.1	28.1
DISTRICT 1	90	9,703	510	19.0	0	0	0	0	0	0	90	510	5.7	11.0
Flathead	51	3,615	324	11.1	0	0	0	0	0	0	51	324	6.4	11.0
Lake	3	18	6	3.0	0	0	0	0	0	0	3	6	2.0	3.8
Lincoln	30	5,122	144	35.5	0	0	0	0	0	0	30	144	4.8	12.2
Sanders	9	949	36	26.3	0	0	0	0	0	0	9	36	4.0	10.7
DISTRICT 2	96	18,677	1,045	17.9	0	0	0	0	0	0	96	1,045	10.9	19.2
Deer Lodge	21	3,020	225	13.4	0	0	0	0	0	0	21	225	10.7	25.0
Granite	9	1,072	39	27.5	0	0	0	0	0	0	9	39	4.3	16.3
Mineral	9	312	72	4.3	0	0	0	0	0	0	9	72	8.0	68.6
Missoula	18	1,195	72	16.6	0	0	0	0	0	0	18	72	4.0	21.8
Powell	18	11,685	513	22.8	0	0	0	0	0	0	18	513	28.5	35.6
Ravalli	24	1,393	123	11.3	0	0	0	0	0	0	24	123	5.1	5.1
DISTRICT 3	180	92,468	3,243	28.5	0	0	0	0	0	0	180	3,243	18.0	31.5
Beaverhead	33	9,382	727	12.9	0	0	0	0	0	0	33	727	22.0	31.3
Broadwater	3	108	21	5.1	0	0	0	0	0	0	3	21	7.0	10.4
Gallatin	54	29,549	522	56.6	0	0	0	0	0	0	54	522	9.7	17.8
Jefferson	24	19,098	615	31.0	0	0	0	0	0	0	24	615	25.6	39.5
Madison	45	16,387	709	23.1	0	0	0	0	0	0	45	709	15.7	47.0
Park	36	16,068	627	25.6	0	0	0	0	0	0	36	627	17.4	38.6
Silver Bow	6	1,876	21	89.3	0	0	0	0	0	0	6	21	3.5	14.0
DISTRICT 4	189	53,468	3,942	13.6	0	0	0	0	0	0	189	3,942	20.8	39.1
Cascade	39	12,328	1,051	11.7	0	0	0	0	0	0	39	1,051	26.9	40.0
Chouteau	15	2,297	189	12.1	0	0	0	0	0	0	15	189	12.6	20.4
Fergus	27	10,373	700	14.8	0	0	0	0	0	0	27	700	25.9	33.6
Judith Basin	9	504	189	2.7	0	0	0	0	0	0	9	189	21.0	90.0
Lewis & Clark	42	17,972	570	31.5	0	0	0	0	0	0	42	570	13.6	31.7
Meagher	21	3,672	327	11.2	0	0	0	0	0	0	21	327	15.6	45.8
Petroleum	6	2,882	195	14.8	0	0	0	0	0	0	6	195	32.5	86.7
Pondera	9	429	72	6.0	0	0	0	0	0	0	9	72	8.0	21.2
Teton	27	2,579	603	4.3	0	0	0	0	0	0	27	603	22.3	73.6
Toole	3	432	45	9.6	0	0	0	0	0	0	3	45	15.0	40.5
DISTRICT 5	126	40,991	1,900	21.6	0	0	0	0	0	0	126	1,900	15.1	30.7
Bighorn	21	6,503	273	23.8	0	0	0	0	0	0	21	273	13.0	31.0
Carbon	36	6,608	399	16.5	0	0	0	0	0	0	36	399	11.1	26.7
Golden Valley	3	63	18	3.5	0	0	0	0	0	0	3	18	6.0	66.7
Musselshell	6	2,000	153	13.1	0	0	0	0	0	0	6	153	25.5	71.8
Stillwater	9	600	57	10.5	0	0	0	0	0	0	9	57	6.3	14.6
Sweetgrass	18	17,353	456	38.0	0	0	0	0	0	0	18	456	25.3	36.2
Wheatland	15	4,840	342	14.1	0	0	0	0	0	0	15	342	22.8	39.0
Yellowstone	18	3,023	201	15.0	0	0	0	0	0	0	18	201	11.2	19.3
DISTRICT 6	33	11,154	718	15.5	0	0	0	0	0	0	33	718	21.7	30.8
Blaine	12	4,446	108	41.1	0	0	0	0	0	0	12	108	9.0	36.4
Hill	9	2,075	270	7.7	0	0	0	0	0	0	9	270	30.0	37.7
Richland	3	3,152	240	13.1	0	0	0	0	0	0	3	240	80.0	80.8
Roosevelt	3	450	51	8.8	0	0	0	0	0	0	3	51	17.0	40.5
Sheridan	3	6	3	2.0	0	0	0	0	0	0	3	3	1.0	0.5
Valley	9	1,024	45	22.7	0	0	0	0	0	0	9	45	5.0	21.7
DISTRICT 7	27	5,407	276	19.6	0	0	0	0	0	0	27	276	10.2	11.2
Custer	9	2,084	75	27.8	0	0	0	0	0	0	9	75	8.3	36.2
Dawson	12	2,153	123	17.5	0	0	0	0	0	0	12	123	10.3	25.9
Rosebud	3	901	30	30.0	0	0	0	0	0	0	3	30	10.0	12.5
Treasure	3	270	48	5.6	0	0	0	0	0	0	3	48	16.0	12.4

Statistical Estimates

Summary of Trapping, Hunting, and Houndsman Activities

Montana Fish Wildlife and Parks
1998 Furbearer Survey Report: Statistical Estimates of Trapping, Hunting, and Harvest
Summary of Trapping, Hunting, and Houndsman Activities, by Species and Location

Species: OTTER

	TRAPPING ACTIVITY				HUNTING ACTIVITY			HOUNDSMAN ACTIVITY			ALL ACTIVITIES			
Location	Active Trapper	Trap Days	Total Catch	T Days /Catch	Active Hunter	Hunter Days	Total Harvest	Active Hounds	Hunter Days	Total Harvest	Active In Fur	Total Harvest	Mean Harvest	Species % Comp.
STATEWIDE	102	22,562	270	83.5	0	0	0	0	0	0	102	270	2.6	0.7
DISTRICT 1	21	964	21	45.9	0	0	0	0	0	0	21	21	1.0	0.5
Flathead	15	459	15	30.6	0	0	0	0	0	0	15	15	1.0	0.5
Lincoln	3	24	3	8.0	0	0	0	0	0	0	3	3	1.0	0.3
Sanders	3	480	3	160.0	0	0	0	0	0	0	3	3	1.0	0.9
DISTRICT 2	15	9,121	177	51.5	0	0	0	0	0	0	15	177	11.8	3.3
Mineral	3	126	0	-0.0	0	0	0	0	0	0	3	0	0.0	0.0
Missoula	6	108	3	36.0	0	0	0	0	0	0	6	3	0.5	0.9
Powell	3	7,206	171	42.1	0	0	0	0	0	0	3	171	57.0	11.9
Ravalli	3	1,681	3	560.0	0	0	0	0	0	0	3	3	1.0	0.1
DISTRICT 3	48	11,322	57	198.5	0	0	0	0	0	0	48	57	1.2	0.6
Beaverhead	6	336	9	37.3	0	0	0	0	0	0	6	9	1.5	0.4
Gallatin	9	1,708	9	189.7	0	0	0	0	0	0	9	9	1.0	0.3
Jefferson	9	7,569	15	504.2	0	0	0	0	0	0	9	15	1.7	1.0
Madison	18	1,657	18	92.0	0	0	0	0	0	0	18	18	1.0	1.2
Park	6	51	6	8.5	0	0	0	0	0	0	6	6	1.0	0.4
DISTRICT 4	18	856	12	71.3	0	0	0	0	0	0	18	12	0.7	0.1
Cascade	12	519	12	43.3	0	0	0	0	0	0	12	12	1.0	0.5
Lewis & Clark	6	336	0	-0.0	0	0	0	0	0	0	6	0	0.0	0.0
DISTRICT 5	3	300	3	100.0	0	0	0	0	0	0	3	3	1.0	0.0
Sweetgrass	3	300	3	100.0	0	0	0	0	0	0	3	3	1.0	0.2

Montana Fish Wildlife and Parks
1998 Furbearer Survey Report: Statistical Estimates of Trapping, Hunting, and Harvest
Summary of Trapping, Hunting, and Houndsman Activities, by Species and Location

Species: MUSKRAT

	TRAPPING ACTIVITY				HUNTING ACTIVITY			HOUNDSMAN ACTIVITY			ALL ACTIVITIES			
Location	Active Trapper	Trap Days	Total Catch	T Days /Catch	Active Hunter	Hunter Days	Total Harvest	Active Hounds	Hunter Days	Total Harvest	Active In Fur	Total Harvest	Mean Harvest	Species % Comp.
STATEWIDE	417	171,288	12,243	14.0	0	0	0	0	0	0	417	12,243	29.3	29.5
DISTRICT 1	66	26,297	2,270	11.6	0	0	0	0	0	0	66	2,270	34.4	49.0
Flathead	45	12,994	1,489	8.7	0	0	0	0	0	0	45	1,489	33.1	50.5
Lake	3	540	90	6.0	0	0	0	0	0	0	3	90	30.0	56.6
Lincoln	15	12,655	642	19.7	0	0	0	0	0	0	15	642	42.8	54.3
Sanders	3	108	48	2.3	0	0	0	0	0	0	3	48	16.0	14.3
DISTRICT 2	57	31,473	2,240	14.1	0	0	0	0	0	0	57	2,240	39.3	41.2
Deer Lodge	15	8,136	537	15.1	0	0	0	0	0	0	15	537	35.8	59.7
Granite	3	270	75	3.6	0	0	0	0	0	0	3	75	25.0	31.3
Mineral	6	429	18	23.8	0	0	0	0	0	0	6	18	3.0	17.1
Missoula	12	1,387	69	20.1	0	0	0	0	0	0	12	69	5.8	20.9
Powell	6	3,513	261	13.4	0	0	0	0	0	0	6	261	43.5	18.1
Ravalli	18	17,738	1,279	13.9	0	0	0	0	0	0	18	1,279	71.0	52.9
DISTRICT 3	117	75,550	3,495	21.6	0	0	0	0	0	0	117	3,495	29.8	33.9
Beaverhead	24	6,968	1,006	6.9	0	0	0	0	0	0	24	1,006	41.9	43.3
Broadwater	3	324	78	4.2	0	0	0	0	0	0	3	78	26.0	38.8
Gallatin	33	53,627	1,336	40.1	0	0	0	0	0	0	33	1,336	40.5	45.5
Jefferson	21	4,323	306	14.1	0	0	0	0	0	0	21	306	14.6	19.7
Madison	21	4,726	252	18.7	0	0	0	0	0	0	21	252	12.0	16.7
Park	21	5,581	516	10.8	0	0	0	0	0	0	21	516	24.6	31.7
DISTRICT 4	84	25,144	2,609	9.6	0	0	0	0	0	0	84	2,609	31.0	25.9
Cascade	24	4,107	724	5.7	0	0	0	0	0	0	24	724	30.1	27.5
Chouteau	3	42	6	7.0	0	0	0	0	0	0	3	6	2.0	0.6
Fergus	18	6,896	1,000	6.9	0	0	0	0	0	0	18	1,000	55.5	48.1
Lewis & Clark	24	10,430	525	19.9	0	0	0	0	0	0	24	525	21.9	29.2
Liberty	3	1,201	120	10.0	0	0	0	0	0	0	3	120	40.0	54.1
Meagher	3	2,162	117	18.5	0	0	0	0	0	0	3	117	39.0	16.4
Pondera	3	72	54	1.3	0	0	0	0	0	0	3	54	18.0	15.9
Teton	9	234	63	3.7	0	0	0	0	0	0	9	63	7.0	7.7
DISTRICT 5	66	9,292	709	13.1	0	0	0	0	0	0	66	709	10.7	11.4
Bighorn	9	348	39	8.9	0	0	0	0	0	0	9	39	4.3	4.4
Carbon	18	1,657	156	10.6	0	0	0	0	0	0	18	156	8.7	10.4
Musselshell	3	66	9	7.3	0	0	0	0	0	0	3	9	3.0	4.2
Stillwater	6	279	66	4.2	0	0	0	0	0	0	6	66	11.0	16.9
Sweetgrass	3	2,702	105	25.7	0	0	0	0	0	0	3	105	35.0	8.3
Wheatland	15	3,026	186	16.3	0	0	0	0	0	0	15	186	12.4	21.2
Yellowstone	15	1,213	147	8.2	0	0	0	0	0	0	15	147	9.8	14.1
DISTRICT 6	24	3,083	811	3.8	0	0	0	0	0	0	24	811	33.7	34.7
Blaine	6	639	150	4.3	0	0	0	0	0	0	6	150	25.0	50.5
Hill	3	811	12	67.5	0	0	0	0	0	0	3	12	4.0	1.7
Roosevelt	3	721	75	9.6	0	0	0	0	0	0	3	75	25.0	59.5
Sheridan	9	823	537	1.5	0	0	0	0	0	0	9	537	59.7	82.9
Valley	3	90	36	2.5	0	0	0	0	0	0	3	36	12.0	17.4
DISTRICT 7	12	447	111	4.0	0	0	0	0	0	0	12	111	9.2	4.5
Carter	3	90	57	1.6	0	0	0	0	0	0	3	57	19.0	8.3
Dawson	6	87	51	1.7	0	0	0	0	0	0	6	51	8.5	10.8
Treasure	3	270	3	90.0	0	0	0	0	0	0	3	3	1.0	0.8

Statistical Estimates

Summary of Trapping, Hunting, and Houndsman Activities

March 27th, 2002 page 5

Montana Fish Wildlife and Parks
1998 Furbearer Survey Report: Statistical Estimates of Trapping, Hunting, and Harvest
Summary of Trapping, Hunting, and Houndsman Activities, by Species and Location

Species: MINK

	TRAPPING ACTIVITY				HUNTING ACTIVITY			HOUNDSMAN ACTIVITY			ALL ACTIVITIES			
Location	Active Trapper	Trap Days	Total Catch	T Days /Catch	Active Hunter	Hunter Days	Total Harvest	Active Hounds	Hunter Days	Total Harvest	Active In Fur	Total Harvest	Mean Harvest	Species % Comp.
STATEWIDE	291	51,730	1,078	48.0	0	0	0	0	0	0	291	1,078	3.7	2.6
DISTRICT 1	63	13,381	285	46.9	0	0	0	0	0	0	63	285	4.5	6.2
Flathead	45	9,703	249	38.9	0	0	0	0	0	0	45	249	5.5	8.4
Lake	3	120	6	20.0	0	0	0	0	0	0	3	6	2.0	3.8
Lincoln	18	3,558	30	118.5	0	0	0	0	0	0	18	30	1.7	2.5
DISTRICT 2	27	8,394	162	51.8	0	0	0	0	0	0	27	162	6.0	3.0
Deer Lodge	9	3,107	66	47.0	0	0	0	0	0	0	9	66	7.3	7.3
Missoula	6	769	45	17.1	0	0	0	0	0	0	6	45	7.5	13.6
Powell	6	2,567	27	95.0	0	0	0	0	0	0	6	27	4.5	1.9
Ravalli	9	1,952	24	81.3	0	0	0	0	0	0	9	24	2.7	1.0
DISTRICT 3	84	15,444	309	49.9	0	0	0	0	0	0	84	309	3.7	3.0
Beaverhead	18	5,365	87	61.6	0	0	0	0	0	0	18	87	4.8	3.8
Broadwater	3	54	0	-0.0	0	0	0	0	0	0	3	0	0.0	0.0
Gallatin	30	4,750	105	45.2	0	0	0	0	0	0	30	105	3.5	3.6
Jefferson	12	2,237	27	82.8	0	0	0	0	0	0	12	27	2.3	1.7
Madison	6	721	39	18.5	0	0	0	0	0	0	6	39	6.5	2.6
Park	15	2,318	51	45.4	0	0	0	0	0	0	15	51	3.4	3.1
DISTRICT 4	69	8,187	171	47.8	0	0	0	0	0	0	69	171	2.5	1.7
Cascade	24	2,726	24	113.5	0	0	0	0	0	0	24	24	1.0	0.9
Chouteau	3	90	3	30.0	0	0	0	0	0	0	3	3	1.0	0.3
Fergus	6	889	15	59.2	0	0	0	0	0	0	6	15	2.5	0.7
Lewis & Clark	24	3,960	90	44.0	0	0	0	0	0	0	24	90	3.8	5.0
Liberty	3	378	15	25.2	0	0	0	0	0	0	3	15	5.0	6.8
Pondera	3	105	15	7.0	0	0	0	0	0	0	3	15	5.0	4.4
Teton	6	39	9	4.3	0	0	0	0	0	0	6	9	1.5	1.1
DISTRICT 5	36	5,101	120	42.5	0	0	0	0	0	0	36	120	3.3	1.9
Bighorn	6	204	6	34.0	0	0	0	0	0	0	6	6	1.0	0.7
Carbon	6	366	3	122.0	0	0	0	0	0	0	6	3	0.5	0.2
Stillwater	3	225	3	75.0	0	0	0	0	0	0	3	3	1.0	0.8
Sweetgrass	3	1,351	18	75.0	0	0	0	0	0	0	3	18	6.0	1.4
Wheatland	12	2,354	75	31.4	0	0	0	0	0	0	12	75	6.3	8.6
Yellowstone	6	600	15	40.0	0	0	0	0	0	0	6	15	2.5	1.4
DISTRICT 6	6	856	27	31.7	0	0	0	0	0	0	6	27	4.5	1.2
Hill	3	180	6	30.0	0	0	0	0	0	0	3	6	2.0	0.8
Richland	3	676	21	32.1	0	0	0	0	0	0	3	21	7.0	7.1
DISTRICT 7	9	366	3	122.0	0	0	0	0	0	0	9	3	0.3	0.1
Custer	6	336	3	112.0	0	0	0	0	0	0	6	3	0.5	1.4
Dawson	3	30	0	-0.0	0	0	0	0	0	0	3	0	0.0	0.0

Montana Fish Wildlife and Parks
1998 Furbearer Survey Report: Statistical Estimates of Trapping, Hunting, and Harvest
Summary of Trapping, Hunting, and Houndsman Activities, by Species and Location

Species: MARTEN

	TRAPPING ACTIVITY				HUNTING ACTIVITY			HOUNDSMAN ACTIVITY			ALL ACTIVITIES			
Location	Active Trapper	Trap Days	Total Catch	T Days /Catch	Active Hunter	Hunter Days	Total Harvest	Active Hounds	Hunter Days	Total Harvest	Active In Fur	Total Harvest	Mean Harvest	Species % Comp.
STATEWIDE	126	54,168	796	68.1	3	15	9	0	0	0	126	805	6.4	1.9
DISTRICT 1	60	34,034	603	56.4	0	0	0	0	0	0	60	603	10.1	13.0
Flathead	36	15,822	366	43.2	0	0	0	0	0	0	36	366	10.2	12.4
Lake	6	600	30	20.0	0	0	0	0	0	0	6	30	5.0	18.9
Lincoln	15	17,395	207	84.0	0	0	0	0	0	0	15	207	13.8	17.5
Sanders	3	216	0	-0.0	0	0	0	0	0	0	3	0	0.0	0.0
DISTRICT 2	27	11,742	111	105.7	3	15	9	0	0	0	27	120	4.4	2.2
Deer Lodge	6	718	6	119.5	0	0	0	0	0	0	6	6	1.0	0.7
Granite	9	817	21	38.9	3	15	9	0	0	0	9	30	3.3	12.5
Missoula	3	901	24	37.5	0	0	0	0	0	0	3	24	8.0	7.3
Ravalli	9	9,307	60	155.0	0	0	0	0	0	0	9	60	6.7	2.5
DISTRICT 3	27	5,734	63	91.0	0	0	0	0	0	0	27	63	2.3	0.6
Beaverhead	6	630	3	210.0	0	0	0	0	0	0	6	3	0.5	0.1
Gallatin	12	2,411	48	50.2	0	0	0	0	0	0	12	48	4.0	1.6
Jefferson	6	2,312	6	385.0	0	0	0	0	0	0	6	6	1.0	0.4
Madison	3	30	3	10.0	0	0	0	0	0	0	3	3	1.0	0.2
Park	3	351	3	117.0	0	0	0	0	0	0	3	3	1.0	0.2
DISTRICT 4	15	1,531	9	170.0	0	0	0	0	0	0	15	9	0.6	0.1
Glacier	6	378	3	126.0	0	0	0	0	0	0	6	3	0.5	100.0
Lewis & Clark	9	1,153	6	192.0	0	0	0	0	0	0	9	6	0.7	0.3
DISTRICT 5	3	1,126	9	125.0	0	0	0	0	0	0	3	9	3.0	0.1
Carbon	3	1,126	9	125.0	0	0	0	0	0	0	3	9	3.0	0.6

Species: FISHER

	TRAPPING ACTIVITY				HUNTING ACTIVITY			HOUNDSMAN ACTIVITY			ALL ACTIVITIES			
Location	Active Trapper	Trap Days	Total Catch	T Days /Catch	Active Hunter	Hunter Days	Total Harvest	Active Hounds	Hunter Days	Total Harvest	Active In Fur	Total Harvest	Mean Harvest	Species % Comp.
STATEWIDE	15	5,909	9	656.0	0	0	0	0	0	0	15	9	0.6	0.0
DISTRICT 1	9	5,218	3	1738.0	0	0	0	0	0	0	9	3	0.3	0.1
Lake	3	90	0	-0.0	0	0	0	0	0	0	3	0	0.0	0.0
Lincoln	3	4,603	3	1533.0	0	0	0	0	0	0	3	3	1.0	0.3
Sanders	3	525	0	-0.0	0	0	0	0	0	0	3	0	0.0	0.0
DISTRICT 2	6	691	6	115.0	0	0	0	0	0	0	6	6	1.0	0.1
Mineral	3	240	3	80.0	0	0	0	0	0	0	3	3	1.0	2.9
Ravalli	3	450	3	150.0	0	0	0	0	0	0	3	3	1.0	0.1

March 27th, 2002 page 8

Montana Fish Wildlife and Parks
1998 Furbearer Survey Report: Statistical Estimates of Trapping, Hunting, and Harvest
Summary of Trapping, Hunting, and Houndsman Activities, by Species and Location

Species: WOLVERINE

	TRAPPING ACTIVITY				HUNTING ACTIVITY			HOUNDSMAN ACTIVITY			ALL ACTIVITIES			
Location	Active Trapper	Trap Days	Total Catch	T Days /Catch	Active Hunter	Hunter Days	Total Harvest	Active Hounds	Hunter Days	Total Harvest	Active In Fur	Total Harvest	Mean Harvest	Species % Comp.
STATEWIDE	33	2,966	9	329.3	0	0	0	0	0	0	33	9	0.3	0.0
DISTRICT 1	9	811	0	-0.0	0	0	0	0	0	0	9	0	0.0	0.0
Lake	3	60	0	-0.0	0	0	0	0	0	0	3	0	0.0	0.0
Lincoln	3	450	0	-0.0	0	0	0	0	0	0	3	0	0.0	0.0
Sanders	3	300	0	-0.0	0	0	0	0	0	0	3	0	0.0	0.0
DISTRICT 2	3	450	0	-0.0	0	0	0	0	0	0	3	0	0.0	0.0
Ravalli	3	450	0	-0.0	0	0	0	0	0	0	3	0	0.0	0.0
DISTRICT 3	3	60	3	20.0	0	0	0	0	0	0	3	3	1.0	0.0
Gallatin	3	30	3	10.0	0	0	0	0	0	0	3	3	1.0	0.1
Madison	3	30	0	-0.0	0	0	0	0	0	0	3	0	0.0	0.0
DISTRICT 4	18	1,645	6	274.0	0	0	0	0	0	0	18	6	0.3	0.1
Cascade	3	42	3	14.0	0	0	0	0	0	0	3	3	1.0	0.1
Lewis & Clark	3	630	0	-0.0	0	0	0	0	0	0	3	0	0.0	0.0
Meagher	9	522	3	174.0	0	0	0	0	0	0	9	3	0.3	0.4
Teton	3	450	0	-0.0	0	0	0	0	0	0	3	0	0.0	0.0

March 27th, 2002 page 9

Species: LYNX

	TRAPPING ACTIVITY				HUNTING ACTIVITY			HOUNDSMAN ACTIVITY			ALL ACTIVITIES			
Location	Active Trapper	Trap Days	Total Catch	T Days /Catch	Active Hunter	Hunter Days	Total Harvest	Active Hounds	Hunter Days	Total Harvest	Active In Fur	Total Harvest	Mean Harvest	Species % Comp.
STATEWIDE	27	1,630	6	271.5	0	0	0	0	0	0	27	6	0.2	0.0
DISTRICT 1	3	6	0	-0.0	0	0	0	0	0	0	3	0	0.0	0.0
Lincoln	3	6	0	-0.0	0	0	0	0	0	0	3	0	0.0	0.0
DISTRICT 2	6	462	3	154.0	0	0	0	0	0	0	6	3	0.5	0.1
Missoula	3	12	3	4.0	0	0	0	0	0	0	3	3	1.0	0.9
Ravalli	3	450	0	-0.0	0	0	0	0	0	0	3	0	0.0	0.0
DISTRICT 3	3	45	0	-0.0	0	0	0	0	0	0	3	0	0.0	0.0
Beaverhead	3	45	0	-0.0	0	0	0	0	0	0	3	0	0.0	0.0
DISTRICT 4	15	1,117	3	372.0	0	0	0	0	0	0	15	3	0.2	0.0
Chouteau	3	180	3	60.0	0	0	0	0	0	0	3	3	1.0	0.3
Lewis & Clark	3	630	0	-0.0	0	0	0	0	0	0	3	0	0.0	0.0
Meagher	3	42	0	-0.0	0	0	0	0	0	0	3	0	0.0	0.0
Teton	6	264	0	-0.0	0	0	0	0	0	0	6	0	0.0	0.0

Montana Fish Wildlife and Parks
1998 Furbearer Survey Report: Statistical Estimates of Trapping, Hunting, and Harvest
Summary of Trapping, Hunting, and Houndsman Activities, by Species and Location

Species: BOBCAT

	TRAPPING ACTIVITY				HUNTING ACTIVITY			HOUNDSMAN ACTIVITY			ALL ACTIVITIES			
Location	Active Trapper	Trap Days	Total Catch	T Days /Catch	Active Hunter	Hunter Days	Total Harvest	Active Hounds	Hunter Days	Total Harvest	Active In Fur	Total Harvest	Mean Harvest	Species % Comp.
STATEWIDE	336	169,304	597	283.4	63	258	33	270	3,717	189	612	820	1.3	2.0
DISTRICT 1	45	13,769	84	163.8	9	36	6	114	1,651	111	156	201	1.3	4.3
Flathead	12	4,750	39	121.7	3	3	3	36	306	24	51	66	1.3	2.2
Lake	3	120	0	-0.0	0	0	0	6	21	0	6	0	0.0	0.0
Lincoln	18	7,278	24	303.0	3	30	0	45	790	45	63	69	1.1	5.8
Sanders	15	1,621	21	77.1	3	3	3	36	534	42	48	66	1.4	19.6
DISTRICT 2	39	18,179	63	288.3	3	3	3	63	706	36	96	102	1.1	1.9
Deer Lodge	0	0	0	0.0	0	0	0	3	3	0	3	0	0.0	0.0
Granite	6	1,063	3	354.0	0	0	0	6	39	0	12	3	0.3	1.3
Mineral	3	63	0	-0.0	0	0	0	15	165	6	15	6	0.4	5.7
Missoula	12	3,092	33	93.6	0	0	0	36	426	30	45	63	1.4	19.1
Powell	6	1,261	6	210.0	0	0	0	6	6	0	9	6	0.7	0.4
Ravalli	12	12,700	21	604.3	3	3	3	9	66	0	24	24	1.0	1.0
DISTRICT 3	75	34,572	129	267.8	3	39	3	33	261	12	105	144	1.4	1.4
Beaverhead	9	11,559	36	320.8	0	0	0	3	9	0	12	36	3.0	1.6
Broadwater	3	30	6	5.0	0	0	0	0	0	0	3	6	2.0	3.0
Gallatin	6	1,681	0	-0.0	0	0	0	12	42	3	12	3	0.3	0.1
Jefferson	9	5,032	6	838.0	3	9	0	0	0	0	12	6	0.5	0.4
Madison	21	7,308	30	243.4	3	30	3	6	48	6	30	39	1.3	2.6
Park	18	6,482	39	166.1	0	0	0	15	162	3	33	42	1.3	2.6
Silver Bow	9	2,480	12	206.5	0	0	0	0	0	0	9	12	1.3	8.0
DISTRICT 4	75	27,051	111	243.5	12	21	12	45	751	15	120	138	1.2	1.4
Cascade	15	4,254	21	202.4	0	0	0	3	30	0	15	21	1.4	0.8
Chouteau	6	2,612	15	174.0	0	0	0	0	0	0	6	15	2.5	1.6
Fergus	6	2,012	15	134.0	6	15	0	6	15	0	15	15	1.0	0.7
Judith Basin	6	4,864	3	1620.0	3	3	3	9	24	6	18	12	0.7	5.7
Lewis & Clark	30	9,673	30	322.2	0	0	0	18	291	9	45	39	0.9	2.2
Liberty	3	153	0	-0.0	0	0	0	0	0	0	3	0	0.0	0.0
Meagher	6	2,702	27	100.0	3	3	9	6	48	0	15	36	2.4	5.0
Pondera	0	0	0	0.0	0	0	0	6	174	0	6	0	0.0	0.0
Teton	3	781	0	-0.0	0	0	0	3	165	0	3	0	0.0	0.0
Toole	0	0	0	0.0	0	0	0	3	3	0	3	0	0.0	0.0
DISTRICT 5	48	54,711	129	423.8	21	78	6	30	342	15	90	150	1.7	2.4
Bighorn	3	273	0	-0.0	0	0	0	0	0	0	3	0	0.0	0.0
Carbon	21	14,381	21	684.3	3	6	0	3	3	0	24	21	0.9	1.4
Golden Valley	6	2,114	9	234.7	6	15	0	0	0	0	9	9	1.0	33.3
Musselshell	3	540	9	60.0	0	0	0	6	180	6	9	15	1.7	7.0
Stillwater	6	889	9	98.7	3	42	3	9	87	3	15	15	1.0	3.8
Sweetgrass	9	34,172	75	455.3	6	12	3	9	57	6	24	84	3.5	6.7
Yellowstone	3	2,342	6	390.0	3	3	0	6	15	0	12	6	0.5	0.6
DISTRICT 6	9	2,222	9	246.7	6	18	0	0	0	0	12	9	0.8	0.4
Blaine	3	721	3	240.0	0	0	0	0	0	0	3	3	1.0	1.0
Hill	6	1,381	6	230.0	0	0	0	0	0	0	6	6	1.0	0.8
Phillips	3	120	0	-0.0	3	12	0	0	0	0	3	0	0.0	0.0
Richland	0	0	0	0.0	3	6	0	0	0	0	3	0	0.0	0.0
DISTRICT 7	45	18,801	72	260.9	9	63	3	3	6	0	57	75	1.3	3.0
Carter	3	1,441	6	240.0	3	30	0	0	0	0	6	6	1.0	0.9
Custer	9	1,982	0	-0.0	3	30	3	0	0	0	12	3	0.3	1.4
Dawson	9	802	6	133.5	0	0	0	0	0	0	9	6	0.7	1.3
Garfield	6	2,882	9	320.0	3	3	0	3	6	0	12	9	0.8	4.8
Powder River	9	6,545	42	155.7	0	0	0	0	0	0	9	42	4.7	46.7
Prairie	3	2,027	3	675.0	0	0	0	0	0	0	3	3	1.0	1.7
Rosebud	3	120	3	40.0	0	0	0	0	0	0	3	3	1.0	1.3
Treasure	3	3,002	3	1000.0	0	0	0	0	0	0	3	3	1.0	0.8

Montana Fish Wildlife and Parks
1998 Furbearer Survey Report: Statistical Estimates of Trapping, Hunting, and Harvest
Summary of Trapping, Hunting, and Houndsman Activities, by Species and Location

Species: WEASEL

	TRAPPING ACTIVITY				HUNTING ACTIVITY			HOUNDSMAN ACTIVITY			ALL ACTIVITIES			
Location	Active Trapper	Trap Days	Total Catch	T Days /Catch	Active Hunter	Hunter Days	Total Harvest	Active Hounds	Hunter Days	Total Harvest	Active In Fur	Total Harvest	Mean Harvest	Species % Comp.
STATEWIDE	81	16,333	246	66.3	0	0	0	0	0	0	81	246	3.0	0.6
DISTRICT 1	36	8,695	144	60.3	0	0	0	0	0	0	36	144	4.0	3.1
Flathead	27	5,170	96	53.8	0	0	0	0	0	0	27	96	3.6	3.3
Lincoln	12	3,525	48	73.4	0	0	0	0	0	0	12	48	4.0	4.1
DISTRICT 2	24	4,705	48	97.9	0	0	0	0	0	0	24	48	2.0	0.9
Deer Lodge	6	946	9	105.0	0	0	0	0	0	0	6	9	1.5	1.0
Granite	3	252	3	84.0	0	0	0	0	0	0	3	3	1.0	1.3
Missoula	6	408	12	34.0	0	0	0	0	0	0	6	12	2.0	3.6
Ravalli	9	3,098	24	129.0	0	0	0	0	0	0	9	24	2.7	1.0
DISTRICT 3	6	264	9	29.3	0	0	0	0	0	0	6	9	1.5	0.1
Gallatin	3	84	3	28.0	0	0	0	0	0	0	3	3	1.0	0.1
Jefferson	3	180	6	30.0	0	0	0	0	0	0	3	6	2.0	0.4
DISTRICT 4	12	2,666	42	63.4	0	0	0	0	0	0	12	42	3.5	0.4
Lewis & Clark	12	2,666	42	63.4	0	0	0	0	0	0	12	42	3.5	2.3
DISTRICT 5	3	3	3	1.0	0	0	0	0	0	0	3	3	1.0	0.0
Stillwater	3	3	3	1.0	0	0	0	0	0	0	3	3	1.0	0.8

Montana Fish Wildlife and Parks
1998 Furbearer Survey Report: Statistical Estimates of Trapping, Hunting, and Harvest
Summary of Trapping, Hunting, and Houndsman Activities, by Species and Location

Species: SKUNK

	TRAPPING ACTIVITY				HUNTING ACTIVITY			HOUNDSMAN ACTIVITY			ALL ACTIVITIES			
Location	Active Trapper	Trap Days	Total Catch	T Days /Catch	Active Hunter	Hunter Days	Total Harvest	Active Hounds	Hunter Days	Total Harvest	Active In Fur	Total Harvest	Mean Harvest	Species % Comp.
STATEWIDE	195	39,198	1,507	26.0	12	90	54	3	3	6	207	1,567	7.6	3.8
DISTRICT 1	18	847	84	10.1	0	0	0	0	0	0	18	84	4.7	1.8
Flathead	18	847	84	10.1	0	0	0	0	0	0	18	84	4.7	2.8
DISTRICT 2	27	11,286	246	45.8	0	0	0	0	0	0	27	246	9.1	4.5
Granite	3	1,009	27	37.3	0	0	0	0	0	0	3	27	9.0	11.3
Mineral	3	36	3	12.0	0	0	0	0	0	0	3	3	1.0	2.9
Missoula	6	600	12	50.0	0	0	0	0	0	0	6	12	2.0	3.6
Powell	3	90	6	15.0	0	0	0	0	0	0	3	6	2.0	0.4
Ravalli	15	9,550	198	48.2	0	0	0	0	0	0	15	198	13.2	8.2
DISTRICT 3	42	6,089	339	17.9	0	0	0	3	3	6	45	345	7.7	3.4
Beaverhead	9	1,231	75	16.4	0	0	0	0	0	0	9	75	8.3	3.2
Broadwater	3	30	3	10.0	0	0	0	0	0	0	3	3	1.0	1.5
Gallatin	15	2,282	150	15.2	0	0	0	0	0	0	15	150	10.0	5.1
Jefferson	3	2,402	69	34.8	0	0	0	0	0	0	3	69	23.0	4.4
Madison	6	54	18	3.0	0	0	0	0	0	0	6	18	3.0	1.2
Park	3	60	9	6.7	0	0	0	3	3	6	6	15	2.5	0.9
Silver Bow	3	30	15	2.0	0	0	0	0	0	0	3	15	5.0	10.0
DISTRICT 4	51	5,311	339	15.7	3	9	3	0	0	0	54	342	6.3	3.4
Cascade	12	1,282	93	13.8	0	0	0	0	0	0	12	93	7.8	3.5
Chouteau	6	39	18	2.2	0	0	0	0	0	0	6	18	3.0	1.9
Fergus	3	450	9	50.0	0	0	0	0	0	0	3	9	3.0	0.4
Lewis & Clark	18	1,492	75	19.9	0	0	0	0	0	0	18	75	4.2	4.2
Meagher	3	1,651	90	18.3	0	0	0	0	0	0	3	90	30.0	12.6
Petroleum	0	0	0	0.0	3	9	3	0	0	0	3	3	1.0	1.3
Pondera	3	375	33	11.4	0	0	0	0	0	0	3	33	11.0	9.7
Teton	6	21	21	1.0	0	0	0	0	0	0	6	21	3.5	2.6
DISTRICT 5	33	7,740	273	28.3	6	21	33	0	0	0	39	306	7.8	4.9
Bighorn	3	480	12	40.0	0	0	0	0	0	0	3	12	4.0	1.4
Carbon	9	2,387	27	88.3	0	0	0	0	0	0	9	27	3.0	1.8
Musselshell	3	3	3	1.0	0	0	0	0	0	0	3	3	1.0	1.4
Stillwater	6	1,081	156	6.9	0	0	0	0	0	0	6	156	26.0	40.0
Wheatland	3	1,801	3	600.0	6	21	33	0	0	0	9	36	4.0	4.1
Yellowstone	9	1,988	72	27.6	0	0	0	0	0	0	9	72	8.0	6.9
DISTRICT 6	3	18	15	1.2	0	0	0	0	0	0	3	15	5.0	0.6
Mccone	3	18	15	1.2	0	0	0	0	0	0	3	15	5.0	55.6
DISTRICT 7	21	7,908	210	37.6	3	60	18	0	0	0	21	228	10.9	9.2
Carter	9	6,305	138	45.7	0	0	0	0	0	0	9	138	15.3	20.0
Custer	3	162	12	13.5	3	60	18	0	0	0	3	30	10.0	14.5
Dawson	3	420	18	23.3	0	0	0	0	0	0	3	18	6.0	3.8
Powder River	3	300	12	25.0	0	0	0	0	0	0	3	12	4.0	13.3
Treasure	3	721	30	24.0	0	0	0	0	0	0	3	30	10.0	7.8

Montana Fish Wildlife and Parks
1998 Furbearer Survey Report: Statistical Estimates of Trapping, Hunting, and Harvest
Summary of Trapping, Hunting, and Houndsman Activities, by Species and Location

Species: COYOTE

	TRAPPING ACTIVITY				HUNTING ACTIVITY			HOUNDSMAN ACTIVITY			ALL ACTIVITIES			
Location	Active Trapper	Trap Days	Total Catch	T Days /Catch	Active Hunter	Hunter Days	Total Harvest	Active Hounds	Hunter Days	Total Harvest	Active In Fur	Total Harvest	Mean Harvest	Species % Comp.
STATEWIDE	360	285,043	3,735	76.3	291	3,588	2,321	6	39	3	546	6,059	11.1	14.6
DISTRICT 1	21	2,513	39	64.4	21	360	228	0	0	0	42	267	6.4	5.8
Flathead	15	1,432	27	53.0	3	15	3	0	0	0	18	30	1.7	1.0
Lake	0	0	0	0.0	3	45	27	0	0	0	3	27	9.0	17.0
Lincoln	6	1,081	12	90.0	12	63	18	0	0	0	18	30	1.7	2.5
Sanders	0	0	0	0.0	9	237	180	0	0	0	9	180	20.0	53.6
DISTRICT 2	42	44,641	802	55.7	24	108	72	0	0	0	60	874	14.6	16.1
Deer Lodge	3	4,684	36	130.0	3	3	6	0	0	0	6	42	7.0	4.7
Granite	6	4,521	57	79.3	0	0	0	0	0	0	6	57	9.5	23.8
Mineral	3	30	3	10.0	0	0	0	0	0	0	3	3	1.0	2.9
Missoula	0	0	0	0.0	9	21	6	0	0	0	9	6	0.7	1.8
Powell	15	19,536	399	48.9	6	63	51	0	0	0	15	450	30.0	31.2
Ravalli	18	15,870	306	51.8	6	21	9	0	0	0	24	315	13.1	13.0
DISTRICT 3	99	62,190	868	71.7	69	919	516	3	3	3	141	1,387	9.8	13.5
Beaverhead	15	15,708	96	163.5	3	60	126	0	0	0	18	222	12.3	9.6
Broadwater	3	300	12	25.0	9	57	51	0	0	0	9	63	7.0	31.3
Gallatin	15	14,843	273	54.3	15	279	66	0	0	0	21	339	16.1	11.6
Jefferson	9	10,763	201	53.5	12	123	72	0	0	0	15	273	18.2	17.5
Madison	24	12,063	162	74.4	9	189	69	0	0	0	30	231	7.7	15.3
Park	24	5,897	54	109.1	24	201	120	3	3	3	42	177	4.2	10.9
Silver Bow	9	2,615	69	37.9	3	9	12	0	0	0	12	81	6.8	54.0
DISTRICT 4	102	57,816	835	69.3	78	667	652	3	36	0	141	1,486	10.5	14.7
Cascade	21	9,625	129	74.6	12	180	258	0	0	0	27	387	14.3	14.7
Chouteau	21	19,107	345	55.3	15	213	177	0	0	0	24	522	21.8	56.3
Fergus	15	5,954	54	110.2	18	90	75	0	0	0	27	129	4.8	6.2
Judith Basin	0	0	0	0.0	3	15	6	3	36	0	6	6	1.0	2.9
Lewis & Clark	24	15,084	174	86.6	3	36	18	0	0	0	24	192	8.0	10.7
Liberty	6	4,413	18	245.0	6	27	15	0	0	0	9	33	3.7	14.9
Meagher	6	2,822	84	33.6	9	42	45	0	0	0	9	129	14.3	18.1
Petroleum	3	12	6	2.0	3	12	15	0	0	0	6	21	3.5	9.3
Teton	6	799	24	33.3	6	12	3	0	0	0	6	27	4.5	3.3
Toole	0	0	0	0.0	6	39	39	0	0	0	6	39	6.5	35.1
DISTRICT 5	42	67,579	507	133.2	51	525	180	0	0	0	75	688	9.2	11.1
Bighorn	9	18,014	99	181.8	9	144	93	0	0	0	12	192	16.0	21.8
Carbon	18	41,147	327	125.7	12	75	15	0	0	0	21	342	16.3	22.8
Golden Valley	3	270	0	-0.0	0	0	0	0	0	0	3	0	0.0	0.0
Musselshell	0	0	0	0.0	9	87	6	0	0	0	9	6	0.7	2.8
Stillwater	3	540	30	18.0	3	9	0	0	0	0	6	30	5.0	7.7
Sweetgrass	3	7,206	45	160.0	6	30	6	0	0	0	9	51	5.7	4.0
Yellowstone	6	402	6	67.0	18	180	60	0	0	0	21	66	3.1	6.3
DISTRICT 6	15	10,736	255	42.1	27	165	198	0	0	0	39	453	11.6	19.4
Blaine	6	1,621	9	180.0	3	6	3	0	0	0	9	12	1.3	4.0
Hill	9	7,674	198	38.7	6	30	39	0	0	0	15	237	15.8	33.1
Phillips	0	0	0	0.0	3	9	9	0	0	0	3	9	3.0	75.0
Richland	0	0	0	0.0	3	9	0	0	0	0	3	0	0.0	0.0
Sheridan	0	0	0	0.0	3	30	102	0	0	0	3	102	34.0	15.7
Valley	3	1,441	48	30.0	9	81	45	0	0	0	9	93	10.3	44.9
DISTRICT 7	42	39,568	429	92.2	36	844	474	0	0	0	69	904	13.1	36.6
Carter	6	9,908	90	110.0	9	69	60	0	0	0	12	150	12.5	21.7
Custer	3	480	3	160.0	6	60	69	0	0	0	9	72	8.0	34.8
Dawson	6	985	18	54.7	6	69	93	0	0	0	9	111	12.3	23.4
Fallon	3	1,081	12	90.0	0	0	0	0	0	0	3	12	4.0	100.0
Garfield	3	6,005	60	100.0	0	0	0	0	0	0	3	60	20.0	31.7
Powder River	3	600	15	40.0	6	204	15	0	0	0	9	30	3.3	33.3
Prairie	3	2,027	33	61.4	6	60	69	0	0	0	9	102	11.3	57.6
Rosebud	9	3,711	45	82.4	9	291	108	0	0	0	18	153	8.5	63.8
Treasure	6	14,771	153	96.5	3	90	60	0	0	0	6	213	35.5	55.0

Montana Fish Wildlife and Parks
1998 Furbearer Survey Report: Statistical Estimates of Trapping, Hunting, and Harvest
Summary of Trapping, Hunting, and Houndsman Activities, by Species and Location

Species: FOX

	TRAPPING ACTIVITY				HUNTING ACTIVITY			HOUNDSMAN ACTIVITY			ALL ACTIVITIES			
Location	Active Trapper	Trap Days	Total Catch	T Days /Catch	Active Hunter	Hunter Days	Total Harvest	Active Hounds	Hunter Days	Total Harvest	Active In Fur	Total Harvest	Mean Harvest	Species % Comp.
STATEWIDE	255	128,367	1,921	66.8	69	694	234	0	0	0	297	2,156	7.3	5.2
DISTRICT 1	9	967	27	35.8	0	0	0	0	0	0	9	27	3.0	0.6
Flathead	9	967	27	35.8	0	0	0	0	0	0	9	27	3.0	0.9
DISTRICT 2	33	13,724	210	65.3	0	0	0	0	0	0	33	210	6.4	3.9
Deer Lodge	6	630	12	52.5	0	0	0	0	0	0	6	12	2.0	1.3
Granite	3	1,009	6	168.0	0	0	0	0	0	0	3	6	2.0	2.5
Missoula	3	135	6	22.5	0	0	0	0	0	0	3	6	2.0	1.8
Powell	3	90	3	30.0	0	0	0	0	0	0	3	3	1.0	0.2
Ravalli	18	11,859	183	64.8	0	0	0	0	0	0	18	183	10.2	7.6
DISTRICT 3	60	23,673	288	82.1	12	180	33	0	0	0	66	321	4.9	3.1
Beaverhead	9	2,792	51	54.7	0	0	0	0	0	0	9	51	5.7	2.2
Broadwater	3	30	6	5.0	0	0	0	0	0	0	3	6	2.0	3.0
Gallatin	15	3,933	54	72.8	12	180	33	0	0	0	21	87	4.1	3.0
Jefferson	6	5,134	33	155.5	0	0	0	0	0	0	6	33	5.5	2.1
Madison	9	8,376	87	96.2	0	0	0	0	0	0	9	87	9.7	5.8
Park	12	2,954	36	82.0	0	0	0	0	0	0	12	36	3.0	2.2
Silver Bow	6	453	21	21.6	0	0	0	0	0	0	6	21	3.5	14.0
DISTRICT 4	66	15,327	378	40.5	30	237	117	0	0	0	87	495	5.7	4.9
Cascade	18	4,897	87	56.2	9	150	75	0	0	0	24	162	6.7	6.2
Chouteau	6	1,081	27	40.0	9	45	30	0	0	0	12	57	4.8	6.1
Fergus	6	2,102	12	175.0	3	3	0	0	0	0	9	12	1.3	0.6
Judith Basin	3	901	3	300.0	0	0	0	0	0	0	3	3	1.0	1.4
Lewis & Clark	21	4,666	66	70.6	3	18	3	0	0	0	24	69	2.9	3.8
Liberty	6	676	27	25.0	3	12	3	0	0	0	6	30	5.0	13.5
Petroleum	0	0	0	0.0	3	9	6	0	0	0	3	6	2.0	2.7
Pondera	3	375	135	2.8	0	0	0	0	0	0	3	135	45.0	39.8
Teton	3	630	21	30.0	0	0	0	0	0	0	3	21	7.0	2.6
DISTRICT 5	45	35,136	408	86.1	9	51	30	0	0	0	51	438	8.6	7.1
Bighorn	6	1,261	12	105.0	0	0	0	0	0	0	6	12	2.0	1.4
Carbon	15	16,612	183	90.7	0	0	0	0	0	0	15	183	12.2	12.2
Stillwater	9	1,171	21	55.7	0	0	0	0	0	0	9	21	2.3	5.4
Sweetgrass	6	12,610	105	120.0	0	0	0	0	0	0	6	105	17.5	8.3
Wheatland	0	0	0	0.0	3	3	12	0	0	0	3	12	4.0	1.4
Yellowstone	9	3,483	87	40.0	6	48	18	0	0	0	12	105	8.8	10.1
DISTRICT 6	15	4,672	120	38.9	6	36	9	0	0	0	21	129	6.1	5.5
Hill	9	3,200	111	28.8	0	0	0	0	0	0	9	111	12.3	15.5
Mccone	3	30	3	10.0	0	0	0	0	0	0	3	3	1.0	11.1
Phillips	0	0	0	0.0	3	6	3	0	0	0	3	3	1.0	25.0
Sheridan	0	0	0	0.0	3	30	6	0	0	0	3	6	2.0	0.9
Valley	3	1,441	6	240.0	0	0	0	0	0	0	3	6	2.0	2.9
DISTRICT 7	27	34,869	489	71.3	12	189	45	0	0	0	33	534	16.2	21.7
Carter	6	9,908	204	48.5	6	39	9	0	0	0	9	213	23.7	30.9
Custer	3	162	3	54.0	0	0	0	0	0	0	3	3	1.0	1.4
Dawson	6	1,997	96	20.8	3	60	30	0	0	0	9	126	14.0	26.6
Garfield	3	6,005	120	50.0	0	0	0	0	0	0	3	120	40.0	63.5
Prairie	3	2,027	48	42.2	0	0	0	0	0	0	3	48	16.0	27.1
Treasure	6	14,771	18	820.0	3	90	6	0	0	0	6	24	4.0	6.2

March 27th, 2002

Montana Fish Wildlife and Parks
1998 Furbearer Survey Report: Statistical Estimates of Trapping, Hunting, and Harvest
Summary of Trapping, Hunting, and Houndsman Activities, by Species and Location

Species: RACCOON

	TRAPPING ACTIVITY				HUNTING ACTIVITY			HOUNDSMAN ACTIVITY			ALL ACTIVITIES			
Location	Active Trapper	Trap Days	Total Catch	T Days /Catch	Active Hunter	Hunter Days	Total Harvest	Active Hounds	Hunter Days	Total Harvest	Active In Fur	Total Harvest	Mean Harvest	Species % Comp.
STATEWIDE	384	135,240	3,273	41.3	54	288	354	75	1,195	573	471	4,200	8.9	10.1
DISTRICT 1	27	2,177	132	16.5	3	3	3	9	78	9	36	144	4.0	3.1
Flathead	24	2,132	129	16.5	3	3	3	3	72	6	27	138	5.1	4.7
Lincoln	3	45	3	15.0	0	0	0	3	3	0	6	3	0.5	0.3
Sanders	0	0	0	0.0	0	0	0	3	3	3	3	3	1.0	0.9
DISTRICT 2	39	11,511	195	59.0	0	0	0	3	90	3	42	198	4.7	3.6
Deer Lodge	3	105	3	35.0	0	0	0	0	0	0	3	3	1.0	0.3
Mineral	3	42	0	-0.0	0	0	0	0	0	0	3	0	0.0	0.0
Missoula	9	652	9	72.3	0	0	0	3	90	3	12	12	1.0	3.6
Powell	3	168	6	28.0	0	0	0	0	0	0	3	6	2.0	0.4
Ravalli	21	10,544	177	59.5	0	0	0	0	0	0	21	177	8.4	7.3
DISTRICT 3	96	28,090	700	40.2	12	72	39	18	228	132	114	871	7.6	8.5
Beaverhead	12	1,759	60	29.3	3	3	3	0	0	0	12	63	5.3	2.7
Broadwater	6	33	3	11.0	0	0	0	3	60	18	9	21	2.3	10.4
Gallatin	30	8,199	234	35.0	3	45	12	6	105	81	33	327	9.9	11.2
Jefferson	15	4,503	186	24.2	3	15	9	0	0	0	18	195	10.8	12.5
Madison	18	6,599	96	68.7	3	9	15	3	15	0	24	111	4.6	7.4
Park	18	6,995	120	58.2	0	0	0	9	48	33	27	153	5.7	9.4
DISTRICT 4	93	27,318	606	45.0	21	120	84	21	201	45	126	736	5.8	7.3
Cascade	30	8,839	117	75.5	6	75	15	6	27	0	39	132	3.4	5.0
Chouteau	6	222	45	4.9	9	12	39	3	9	24	12	108	9.0	11.7
Fergus	18	3,582	195	18.4	0	0	0	3	3	0	21	195	9.3	9.4
Judith Basin	0	0	0	0.0	0	0	0	3	18	0	3	0	0.0	0.0
Lewis & Clark	18	4,257	132	32.2	0	0	0	6	39	6	24	138	5.8	7.7
Liberty	6	8,310	15	553.6	3	3	3	6	96	6	15	24	1.6	10.8
Meagher	0	0	0	0.0	0	0	0	3	9	9	3	9	3.0	1.3
Pondera	3	375	30	12.5	0	0	0	0	0	0	3	30	10.0	8.8
Teton	15	1,732	72	24.0	0	0	0	0	0	0	15	72	4.8	8.8
Toole	0	0	0	0.0	3	30	27	0	0	0	3	27	9.0	24.3
DISTRICT 5	78	51,715	1,270	40.7	12	84	219	30	570	366	102	1,855	18.2	30.0
Bighorn	15	14,801	240	61.6	3	42	105	3	9	0	15	345	23.0	39.1
Carbon	21	7,383	183	40.3	3	15	66	6	60	105	24	354	14.8	23.6
Musselshell	9	1,441	21	68.6	0	0	0	6	69	6	15	27	1.8	12.7
Stillwater	3	270	30	9.0	0	0	0	6	189	9	9	39	4.3	10.0
Sweetgrass	6	13,210	423	31.2	0	0	0	3	75	15	9	438	48.7	34.8
Wheatland	12	5,014	117	42.8	3	3	33	3	3	72	15	222	14.8	25.3
Yellowstone	12	9,595	255	37.6	3	24	15	6	165	159	18	429	23.8	41.2
DISTRICT 6	21	4,789	111	43.1	0	0	0	3	27	18	24	129	5.4	5.5
Blaine	3	901	6	150.0	0	0	0	3	27	18	6	24	4.0	8.1
Hill	6	1,657	36	46.0	0	0	0	0	0	0	6	36	6.0	5.0
Mccone	3	24	9	2.7	0	0	0	0	0	0	3	9	3.0	33.3
Richland	3	676	36	18.8	0	0	0	0	0	0	3	36	12.0	12.1
Valley	6	1,531	24	63.7	0	0	0	0	0	0	6	24	4.0	11.6
DISTRICT 7	30	9,640	258	37.3	6	9	9	0	0	0	36	267	7.4	10.8
Carter	6	3,243	60	54.0	3	3	3	0	0	0	9	63	7.0	9.1
Custer	3	432	18	24.0	0	0	0	0	0	0	3	18	6.0	8.7
Dawson	9	1,417	36	39.3	0	0	0	0	0	0	9	36	4.0	7.6
Powder River	0	0	0	0.0	3	6	6	0	0	0	3	6	2.0	6.7
Prairie	3	2,027	24	84.4	0	0	0	0	0	0	3	24	8.0	13.6
Rosebud	3	721	54	13.3	0	0	0	0	0	0	3	54	18.0	22.5
Treasure	6	1,801	66	27.3	0	0	0	0	0	0	6	66	11.0	17.1

Montana Fish Wildlife and Parks
1998 Furbearer Survey Report: Statistical Estimates of Trapping, Hunting, and Harvest
Summary of Trapping, Hunting, and Houndsman Activities, by Species and Location

Species: BADGER

	TRAPPING ACTIVITY				HUNTING ACTIVITY			HOUNDSMAN ACTIVITY			ALL ACTIVITIES			
Location	Active Trapper	Trap Days	Total Catch	T Days /Catch	Active Hunter	Hunter Days	Total Harvest	Active Hounds	Hunter Days	Total Harvest	Active In Fur	Total Harvest	Mean Harvest	Species % Comp.
STATEWIDE	72	10,103	252	40.1	6	9	9	3	3	0	81	261	3.2	0.6
DISTRICT 2	6	15	3	5.0	0	0	0	0	0	0	6	3	0.5	0.1
Missoula	3	6	3	2.0	0	0	0	0	0	0	3	3	1.0	0.9
Powell	3	9	0	-0.0	0	0	0	0	0	0	3	0	0.0	0.0
DISTRICT 3	15	871	51	17.1	0	0	0	0	0	0	15	51	3.4	0.5
Beaverhead	9	718	42	17.1	0	0	0	0	0	0	9	42	4.7	1.8
Broadwater	3	120	3	40.0	0	0	0	0	0	0	3	3	1.0	1.5
Jefferson	3	33	6	5.5	0	0	0	0	0	0	3	6	2.0	0.4
DISTRICT 4	24	1,294	81	16.0	3	6	6	0	0	0	27	87	3.2	0.9
Cascade	6	282	18	15.7	0	0	0	0	0	0	6	18	3.0	0.7
Chouteau	0	0	0	0.0	3	6	6	0	0	0	3	6	2.0	0.6
Fergus	3	270	6	45.0	0	0	0	0	0	0	3	6	2.0	0.3
Lewis & Clark	9	727	51	14.2	0	0	0	0	0	0	9	51	5.7	2.8
Meagher	3	12	3	4.0	0	0	0	0	0	0	3	3	1.0	0.4
Teton	3	3	3	1.0	0	0	0	0	0	0	3	3	1.0	0.4
DISTRICT 5	9	2,471	9	274.3	0	0	0	0	0	0	9	9	1.0	0.1
Bighorn	3	480	3	160.0	0	0	0	0	0	0	3	3	1.0	0.3
Carbon	3	189	3	63.0	0	0	0	0	0	0	3	3	1.0	0.2
Wheatland	3	1,801	3	600.0	0	0	0	0	0	0	3	3	1.0	0.3
DISTRICT 6	6	1,129	39	28.9	3	3	3	0	0	0	9	42	4.7	1.8
Hill	6	1,129	39	28.9	0	0	0	0	0	0	6	39	6.5	5.4
Valley	0	0	0	0.0	3	3	3	0	0	0	3	3	1.0	1.4
DISTRICT 7	12	4,323	69	62.6	0	0	0	3	3	0	15	69	4.6	2.8
Carter	6	3,243	63	51.4	0	0	0	0	0	0	6	63	10.5	9.1
Custer	3	961	3	320.0	0	0	0	0	0	0	3	3	1.0	1.4
Dawson	3	120	3	40.0	0	0	0	3	3	0	6	3	0.5	0.6

Species: OTHER

	TRAPPING ACTIVITY				HUNTING ACTIVITY			HOUNDSMAN ACTIVITY			ALL ACTIVITIES			
Location	Active Trapper	Trap Days	Total Catch	T Days /Catch	Active Hunter	Hunter Days	Total Harvest	Active Hounds	Hunter Days	Total Harvest	Active In Fur	Total Harvest	Mean Harvest	Species % Comp.
STATEWIDE	9	796	9	88.3	3	30	63	0	0	0	9	72	8.0	0.2
DISTRICT 1	6	432	6	72.0	3	30	63	0	0	0	6	69	11.5	1.5
Flathead	3	12	3	4.0	3	30	63	0	0	0	3	66	22.0	2.2
Lincoln	3	420	3	140.0	0	0	0	0	0	0	3	3	1.0	0.3
DISTRICT 2	3	363	3	121.0	0	0	0	0	0	0	3	3	1.0	0.1
Ravalli	3	363	3	121.0	0	0	0	0	0	0	3	3	1.0	0.1

Statistical Estimates

Detail of All Furbearer Activities Combined

March 27th, 2002 page 1

Montana Fish Wildlife and Parks
1998 Furbearer Survey Report: Statistical Estimates of Trapping, Hunting, and Harvest
Detail of All Furbearer Activities Combined, by Species and Location

Species: ALL

Location	Active In Fur	Activity Days	Days/ Hunter	Success Hunters	Percent Success	Total Harvest	Mean Harvest	%Take 1	%Take 2-3	%Take 4-6	%Take 7-10	%Take 11-15	%Take 16-21	%Take 22-29	%Take 30+	Species % Comp.
STATEWIDE	1,468	96,119	65.5	1,267	86.3	41,435	28.2	22	23	16	11	8	6	5	9	100.0
DISTRICT 1	288	11,241	39.0	219	76.0	4,630	16.1	32	20	19	8	5	4	2	10	100.0
Flathead	132	5,500	41.6	105	79.5	2,951	22.3	28	18	21	7	6	6	3	9	100.0
Lake	18	288	16.0	15	83.3	159	8.8	0	33	33	17	0	0	0	17	100.0
Lincoln	114	4,092	35.9	75	65.8	1,183	10.4	35	23	14	9	7	0	0	12	100.0
Sanders	57	1,360	23.8	45	78.9	336	5.9	50	18	18	5	0	5	0	5	100.0
DISTRICT 2	213	12,586	59.0	180	84.5	5,437	25.5	23	28	12	12	9	3	2	12	100.0
Deer Lodge	27	1,726	63.9	27	100.0	901	33.3	17	33	8	13	13	0	0	17	100.0
Granite	24	1,012	42.1	18	75.0	240	10.0	17	33	8	33	0	0	8	0	100.0
Mineral	27	441	16.3	21	77.8	105	3.9	60	10	10	0	20	0	0	0	100.0
Missoula	75	1,657	22.1	57	76.0	330	4.4	40	31	14	9	6	0	0	0	100.0
Powell	33	2,222	67.3	27	81.8	1,444	43.7	9	18	0	23	14	5	0	32	100.0
Ravalli	60	5,527	92.1	48	80.0	2,417	40.3	13	29	19	8	8	6	4	13	100.0
DISTRICT 3	312	22,550	72.2	285	91.3	10,298	33.0	19	25	16	12	6	7	7	7	100.0
Beaverhead	45	3,119	69.3	39	86.7	2,321	51.5	18	24	16	10	6	12	4	12	100.0
Broadwater	18	330	18.3	18	100.0	201	11.2	33	17	25	8	8	0	8	0	100.0
Gallatin	90	6,260	69.5	81	90.0	2,933	32.6	20	19	11	19	5	5	9	11	100.0
Jefferson	39	3,981	102.0	33	84.6	1,558	39.9	5	34	13	16	5	11	5	11	100.0
Madison	72	4,627	64.2	69	95.8	1,507	20.9	20	23	18	12	8	8	7	3	100.0
Park	72	3,711	51.5	66	91.7	1,627	22.6	24	31	15	6	6	5	8	5	100.0
Silver Bow	21	522	24.9	15	71.4	150	7.1	20	20	50	0	0	10	0	0	100.0
DISTRICT 4	363	20,506	56.4	315	86.8	10,079	27.7	24	20	17	11	8	5	5	10	100.0
Cascade	72	4,494	62.4	63	87.5	2,627	36.5	32	8	22	7	8	7	4	11	100.0
Chouteau	36	1,507	41.8	36	100.0	928	25.7	8	33	17	22	6	3	6	6	100.0
Fergus	54	2,300	42.6	42	77.8	2,081	38.5	16	26	11	11	11	8	8	11	100.0
Glacier	6	42	7.0	3	50.0	3	0.5	100	0	0	0	0	0	0	0	100.0
Judith Basin	24	597	24.9	18	75.0	210	8.7	56	33	0	0	0	0	0	11	100.0
Lewis & Clark	84	6,998	83.3	66	78.6	1,798	21.4	25	25	13	9	9	6	5	8	100.0
Liberty	15	1,132	75.4	12	80.0	222	14.8	33	17	42	0	0	0	0	8	100.0
Meagher	39	1,321	33.8	30	76.9	715	18.3	16	21	5	21	11	0	11	16	100.0
Petroleum	15	135	9.0	15	100.0	225	15.0	17	33	17	0	0	0	0	33	100.0
Pondera	18	507	28.2	12	66.7	339	18.8	13	13	13	13	13	25	0	13	100.0
Teton	42	1,327	31.6	33	78.6	820	19.5	27	15	23	4	12	4	4	12	100.0
Toole	6	144	24.0	6	100.0	111	18.5	0	0	25	50	25	0	0	0	100.0
DISTRICT 5	225	15,459	68.7	204	90.7	6,191	27.5	20	22	17	10	11	6	6	9	100.0
Bighorn	27	2,249	83.2	27	100.0	883	32.7	11	22	19	15	11	7	4	11	100.0
Carbon	51	4,182	81.9	48	94.1	1,498	29.4	18	29	8	8	16	10	8	4	100.0
Golden Valley	15	279	18.6	6	40.0	27	1.8	0	50	50	0	0	0	0	0	100.0
Musselshell	21	766	36.4	18	85.7	213	10.1	30	50	10	0	0	0	0	10	100.0
Stillwater	33	1,300	39.4	30	90.9	390	11.8	33	22	11	22	0	6	0	6	100.0
Sweetgrass	39	2,687	68.8	30	76.9	1,261	32.3	19	10	10	19	14	0	5	24	100.0
Wheatland	24	2,048	85.2	24	100.0	877	36.5	20	8	28	4	16	0	16	8	100.0
Yellowstone	42	1,949	46.4	36	85.7	1,042	24.8	20	17	29	3	9	11	3	9	100.0
DISTRICT 6	78	4,164	53.3	66	84.6	2,333	29.9	16	30	14	9	7	4	7	14	100.0
Blaine	27	1,231	45.6	24	88.9	297	11.0	27	36	9	9	0	0	9	9	100.0
Hill	15	1,816	121.0	15	100.0	718	47.8	11	32	21	11	5	0	5	16	100.0
Mccone	3	36	12.0	3	100.0	27	9.0	33	33	33	0	0	0	0	0	100.0
Phillips	9	39	4.3	6	66.7	12	1.3	50	50	0	0	0	0	0	0	100.0
Richland	6	195	32.5	3	50.0	297	49.5	0	0	0	33	33	0	0	33	100.0
Roosevelt	3	210	70.0	3	100.0	126	42.0	0	0	0	0	0	50	50	0	100.0
Sheridan	12	114	9.5	12	100.0	649	54.0	17	17	0	0	0	0	17	50	100.0
Valley	12	522	43.5	9	75.0	207	17.3	9	36	18	9	18	9	0	0	100.0
DISTRICT 7	111	9,613	86.5	96	86.5	2,468	22.2	22	20	17	11	3	17	2	7	100.0
Carter	15	2,627	175.0	15	100.0	691	46.0	12	29	6	12	0	24	6	12	100.0
Custer	18	820	45.5	18	100.0	207	11.5	42	8	33	0	0	17	0	0	100.0
Dawson	24	1,300	54.1	21	87.5	474	19.8	25	20	20	15	0	5	5	10	100.0
Fallon	3	180	60.0	3	100.0	12	4.0	0	0	100	0	0	0	0	0	100.0
Garfield	12	700	58.3	3	25.0	189	15.8	0	33	0	0	0	33	0	33	100.0
Powder River	15	811	54.0	15	100.0	90	6.0	25	38	25	0	13	0	0	0	100.0
Prairie	9	600	66.7	9	100.0	177	19.7	17	17	0	17	17	33	0	0	100.0
Rosebud	18	655	36.3	15	83.3	240	13.3	13	0	13	38	13	25	0	0	100.0
Treasure	6	1,921	320.0	6	100.0	387	64.5	25	17	17	8	0	25	0	8	100.0

Statistical Estimates

Detail of All Furbearer Activities Combined

March 27th, 2002 page 2

Montana Fish Wildlife and Parks

1998 Furbearer Survey Report: Statistical Estimates of Trapping, Hunting, and Harvest

Detail of All Furbearer Activities Combined, by Species and Location

Species: BEAVER

Location	Active In Fur	Activity Days	Days/ Hunter	Success Hunters	Percent Success	Total Harvest	Mean Harvest	%Take 1	%Take 2-3	%Take 4-6	%Take 7-10	%Take 11-15	%Take 16-21	%Take 22-29	%Take 30+	Species % Comp.
STATEWIDE	721	15,909	22.1	682	94.6	11,634	16.1	7	16	16	17	11	10	8	15	28.1
DISTRICT 1	90	1,132	12.6	72	80.0	510	5.7	12	24	32	16	12	0	0	4	11.0
Flathead	51	691	13.5	36	70.6	324	6.4	0	17	50	8	17	0	0	8	11.0
Lake	3	6	2.0	3	100.0	6	2.0	0	100	0	0	0	0	0	0	3.8
Lincoln	30	321	10.7	27	90.0	144	4.8	22	33	11	22	11	0	0	0	12.2
Sanders	9	114	12.7	9	100.0	36	4.0	33	0	33	33	0	0	0	0	10.7
DISTRICT 2	96	1,666	17.3	93	96.9	1,045	10.9	16	19	16	25	9	6	0	9	19.2
Deer Lodge	21	387	18.4	21	100.0	225	10.7	0	29	29	29	0	0	0	14	25.0
Granite	9	144	16.0	6	66.7	39	4.3	0	50	0	50	0	0	0	0	16.3
Mineral	9	63	7.0	9	100.0	72	8.0	33	0	0	0	67	0	0	0	68.6
Missoula	18	138	7.7	18	100.0	72	4.0	33	17	17	33	0	0	0	0	21.8
Powell	18	670	37.2	18	100.0	513	28.5	0	0	0	33	17	17	0	33	35.6
Ravalli	24	264	11.0	24	100.0	123	5.1	25	25	25	13	0	13	0	0	5.1
DISTRICT 3	180	5,356	29.7	177	98.3	3,243	18.0	3	15	17	15	11	14	14	12	31.5
Beaverhead	33	655	19.8	33	100.0	727	22.0	9	0	0	18	9	27	18	18	31.3
Broadwater	3	9	3.0	3	100.0	21	7.0	0	0	0	100	0	0	0	0	10.4
Gallatin	54	1,405	26.0	51	94.4	522	9.7	6	35	6	18	12	6	12	6	17.8
Jefferson	24	985	41.0	24	100.0	615	25.6	0	0	38	25	0	13	0	25	39.5
Madison	45	1,123	24.9	45	100.0	709	15.7	0	7	27	7	20	13	20	7	47.0
Park	36	1,060	29.4	36	100.0	627	17.4	0	17	17	8	8	17	17	17	38.6
Silver Bow	6	120	20.0	6	100.0	21	3.5	0	50	50	0	0	0	0	0	14.0
DISTRICT 4	189	3,705	19.6	186	98.4	3,942	20.8	6	12	14	12	9	14	6	26	39.1
Cascade	39	931	23.8	39	100.0	1,051	26.9	0	0	23	0	8	23	8	38	40.0
Chouteau	15	162	10.8	15	100.0	189	12.6	0	0	40	20	20	0	0	20	20.4
Fergus	27	561	20.8	24	88.9	700	25.9	0	13	13	13	0	25	13	25	33.6
Judith Basin	9	51	5.7	9	100.0	189	21.0	0	67	0	0	0	0	0	33	90.0
Lewis & Clark	42	1,069	25.4	42	100.0	570	13.6	14	21	7	21	7	14	0	14	31.7
Meagher	21	369	17.6	21	100.0	327	15.6	0	14	0	43	14	0	14	14	45.8
Petroleum	6	99	16.5	6	100.0	195	32.5	0	0	0	0	0	0	0	100	86.7
Pondera	9	84	9.3	9	100.0	72	8.0	33	33	0	0	0	33	0	0	21.2
Teton	27	306	11.3	27	100.0	603	22.3	11	0	22	0	11	11	11	33	73.6
Toole	3	72	24.0	3	100.0	45	15.0	0	0	0	0	100	0	0	0	40.5
DISTRICT 5	126	2,579	20.5	120	95.2	1,900	15.1	5	15	10	17	22	7	10	12	30.7
Bighorn	21	528	25.1	21	100.0	273	13.0	14	14	14	14	14	14	0	14	31.0
Carbon	36	682	18.9	33	91.7	399	11.1	0	27	0	18	27	9	18	0	26.7
Golden Valley	3	21	7.0	3	100.0	18	6.0	0	0	100	0	0	0	0	0	66.7
Musselshell	6	123	20.5	3	50.0	153	25.5	0	0	0	0	0	0	0	100	71.8
Stillwater	9	69	7.7	9	100.0	57	6.3	0	0	33	67	0	0	0	0	14.6
Sweetgrass	18	661	36.7	18	100.0	456	25.3	0	17	0	33	17	0	0	33	36.2
Wheatland	15	276	18.4	15	100.0	342	22.8	20	0	0	0	20	0	40	20	39.0
Yellowstone	18	219	12.2	18	100.0	201	11.2	0	17	17	0	50	17	0	0	19.3
DISTRICT 6	33	883	26.7	30	90.9	718	21.7	8	25	8	17	0	8	17	17	30.8
Blaine	12	441	36.8	9	75.0	108	9.0	0	33	0	33	0	0	33	0	36.4
Hill	9	102	11.3	9	100.0	270	30.0	0	33	0	0	0	0	33	33	37.7
Richland	3	90	30.0	3	100.0	240	80.0	0	0	0	0	0	0	0	100	80.8
Roosevelt	3	90	30.0	3	100.0	51	17.0	0	0	0	0	0	100	0	0	40.5
Sheridan	3	6	2.0	3	100.0	3	1.0	100	0	0	0	0	0	0	0	0.5
Valley	9	153	17.0	9	100.0	45	5.0	0	33	33	33	0	0	0	0	21.7
DISTRICT 7	27	588	21.8	24	88.9	276	10.2	0	13	13	38	0	25	13	0	11.2
Custer	9	171	19.0	6	66.7	75	8.3	0	0	50	0	0	50	0	0	36.2
Dawson	12	237	19.8	12	100.0	123	10.3	0	25	0	50	0	0	25	0	25.9
Rosebud	3	90	30.0	3	100.0	30	10.0	0	0	0	100	0	0	0	0	12.5
Treasure	3	90	30.0	3	100.0	48	16.0	0	0	0	0	0	100	0	0	12.4

Montana Fish Wildlife and Parks
1998 Furbearer Survey Report: Statistical Estimates of Trapping, Hunting, and Harvest
Detail of All Furbearer Activities Combined, by Species and Location

Species: OTTER

Location	Active In Fur	Activity Days	Days/ Hunter	Success Hunters	Percent Success	Total Harvest	Mean Harvest	%Take 1	%Take 2-3	%Take 4-6	%Take 7-10	%Take 11-15	%Take 16-21	%Take 22-29	%Take 30+	Species % Comp.
STATEWIDE	102	1,630	16.0	87	85.3	270	2.6	83	13	0	0	0	0	0	3	0.7
DISTRICT 1	21	174	8.3	21	100.0	21	1.0	100	0	0	0	0	0	0	0	0.5
Flathead	15	102	6.8	15	100.0	15	1.0	100	0	0	0	0	0	0	0	0.5
Lincoln	3	12	4.0	3	100.0	3	1.0	100	0	0	0	0	0	0	0	0.3
Sanders	3	60	20.0	3	100.0	3	1.0	100	0	0	0	0	0	0	0	0.9
DISTRICT 2	15	330	22.0	9	60.0	177	11.8	67	0	0	0	0	0	0	33	3.3
Mineral	3	42	14.0	0	0.0	0	0.0	-0	-0	-0	-0	-0	-0	-0	-0	0.0
Missoula	6	24	4.0	3	50.0	3	0.5	100	0	0	0	0	0	0	0	0.9
Powell	3	180	60.0	3	100.0	171	57.0	0	0	0	0	0	0	0	100	11.9
Ravalli	3	84	28.0	3	100.0	3	1.0	100	0	0	0	0	0	0	0	0.1
DISTRICT 3	48	922	19.2	45	93.8	57	1.2	73	27	0	0	0	0	0	0	0.6
Beaverhead	6	126	21.0	6	100.0	9	1.5	50	50	0	0	0	0	0	0	0.4
Gallatin	9	171	19.0	9	100.0	9	1.0	100	0	0	0	0	0	0	0	0.3
Jefferson	9	318	35.3	9	100.0	15	1.7	33	67	0	0	0	0	0	0	1.0
Madison	18	291	16.2	15	83.3	18	1.0	80	20	0	0	0	0	0	0	1.2
Park	6	15	2.5	6	100.0	6	1.0	100	0	0	0	0	0	0	0	0.4
DISTRICT 4	18	144	8.0	12	66.7	12	0.7	100	0	0	0	0	0	0	0	0.1
Cascade	12	84	7.0	12	100.0	12	1.0	100	0	0	0	0	0	0	0	0.5
Lewis & Clark	6	60	10.0	0	0.0	0	0.0	-0	-0	-0	-0	-0	-0	-0	-0	0.0
DISTRICT 5	3	60	20.0	3	100.0	3	1.0	100	0	0	0	0	0	0	0	0.0
Sweetgrass	3	60	20.0	3	100.0	3	1.0	100	0	0	0	0	0	0	0	0.2

Detail of All Furbearer Activities Combined

March 27th, 2002

Montana Fish Wildlife and Parks
1998 Furbearer Survey Report: Statistical Estimates of Trapping, Hunting, and Harvest
Detail of All Furbearer Activities Combined, by Species and Location

Species: MUSKRAT

Location	Active In Fur	Activity Days	Days/ Hunter	Success Hunters	Percent Success	Total Harvest	Mean Harvest	%Take 1	%Take 2-3	%Take 4-6	%Take 7-10	%Take 11-15	%Take 16-21	%Take 22-29	%Take 30+	Species % Comp.
STATEWIDE	417	8,824	21.1	411	98.6	12,243	29.3	7	12	12	7	12	8	12	31	29.5
DISTRICT 1	66	1,174	17.8	66	100.0	2,270	34.4	9	5	0	14	9	5	5	55	49.0
Flathead	45	748	16.6	45	100.0	1,489	33.1	13	7	0	20	7	0	7	47	50.5
Lake	3	36	12.0	3	100.0	90	30.0	0	0	0	0	0	0	0	100	56.6
Lincoln	15	363	24.2	15	100.0	642	42.8	0	0	0	0	20	0	0	80	54.3
Sanders	3	27	9.0	3	100.0	48	16.0	0	0	0	0	0	100	0	0	14.3
DISTRICT 2	57	1,567	27.5	57	100.0	2,240	39.3	5	10	15	5	10	5	5	45	41.2
Deer Lodge	15	486	32.4	15	100.0	537	35.8	0	20	0	0	20	0	0	60	59.7
Granite	3	90	30.0	3	100.0	75	25.0	0	0	0	0	0	0	100	0	31.3
Mineral	6	45	7.5	6	100.0	18	3.0	0	50	50	0	0	0	0	0	17.1
Missoula	12	96	8.0	12	100.0	69	5.8	25	0	50	0	25	0	0	0	20.9
Powell	6	225	37.5	6	100.0	261	43.5	0	0	0	0	0	0	0	100	18.1
Ravalli	18	624	34.7	18	100.0	1,279	71.0	0	0	0	17	0	17	0	67	52.9
DISTRICT 3	117	2,858	24.4	111	94.9	3,495	29.8	3	13	10	8	10	10	18	28	33.9
Beaverhead	24	534	22.3	24	100.0	1,006	41.9	0	25	25	0	0	13	0	38	43.3
Broadwater	3	9	3.0	3	100.0	78	26.0	0	0	0	0	0	0	100	0	38.8
Gallatin	33	964	29.2	30	90.9	1,336	40.5	0	0	0	10	10	0	20	60	45.5
Jefferson	21	453	21.6	21	100.0	306	14.6	0	29	14	14	14	14	0	14	19.7
Madison	21	402	19.1	21	100.0	252	12.0	14	14	0	14	14	29	14	0	16.7
Park	21	495	23.6	18	85.7	516	24.6	0	0	17	0	17	0	50	17	31.7
DISTRICT 4	84	1,345	16.0	84	100.0	2,609	31.0	7	7	10	3	21	10	17	24	25.9
Cascade	24	177	7.4	24	100.0	724	30.1	0	13	13	0	25	13	13	25	27.5
Chouteau	3	21	7.0	3	100.0	6	2.0	0	100	0	0	0	0	0	0	0.6
Fergus	18	345	19.2	18	100.0	1,000	55.5	0	0	0	17	33	0	17	33	48.1
Lewis & Clark	24	645	26.9	24	100.0	525	21.9	13	0	13	0	13	13	38	13	29.2
Liberty	3	30	10.0	3	100.0	120	40.0	0	0	0	0	0	0	0	100	54.1
Meagher	3	90	30.0	3	100.0	117	39.0	0	0	0	0	0	0	0	100	16.4
Pondera	3	3	1.0	3	100.0	54	18.0	0	0	0	0	0	100	0	0	15.9
Teton	9	33	3.7	9	100.0	63	7.0	33	0	33	0	33	0	0	0	7.7
DISTRICT 5	66	1,180	17.9	66	100.0	709	10.7	9	26	26	9	9	4	4	13	11.4
Bighorn	9	78	8.7	9	100.0	39	4.3	33	33	0	33	0	0	0	0	4.4
Carbon	18	204	11.3	18	100.0	156	8.7	0	50	0	17	17	0	17	0	10.4
Musselshell	3	33	11.0	3	100.0	9	3.0	0	100	0	0	0	0	0	0	4.2
Stillwater	6	63	10.5	6	100.0	66	11.0	0	50	0	0	0	50	0	0	16.9
Sweetgrass	3	135	45.0	3	100.0	105	35.0	0	0	0	0	0	0	0	100	8.3
Wheatland	15	486	32.4	15	100.0	186	12.4	0	0	60	0	20	0	0	20	21.2
Yellowstone	15	180	12.0	15	100.0	147	9.8	20	0	60	0	0	0	0	20	14.1
DISTRICT 6	24	519	21.6	24	100.0	811	33.7	0	13	13	0	13	0	25	38	34.7
Blaine	6	66	11.0	6	100.0	150	25.0	0	50	0	0	0	0	0	50	50.5
Hill	3	270	90.0	3	100.0	12	4.0	0	0	100	0	0	0	0	0	1.7
Roosevelt	3	120	40.0	3	100.0	75	25.0	0	0	0	0	0	0	100	0	59.5
Sheridan	9	48	5.3	9	100.0	537	59.7	0	0	0	0	0	0	33	67	82.9
Valley	3	15	5.0	3	100.0	36	12.0	0	0	0	0	100	0	0	0	17.4
DISTRICT 7	12	180	15.0	12	100.0	111	9.2	50	0	0	0	0	50	0	0	4.5
Carter	3	9	3.0	3	100.0	57	19.0	0	0	0	0	0	100	0	0	8.3
Dawson	6	81	13.5	6	100.0	51	8.5	50	0	0	0	0	50	0	0	10.8
Treasure	3	90	30.0	3	100.0	3	1.0	100	0	0	0	0	0	0	0	0.8

Statistical Estimates
Detail of All Furbearer Activities Combined

Montana Fish Wildlife and Parks
1998 Furbearer Survey Report: Statistical Estimates of Trapping, Hunting, and Harvest
Detail of All Furbearer Activities Combined, by Species and Location

Species: MINK

Location	Active In Fur	Activity Days	Days/ Hunter	Success Hunters	Percent Success	Total Harvest	Mean Harvest	%Take 1	%Take 2-3	%Take 4-6	%Take 7-10	%Take 11-15	%Take 16-21	%Take 22-29	%Take 30+	Species % Comp.
STATEWIDE	291	5,491	18.9	246	84.5	1,078	3.7	40	25	17	6	6	4	2	0	2.6
DISTRICT 1	63	1,105	17.5	54	85.7	285	4.5	28	33	22	0	0	11	6	0	6.2
Flathead	45	760	16.9	39	86.7	249	5.5	31	23	23	0	0	15	8	0	8.4
Lake	3	30	10.0	3	100.0	6	2.0	0	100	0	0	0	0	0	0	3.8
Lincoln	18	315	17.5	12	66.7	30	1.7	25	50	25	0	0	0	0	0	2.5
DISTRICT 2	27	766	28.3	24	88.9	162	6.0	11	33	11	22	22	0	0	0	3.0
Deer Lodge	9	315	35.0	9	100.0	66	7.3	0	33	0	33	33	0	0	0	7.3
Missoula	6	72	12.0	6	100.0	45	7.5	0	50	0	0	50	0	0	0	13.6
Powell	6	225	37.5	6	100.0	27	4.5	50	0	0	50	0	0	0	0	1.9
Ravalli	9	153	17.0	6	66.7	24	2.7	0	50	50	0	0	0	0	0	1.0
DISTRICT 3	84	1,555	18.5	66	78.6	309	3.7	41	36	0	9	5	5	5	0	3.0
Beaverhead	18	192	10.7	18	100.0	87	4.8	33	50	0	0	0	17	0	0	3.8
Broadwater	3	9	3.0	0	0.0	0	0.0	-0	-0	-0	-0	-0	-0	-0	-0	0.0
Gallatin	30	727	24.2	21	70.0	105	3.5	71	14	0	0	0	0	14	0	3.6
Jefferson	12	285	23.8	6	50.0	27	2.3	0	50	0	50	0	0	0	0	1.7
Madison	6	135	22.5	6	100.0	39	6.5	0	50	0	0	50	0	0	0	2.6
Park	15	207	13.8	15	100.0	51	3.4	40	40	0	20	0	0	0	0	3.1
DISTRICT 4	69	1,105	16.0	66	95.7	171	2.5	64	5	27	0	5	0	0	0	1.7
Cascade	24	285	11.9	24	100.0	24	1.0	100	0	0	0	0	0	0	0	0.9
Chouteau	3	15	5.0	3	100.0	3	1.0	100	0	0	0	0	0	0	0	0.3
Fergus	6	108	18.0	6	100.0	15	2.5	50	0	50	0	0	0	0	0	0.7
Lewis & Clark	24	633	26.4	21	87.5	90	3.8	43	0	43	0	14	0	0	0	5.0
Liberty	3	21	7.0	3	100.0	15	5.0	0	0	100	0	0	0	0	0	6.8
Pondera	3	21	7.0	3	100.0	15	5.0	0	0	100	0	0	0	0	0	4.4
Teton	6	21	3.5	6	100.0	9	1.5	50	50	0	0	0	0	0	0	1.1
DISTRICT 5	36	829	23.0	30	83.3	120	3.3	40	20	30	0	10	0	0	0	1.9
Bighorn	6	78	13.0	3	50.0	6	1.0	0	100	0	0	0	0	0	0	0.7
Carbon	6	114	19.0	3	50.0	3	0.5	100	0	0	0	0	0	0	0	0.2
Stillwater	3	45	15.0	3	100.0	3	1.0	100	0	0	0	0	0	0	0	0.8
Sweetgrass	3	135	45.0	3	100.0	18	6.0	0	0	100	0	0	0	0	0	1.4
Wheatland	12	384	32.0	12	100.0	75	6.3	25	25	25	0	25	0	0	0	8.6
Yellowstone	6	72	12.0	6	100.0	15	2.5	50	0	50	0	0	0	0	0	1.4
DISTRICT 6	6	75	12.5	6	100.0	27	4.5	0	50	0	50	0	0	0	0	1.2
Hill	3	30	10.0	3	100.0	6	2.0	0	100	0	0	0	0	0	0	0.8
Richland	3	45	15.0	3	100.0	21	7.0	0	0	0	100	0	0	0	0	7.1
DISTRICT 7	9	57	6.3	3	33.3	3	0.3	100	0	0	0	0	0	0	0	0.1
Custer	6	42	7.0	3	50.0	3	0.5	100	0	0	0	0	0	0	0	1.4
Dawson	3	15	5.0	0	0.0	0	0.0	-0	-0	-0	-0	-0	-0	-0	-0	0.0

Statistical Estimates

Detail of All Furbearer Activities Combined

```
March 27th, 2002                                                                                                       page    6
                                                  Montana Fish Wildlife and Parks
                    1998 Furbearer Survey Report: Statistical Estimates of Trapping, Hunting, and Harvest
                                 Detail of All Furbearer Activities Combined, by Species and Location
Species: MARTEN
              Active Activity Days/  Success Percent  Total    Mean  %Take %Take %Take %Take %Take %Take %Take %Take Species
Location      In Fur   Days   Hunter Hunters Success Harvest Harvest 1      2-3   4-6   7-10 11-15 16-21 22-29  30+  % Comp.
------------- ------ -------- ------ ------- ------- ------- ------- ----- ----- ----- ----- ----- ----- ----- ----- -------
STATEWIDE        126    3,131   24.8      99    78.6     805     6.4    28    19    22    14     3     6     3     6     1.9

DISTRICT 1        60    1,561   26.0      48    80.0     603    10.1     6    13    31    19     0    13     6    13    13.0

Flathead          36      799   22.2      27    75.0     366    10.2    11    11    11    22     0    22    11    11    12.4
Lake               6       60   10.0       6   100.0      30     5.0     0     0   100     0     0     0     0     0    18.9
Lincoln           15      667   44.4      15   100.0     207    13.8     0    20    40    20     0     0     0    20    17.5
Sanders            3       36   12.0       0     0.0       0     0.0    -0    -0    -0    -0    -0    -0    -0    -0     0.0

DISTRICT 2        27      658   24.3      24    88.9     120     4.4    22    33    22    11    11     0     0     0     2.2

Deer Lodge         6       66   11.0       6   100.0       6     1.0   100     0     0     0     0     0     0     0     0.7
Granite            9      156   17.3       6    66.7      30     3.3     0    67    33     0     0     0     0     0    12.5
Missoula           3       45   15.0       3   100.0      24     8.0     0     0     0   100     0     0     0     0     7.3
Ravalli            9      390   43.3       9   100.0      60     6.7     0    33    33     0    33     0     0     0     2.5

DISTRICT 3        27      630   23.3      21    77.8      63     2.3    57    14    14    14     0     0     0     0     0.6

Beaverhead         6       63   10.5       3    50.0       3     0.5   100     0     0     0     0     0     0     0     0.1
Gallatin          12      204   17.0       9    75.0      48     4.0    33     0    33    33     0     0     0     0     1.6
Jefferson          6      294   49.0       3    50.0       6     1.0     0   100     0     0     0     0     0     0     0.4
Madison            3       30   10.0       3   100.0       3     1.0   100     0     0     0     0     0     0     0     0.2
Park               3       39   13.0       3   100.0       3     1.0   100     0     0     0     0     0     0     0     0.2

DISTRICT 4        15      267   17.8       9    60.0       9     0.6   100     0     0     0     0     0     0     0     0.1

Glacier            6       42    7.0       3    50.0       3     0.5   100     0     0     0     0     0     0     0   100.0
Lewis & Clark      9      225   25.0       6    66.7       6     0.7   100     0     0     0     0     0     0     0     0.3

DISTRICT 5         3       15    5.0       3   100.0       9     3.0     0   100     0     0     0     0     0     0     0.1

Carbon             3       15    5.0       3   100.0       9     3.0     0   100     0     0     0     0     0     0     0.6


March 27th, 2002                                                                                                       page    7

Species: FISHER
              Active Activity Days/  Success Percent  Total    Mean  %Take %Take %Take %Take %Take %Take %Take %Take Species
Location      In Fur   Days   Hunter Hunters Success Harvest Harvest 1      2-3   4-6   7-10 11-15 16-21 22-29  30+  % Comp.
------------- ------ -------- ------ ------- ------- ------- ------- ----- ----- ----- ----- ----- ----- ----- ----- -------
STATEWIDE         15      438   29.2       9    60.0       9     0.6   100     0     0     0     0     0     0     0     0.0

DISTRICT 1         9      324   36.0       3    33.3       3     0.3   100     0     0     0     0     0     0     0     0.1

Lake               3       30   10.0       0     0.0       0     0.0    -0    -0    -0    -0    -0    -0    -0    -0     0.0
Lincoln            3      219   73.0       3   100.0       3     1.0   100     0     0     0     0     0     0     0     0.3
Sanders            3       75   25.0       0     0.0       0     0.0    -0    -0    -0    -0    -0    -0    -0    -0     0.0

DISTRICT 2         6      114   19.0       6   100.0       6     1.0   100     0     0     0     0     0     0     0     0.1

Mineral            3       24    8.0       3   100.0       3     1.0   100     0     0     0     0     0     0     0     2.9
Ravalli            3       90   30.0       3   100.0       3     1.0   100     0     0     0     0     0     0     0     0.1
```

March 27th, 2002

Montana Fish Wildlife and Parks
1998 Furbearer Survey Report: Statistical Estimates of Trapping, Hunting, and Harvest
Detail of All Furbearer Activities Combined, by Species and Location

Species: WOLVERINE

Location	Active In Fur	Activity Days	Days/ Hunter	Success Hunters	Percent Success	Total Harvest	Mean Harvest	%Take 1	%Take 2-3	%Take 4-6	%Take 7-10	%Take 11-15	%Take 16-21	%Take 22-29	%Take 30+	Species % Comp.
STATEWIDE	33	991	30.0	9	27.3	9	0.3	100	0	0	0	0	0	0	0	0.0
DISTRICT 1	9	330	36.7	0	0.0	0	0.0	-0	-0	-0	-0	-0	-0	-0	-0	0.0
Lake	3	30	10.0	0	0.0	0	0.0	-0	-0	-0	-0	-0	-0	-0	-0	0.0
Lincoln	3	225	75.0	0	0.0	0	0.0	-0	-0	-0	-0	-0	-0	-0	-0	0.0
Sanders	3	75	25.0	0	0.0	0	0.0	-0	-0	-0	-0	-0	-0	-0	-0	0.0
DISTRICT 2	3	90	30.0	0	0.0	0	0.0	-0	-0	-0	-0	-0	-0	-0	-0	0.0
Ravalli	3	90	30.0	0	0.0	0	0.0	-0	-0	-0	-0	-0	-0	-0	-0	0.0
DISTRICT 3	3	60	20.0	3	100.0	3	1.0	100	0	0	0	0	0	0	0	0.0
Gallatin	3	30	10.0	3	100.0	3	1.0	100	0	0	0	0	0	0	0	0.1
Madison	3	30	10.0	0	0.0	0	0.0	-0	-0	-0	-0	-0	-0	-0	-0	0.0
DISTRICT 4	18	510	28.3	6	33.3	6	0.3	100	0	0	0	0	0	0	0	0.1
Cascade	3	21	7.0	3	100.0	3	1.0	100	0	0	0	0	0	0	0	0.1
Lewis & Clark	3	90	30.0	0	0.0	0	0.0	-0	-0	-0	-0	-0	-0	-0	-0	0.0
Meagher	9	174	19.3	3	33.3	3	0.3	100	0	0	0	0	0	0	0	0.4
Teton	3	225	75.0	0	0.0	0	0.0	-0	-0	-0	-0	-0	-0	-0	-0	0.0

March 27th, 2002

Species: LYNX

Location	Active In Fur	Activity Days	Days/ Hunter	Success Hunters	Percent Success	Total Harvest	Mean Harvest	%Take 1	%Take 2-3	%Take 4-6	%Take 7-10	%Take 11-15	%Take 16-21	%Take 22-29	%Take 30+	Species % Comp.
STATEWIDE	27	369	13.7	6	22.2	6	0.2	100	0	0	0	0	0	0	0	0.0
DISTRICT 1	3	6	2.0	0	0.0	0	0.0	-0	-0	-0	-0	-0	-0	-0	-0	0.0
Lincoln	3	6	2.0	0	0.0	0	0.0	-0	-0	-0	-0	-0	-0	-0	-0	0.0
DISTRICT 2	6	93	15.5	3	50.0	3	0.5	100	0	0	0	0	0	0	0	0.1
Missoula	3	3	1.0	3	100.0	3	1.0	100	0	0	0	0	0	0	0	0.9
Ravalli	3	90	30.0	0	0.0	0	0.0	-0	-0	-0	-0	-0	-0	-0	-0	0.0
DISTRICT 3	3	3	1.0	0	0.0	0	0.0	-0	-0	-0	-0	-0	-0	-0	-0	0.0
Beaverhead	3	3	1.0	0	0.0	0	0.0	-0	-0	-0	-0	-0	-0	-0	-0	0.0
DISTRICT 4	15	267	17.8	3	20.0	3	0.2	100	0	0	0	0	0	0	0	0.0
Chouteau	3	90	30.0	3	100.0	3	1.0	100	0	0	0	0	0	0	0	0.3
Lewis & Clark	3	90	30.0	0	0.0	0	0.0	-0	-0	-0	-0	-0	-0	-0	-0	0.0
Meagher	3	21	7.0	0	0.0	0	0.0	-0	-0	-0	-0	-0	-0	-0	-0	0.0
Teton	6	66	11.0	0	0.0	0	0.0	-0	-0	-0	-0	-0	-0	-0	-0	0.0

Montana Fish Wildlife and Parks
1998 Furbearer Survey Report: Statistical Estimates of Trapping, Hunting, and Harvest
Detail of All Furbearer Activities Combined, by Species and Location

Species: BOBCAT

Location	Active In Fur	Activity Days	Days/ Hunter	Success Hunters	Percent Success	Total Harvest	Mean Harvest	%Take 1	%Take 2-3	%Take 4-6	%Take 7-10	%Take 11-15	%Take 16-21	%Take 22-29	%Take 30+	Species % Comp.
STATEWIDE	612	15,315	25.0	333	54.4	820	1.3	52	31	13	3	2	0	0	0	2.0
DISTRICT 1	156	2,726	17.5	84	53.8	201	1.3	63	16	19	3	0	0	0	0	4.3
Flathead	51	597	11.7	30	58.8	66	1.3	70	0	30	0	0	0	0	0	2.2
Lake	6	51	8.5	0	0.0	0	0.0	-0	-0	-0	-0	-0	-0	-0	-0	0.0
Lincoln	63	1,345	21.3	27	42.9	69	1.1	56	22	11	11	0	0	0	0	5.8
Sanders	48	733	15.3	33	68.8	66	1.4	62	23	15	0	0	0	0	0	19.6
DISTRICT 2	96	1,915	19.9	51	53.1	102	1.1	44	44	11	0	0	0	0	0	1.9
Deer Lodge	3	3	1.0	0	0.0	0	0.0	-0	-0	-0	-0	-0	-0	-0	-0	0.0
Granite	12	237	19.8	3	25.0	3	0.3	100	0	0	0	0	0	0	0	1.3
Mineral	15	186	12.4	6	40.0	6	0.4	100	0	0	0	0	0	0	0	5.7
Missoula	45	739	16.4	27	60.0	63	1.4	40	40	20	0	0	0	0	0	19.1
Powell	9	141	15.7	3	33.3	6	0.7	0	100	0	0	0	0	0	0	0.4
Ravalli	24	609	25.4	12	50.0	24	1.0	25	75	0	0	0	0	0	0	1.0
DISTRICT 3	105	2,441	23.2	60	57.1	144	1.4	35	40	25	0	0	0	0	0	1.4
Beaverhead	12	411	34.2	9	75.0	36	3.0	0	33	67	0	0	0	0	0	1.6
Broadwater	3	30	10.0	3	100.0	6	2.0	0	100	0	0	0	0	0	0	3.0
Gallatin	12	222	18.5	3	25.0	3	0.3	100	0	0	0	0	0	0	0	0.1
Jefferson	12	363	30.2	3	25.0	6	0.5	0	100	0	0	0	0	0	0	0.4
Madison	30	661	22.0	21	70.0	39	1.3	43	43	14	0	0	0	0	0	2.6
Park	33	576	17.5	18	54.5	42	1.3	50	33	17	0	0	0	0	0	2.6
Silver Bow	9	177	19.7	3	33.3	12	1.3	0	0	100	0	0	0	0	0	8.0
DISTRICT 4	120	3,426	28.5	54	45.0	138	1.2	47	37	11	5	0	0	0	0	1.4
Cascade	15	459	30.6	12	80.0	21	1.4	50	50	0	0	0	0	0	0	0.8
Chouteau	6	150	25.0	6	100.0	15	2.5	0	100	0	0	0	0	0	0	1.6
Fergus	15	225	15.0	3	20.0	15	1.0	0	0	100	0	0	0	0	0	0.7
Judith Basin	18	387	21.5	12	66.7	12	0.7	100	0	0	0	0	0	0	0	5.7
Lewis & Clark	45	1,294	28.7	15	33.3	39	0.9	50	33	17	0	0	0	0	0	2.2
Liberty	3	51	17.0	0	0.0	0	0.0	-0	-0	-0	-0	-0	-0	-0	-0	0.0
Meagher	15	321	21.4	6	40.0	36	2.4	0	50	0	50	0	0	0	0	5.0
Pondera	6	174	29.0	0	0.0	0	0.0	-0	-0	-0	-0	-0	-0	-0	-0	0.0
Teton	3	360	120.0	0	0.0	0	0.0	-0	-0	-0	-0	-0	-0	-0	-0	0.0
Toole	3	3	1.0	0	0.0	0	0.0	-0	-0	-0	-0	-0	-0	-0	-0	0.0
DISTRICT 5	90	2,447	27.2	45	50.0	150	1.7	44	44	0	6	6	0	0	0	2.4
Bighorn	3	39	13.0	0	0.0	0	0.0	-0	-0	-0	-0	-0	-0	-0	-0	0.0
Carbon	24	820	34.1	15	62.5	21	0.9	80	20	0	0	0	0	0	0	1.4
Golden Valley	9	168	18.7	3	33.3	9	1.0	0	100	0	0	0	0	0	0	33.3
Musselshell	9	270	30.0	6	66.7	15	1.7	0	100	0	0	0	0	0	0	7.0
Stillwater	15	261	17.4	9	60.0	15	1.0	67	33	0	0	0	0	0	0	3.8
Sweetgrass	24	676	28.1	12	50.0	84	3.5	25	25	0	25	25	0	0	0	6.7
Yellowstone	12	213	17.7	3	25.0	6	0.5	0	100	0	0	0	0	0	0	0.6
DISTRICT 6	12	555	46.3	6	50.0	9	0.8	100	0	0	0	0	0	0	0	0.4
Blaine	3	240	80.0	3	100.0	3	1.0	100	0	0	0	0	0	0	0	1.0
Hill	6	285	47.5	6	100.0	6	1.0	100	0	0	0	0	0	0	0	0.8
Phillips	3	24	8.0	0	0.0	0	0.0	-0	-0	-0	-0	-0	-0	-0	-0	0.0
Richland	3	6	2.0	0	0.0	0	0.0	-0	-0	-0	-0	-0	-0	-0	-0	0.0
DISTRICT 7	57	1,804	31.6	33	57.9	75	1.3	73	18	0	0	9	0	0	0	3.0
Carter	6	210	35.0	3	50.0	6	1.0	0	100	0	0	0	0	0	0	0.9
Custer	12	204	17.0	3	25.0	3	0.3	100	0	0	0	0	0	0	0	1.4
Dawson	9	195	21.7	6	66.7	6	0.7	100	0	0	0	0	0	0	0	1.3
Garfield	12	219	18.3	3	25.0	9	0.8	0	100	0	0	0	0	0	0	4.8
Powder River	9	480	53.3	9	100.0	42	4.7	67	0	0	0	33	0	0	0	46.7
Prairie	3	135	45.0	3	100.0	3	1.0	100	0	0	0	0	0	0	0	1.7
Rosebud	3	60	20.0	3	100.0	3	1.0	100	0	0	0	0	0	0	0	1.3
Treasure	3	300	100.0	3	100.0	3	1.0	100	0	0	0	0	0	0	0	0.8

Statistical Estimates

Detail of All Furbearer Activities Combined

Montana Fish Wildlife and Parks
1998 Furbearer Survey Report: Statistical Estimates of Trapping, Hunting, and Harvest
Detail of All Furbearer Activities Combined, by Species and Location

Species: WEASEL

Location	Active In Fur	Activity Days	Days/ Hunter	Success Hunters	Percent Success	Total Harvest	Mean Harvest	%Take 1	%Take 2-3	%Take 4-6	%Take 7-10	%Take 11-15	%Take 16-21	%Take 22-29	%Take 30+	Species % Comp.
STATEWIDE	81	1,621	20.0	72	88.9	246	3.0	33	42	13	4	8	0	0	0	0.6
DISTRICT 1	36	895	24.8	36	100.0	144	4.0	25	42	17	8	8	0	0	0	3.1
Flathead	27	579	21.4	27	100.0	96	3.6	11	56	22	11	0	0	0	0	3.3
Lincoln	12	315	26.2	9	75.0	48	4.0	67	0	0	0	33	0	0	0	4.1
DISTRICT 2	24	387	16.1	21	87.5	48	2.0	43	43	14	0	0	0	0	0	0.9
Deer Lodge	6	105	17.5	6	100.0	9	1.5	50	50	0	0	0	0	0	0	1.0
Granite	3	63	21.0	3	100.0	3	1.0	100	0	0	0	0	0	0	0	1.3
Missoula	6	66	11.0	6	100.0	12	2.0	50	50	0	0	0	0	0	0	3.6
Ravalli	9	153	17.0	6	66.7	24	2.7	0	50	50	0	0	0	0	0	1.0
DISTRICT 3	6	66	11.0	6	100.0	9	1.5	50	50	0	0	0	0	0	0	0.1
Gallatin	3	21	7.0	3	100.0	3	1.0	100	0	0	0	0	0	0	0	0.1
Jefferson	3	45	15.0	3	100.0	6	2.0	0	100	0	0	0	0	0	0	0.4
DISTRICT 4	12	270	22.5	6	50.0	42	3.5	0	50	0	0	50	0	0	0	0.4
Lewis & Clark	12	270	22.5	6	50.0	42	3.5	0	50	0	0	50	0	0	0	2.3
DISTRICT 5	3	3	1.0	3	100.0	3	1.0	100	0	0	0	0	0	0	0	0.0
Stillwater	3	3	1.0	3	100.0	3	1.0	100	0	0	0	0	0	0	0	0.8

Montana Fish Wildlife and Parks
1998 Furbearer Survey Report: Statistical Estimates of Trapping, Hunting, and Harvest
Detail of All Furbearer Activities Combined, by Species and Location

Species: SKUNK

Location	Active In Fur	Activity Days	Days/ Hunter	Success Hunters	Percent Success	Total Harvest	Mean Harvest	%Take 1	%Take 2-3	%Take 4-6	%Take 7-10	%Take 11-15	%Take 16-21	%Take 22-29	%Take 30+	Species % Comp.
STATEWIDE	207	4,831	23.3	201	97.1	1,567	7.6	20	22	23	14	7	6	4	3	3.8
DISTRICT 1	18	240	13.3	18	100.0	84	4.7	50	0	33	0	17	0	0	0	1.8
Flathead	18	240	13.3	18	100.0	84	4.7	50	0	33	0	17	0	0	0	2.8
DISTRICT 2	27	937	34.7	27	100.0	246	9.1	30	20	10	10	10	10	10	0	4.5
Granite	3	42	14.0	3	100.0	27	9.0	0	0	0	100	0	0	0	0	11.3
Mineral	3	9	3.0	3	100.0	3	1.0	100	0	0	0	0	0	0	0	2.9
Missoula	6	222	37.0	6	100.0	12	2.0	50	50	0	0	0	0	0	0	3.6
Powell	3	30	10.0	3	100.0	6	2.0	0	100	0	0	0	0	0	0	0.4
Ravalli	15	633	42.2	15	100.0	198	13.2	20	0	20	0	20	20	20	0	8.2
DISTRICT 3	45	606	13.5	45	100.0	345	7.7	7	33	27	13	0	13	7	0	3.4
Beaverhead	9	102	11.3	9	100.0	75	8.3	0	0	33	67	0	0	0	0	3.2
Broadwater	3	30	10.0	3	100.0	3	1.0	100	0	0	0	0	0	0	0	1.5
Gallatin	15	267	17.8	15	100.0	150	10.0	0	40	20	0	0	40	0	0	5.1
Jefferson	3	120	40.0	3	100.0	69	23.0	0	0	0	0	0	0	100	0	4.4
Madison	6	24	4.0	6	100.0	18	3.0	0	50	50	0	0	0	0	0	1.2
Park	6	33	5.5	6	100.0	15	2.5	0	100	0	0	0	0	0	0	0.9
Silver Bow	3	30	10.0	3	100.0	15	5.0	0	0	100	0	0	0	0	0	10.0
DISTRICT 4	54	1,063	19.7	48	88.9	342	6.3	25	25	6	19	19	0	0	6	3.4
Cascade	12	336	28.0	12	100.0	93	7.8	25	0	0	50	25	0	0	0	3.5
Chouteau	6	24	4.0	6	100.0	18	3.0	0	100	0	0	0	0	0	0	1.9
Fergus	3	45	15.0	3	100.0	9	3.0	0	100	0	0	0	0	0	0	0.4
Lewis & Clark	18	408	22.7	12	66.7	75	4.2	25	25	0	25	25	0	0	0	4.2
Meagher	3	150	50.0	3	100.0	90	30.0	0	0	0	0	0	0	0	100	12.6
Petroleum	3	9	3.0	3	100.0	3	1.0	100	0	0	0	0	0	0	0	1.3
Pondera	3	75	25.0	3	100.0	33	11.0	0	0	0	0	100	0	0	0	9.7
Teton	6	15	2.5	6	100.0	21	3.5	50	0	50	0	0	0	0	0	2.6
DISTRICT 5	39	994	25.5	39	100.0	306	7.8	23	31	23	8	0	8	0	8	4.9
Bighorn	3	48	16.0	3	100.0	12	4.0	0	0	100	0	0	0	0	0	1.4
Carbon	9	195	21.7	9	100.0	27	3.0	0	67	33	0	0	0	0	0	1.8
Musselshell	3	3	1.0	3	100.0	3	1.0	100	0	0	0	0	0	0	0	1.4
Stillwater	6	240	40.0	6	100.0	156	26.0	0	50	0	0	0	0	0	50	40.0
Wheatland	9	321	35.7	9	100.0	36	4.0	33	0	33	33	0	0	0	0	4.1
Yellowstone	9	186	20.7	9	100.0	72	8.0	33	33	0	0	0	33	0	0	6.9
DISTRICT 6	3	9	3.0	3	100.0	15	5.0	0	0	100	0	0	0	0	0	0.6
Mccone	3	9	3.0	3	100.0	15	5.0	0	0	100	0	0	0	0	0	55.6
DISTRICT 7	21	982	46.7	21	100.0	228	10.9	0	0	50	38	0	0	13	0	9.2
Carter	9	676	75.0	9	100.0	138	15.3	0	0	0	67	0	0	33	0	20.0
Custer	3	114	38.0	3	100.0	30	10.0	0	0	100	0	0	0	0	0	14.5
Dawson	3	42	14.0	3	100.0	18	6.0	0	0	100	0	0	0	0	0	3.8
Powder River	3	60	20.0	3	100.0	12	4.0	0	0	100	0	0	0	0	0	13.3
Treasure	3	90	30.0	3	100.0	30	10.0	0	0	0	100	0	0	0	0	7.8

Statistical Estimates

Detail of All Furbearer Activities Combined

Montana Fish Wildlife and Parks
1998 Furbearer Survey Report: Statistical Estimates of Trapping, Hunting, and Harvest
Detail of All Furbearer Activities Combined, by Species and Location

Species: COYOTE

Location	Active In Fur	Activity Days	Days/ Hunter	Success Hunters	Percent Success	Total Harvest	Mean Harvest	%Take 1	%Take 2-3	%Take 4-6	%Take 7-10	%Take 11-15	%Take 16-21	%Take 22-29	%Take 30+	Species % Comp.
STATEWIDE	546	16,201	29.6	480	87.9	6,059	11.1	19	26	18	11	8	6	3	9	14.6
DISTRICT 1	42	886	21.1	30	71.4	267	6.4	17	42	25	8	0	0	0	8	5.8
Flathead	18	360	20.0	12	66.7	30	1.7	25	50	25	0	0	0	0	0	1.0
Lake	3	45	15.0	3	100.0	27	9.0	0	0	0	100	0	0	0	0	17.0
Lincoln	18	243	13.5	12	66.7	30	1.7	25	50	25	0	0	0	0	0	2.5
Sanders	9	237	26.3	9	100.0	180	20.0	0	33	33	0	0	0	0	33	53.6
DISTRICT 2	60	1,903	31.7	51	85.0	874	14.6	5	30	10	20	15	0	0	20	16.1
Deer Lodge	6	198	33.0	6	100.0	42	7.0	0	50	0	0	50	0	0	0	4.7
Granite	6	237	39.5	6	100.0	57	9.5	0	0	0	100	0	0	0	0	23.8
Mineral	3	30	10.0	3	100.0	3	1.0	100	0	0	0	0	0	0	0	2.9
Missoula	9	21	2.3	3	33.3	6	0.7	0	100	0	0	0	0	0	0	1.8
Powell	15	682	45.4	15	100.0	450	30.0	0	14	0	29	29	0	0	29	31.2
Ravalli	24	736	30.6	21	87.5	315	13.1	0	43	29	0	0	0	0	29	13.0
DISTRICT 3	141	3,729	26.4	132	93.6	1,387	9.8	26	23	21	9	6	6	2	8	13.5
Beaverhead	18	495	27.5	18	100.0	222	12.3	17	17	33	0	0	17	0	17	9.6
Broadwater	9	87	9.7	9	100.0	63	7.0	25	0	50	0	25	0	0	0	31.3
Gallatin	21	886	42.1	15	71.4	339	16.1	14	14	0	43	0	0	14	14	11.6
Jefferson	15	558	37.2	12	80.0	273	18.2	20	20	20	0	0	20	0	20	17.5
Madison	30	979	32.6	30	100.0	231	7.7	27	27	18	18	0	0	0	9	15.3
Park	42	576	13.7	42	100.0	177	4.2	38	31	19	0	13	0	0	0	10.9
Silver Bow	12	147	12.2	12	100.0	81	6.8	25	25	25	0	0	25	0	0	54.0
DISTRICT 4	141	3,675	26.0	123	87.2	1,486	10.5	17	26	22	11	7	4	7	6	14.7
Cascade	27	658	24.3	21	77.8	387	14.3	11	11	22	22	11	0	11	11	14.7
Chouteau	24	802	33.4	24	100.0	522	21.8	8	17	17	17	8	8	17	8	56.3
Fergus	27	519	19.2	27	100.0	129	4.8	36	36	9	9	9	0	0	0	6.2
Judith Basin	6	51	8.5	3	50.0	6	1.0	0	100	0	0	0	0	0	0	2.9
Lewis & Clark	24	901	37.5	15	62.5	192	8.0	0	50	17	0	0	17	0	17	10.7
Liberty	9	417	46.3	9	100.0	33	3.7	33	0	67	0	0	0	0	0	14.9
Meagher	9	174	19.3	9	100.0	129	14.3	20	20	20	0	20	0	20	0	18.1
Petroleum	6	18	3.0	6	100.0	21	3.5	0	50	50	0	0	0	0	0	9.3
Teton	6	96	16.0	6	100.0	27	4.5	33	33	33	0	0	0	0	0	3.3
Toole	6	39	6.5	6	100.0	39	6.5	0	0	50	50	0	0	0	0	35.1
DISTRICT 5	75	2,300	30.6	66	88.0	688	9.2	31	19	15	15	8	0	4	8	11.1
Bighorn	12	639	53.3	12	100.0	192	16.0	0	17	17	33	17	0	17	0	21.8
Carbon	21	946	45.0	18	85.7	342	16.3	25	38	13	0	0	0	0	25	22.8
Golden Valley	3	90	30.0	0	0.0	0	0.0	-0	-0	-0	-0	-0	-0	-0	-0	0.0
Musselshell	9	87	9.7	6	66.7	6	0.7	100	0	0	0	0	0	0	0	2.8
Stillwater	6	99	16.5	3	50.0	30	5.0	0	0	0	100	0	0	0	0	7.7
Sweetgrass	9	210	23.3	9	100.0	51	5.7	67	0	0	0	33	0	0	0	4.0
Yellowstone	21	228	10.9	18	85.7	66	3.1	33	17	33	17	0	0	0	0	6.3
DISTRICT 6	39	997	25.5	33	84.6	453	11.6	15	38	0	8	15	8	0	15	19.4
Blaine	9	366	40.7	9	100.0	12	1.3	67	33	0	0	0	0	0	0	4.0
Hill	15	441	29.4	15	100.0	237	15.8	0	40	0	20	20	0	0	20	33.1
Phillips	3	9	3.0	3	100.0	9	3.0	0	100	0	0	0	0	0	0	75.0
Richland	3	9	3.0	0	0.0	0	0.0	-0	-0	-0	-0	-0	-0	-0	-0	0.0
Sheridan	3	30	10.0	3	100.0	102	34.0	0	0	0	0	0	0	0	100	15.7
Valley	9	141	15.7	6	66.7	93	10.3	0	33	0	0	33	33	0	0	44.9
DISTRICT 7	69	2,711	39.3	66	95.7	904	13.1	11	26	15	7	7	22	0	11	36.6
Carter	12	519	43.3	12	100.0	150	12.5	25	25	0	0	0	25	0	25	21.7
Custer	9	120	13.3	9	100.0	72	8.0	33	33	0	0	0	33	0	0	34.8
Dawson	9	237	26.3	9	100.0	111	12.3	25	25	25	0	0	0	0	25	23.4
Fallon	3	180	60.0	3	100.0	12	4.0	0	0	100	0	0	0	0	0	100.0
Garfield	3	240	80.0	3	100.0	60	20.0	0	0	0	0	0	100	0	0	31.7
Powder River	9	264	29.3	9	100.0	30	3.3	0	67	33	0	0	0	0	0	33.3
Prairie	9	195	21.7	9	100.0	102	11.3	0	33	0	0	33	33	0	0	57.6
Rosebud	18	414	23.0	15	83.3	153	8.5	0	0	20	40	20	20	0	0	63.8
Treasure	6	540	90.0	6	100.0	213	35.5	0	33	0	0	0	33	0	33	55.0

Montana Fish Wildlife and Parks
1998 Furbearer Survey Report: Statistical Estimates of Trapping, Hunting, and Harvest
Detail of All Furbearer Activities Combined, by Species and Location

Species: FOX

Location	Active In Fur	Activity Days	Days/ Hunter	Success Hunters	Percent Success	Total Harvest	Mean Harvest	%Take 1	%Take 2-3	%Take 4-6	%Take 7-10	%Take 11-15	%Take 16-21	%Take 22-29	%Take 30+	Species % Comp.
STATEWIDE	297	8,178	27.5	276	92.9	2,156	7.3	18	36	18	12	5	4	2	6	5.2
DISTRICT 1	9	156	17.3	9	100.0	27	3.0	33	0	67	0	0	0	0	0	0.6
Flathead	9	156	17.3	9	100.0	27	3.0	33	0	67	0	0	0	0	0	0.9
DISTRICT 2	33	1,012	30.6	33	100.0	210	6.4	9	55	9	9	9	0	0	9	3.9
Deer Lodge	6	144	24.0	6	100.0	12	2.0	0	100	0	0	0	0	0	0	1.3
Granite	3	42	14.0	3	100.0	6	2.0	0	100	0	0	0	0	0	0	2.5
Missoula	3	45	15.0	3	100.0	6	2.0	0	100	0	0	0	0	0	0	1.8
Powell	3	18	6.0	3	100.0	3	1.0	100	0	0	0	0	0	0	0	0.2
Ravalli	18	763	42.3	18	100.0	183	10.2	0	33	17	17	17	0	0	17	7.6
DISTRICT 3	66	1,498	22.7	57	86.4	321	4.9	5	48	19	19	5	5	0	0	3.1
Beaverhead	9	213	23.7	9	100.0	51	5.7	0	67	0	0	33	0	0	0	2.2
Broadwater	3	3	1.0	3	100.0	6	2.0	0	100	0	0	0	0	0	0	3.0
Gallatin	21	435	20.7	12	57.1	87	4.1	0	33	33	33	0	0	0	0	3.0
Jefferson	6	210	35.0	6	100.0	33	5.5	0	50	0	50	0	0	0	0	2.1
Madison	9	360	40.0	9	100.0	87	9.7	0	33	0	33	0	33	0	0	5.8
Park	12	228	19.0	12	100.0	36	3.0	0	75	25	0	0	0	0	0	2.2
Silver Bow	6	48	8.0	6	100.0	21	3.5	50	0	50	0	0	0	0	0	14.0
DISTRICT 4	87	1,783	20.5	78	89.7	495	5.7	24	38	14	14	3	3	0	3	4.9
Cascade	24	573	23.9	21	87.5	162	6.7	38	13	13	13	13	13	0	0	6.2
Chouteau	12	165	13.7	12	100.0	57	4.8	0	60	20	20	0	0	0	0	6.1
Fergus	9	123	13.7	6	66.7	12	1.3	0	100	0	0	0	0	0	0	0.6
Judith Basin	3	90	30.0	3	100.0	3	1.0	100	0	0	0	0	0	0	0	1.4
Lewis & Clark	24	513	21.4	21	87.5	69	2.9	29	43	14	14	0	0	0	0	3.8
Liberty	6	192	32.0	6	100.0	30	5.0	33	33	33	0	0	0	0	0	13.5
Petroleum	3	9	3.0	3	100.0	6	2.0	0	100	0	0	0	0	0	0	2.7
Pondera	3	75	25.0	3	100.0	135	45.0	0	0	0	0	0	0	0	100	39.8
Teton	3	42	14.0	3	100.0	21	7.0	0	0	0	100	0	0	0	0	2.6
DISTRICT 5	51	1,597	31.3	51	100.0	438	8.6	22	11	28	11	11	6	11	0	7.1
Bighorn	6	135	22.5	6	100.0	12	2.0	0	100	0	0	0	0	0	0	1.4
Carbon	15	564	37.6	15	100.0	183	12.2	0	0	20	20	40	20	0	0	12.2
Stillwater	9	240	26.7	9	100.0	21	2.3	67	0	33	0	0	0	0	0	5.4
Sweetgrass	6	360	60.0	6	100.0	105	17.5	0	0	0	50	0	0	50	0	8.3
Wheatland	3	3	1.0	3	100.0	12	4.0	0	0	100	0	0	0	0	0	1.4
Yellowstone	12	294	24.5	12	100.0	105	8.8	40	0	40	0	0	0	20	0	10.1
DISTRICT 6	21	465	22.1	21	100.0	129	6.1	29	57	0	0	0	0	0	14	5.5
Hill	9	354	39.3	9	100.0	111	12.3	0	67	0	0	0	0	0	33	15.5
Mccone	3	15	5.0	3	100.0	3	1.0	100	0	0	0	0	0	0	0	11.1
Phillips	3	6	2.0	3	100.0	3	1.0	100	0	0	0	0	0	0	0	25.0
Sheridan	3	30	10.0	3	100.0	6	2.0	0	100	0	0	0	0	0	0	0.9
Valley	3	60	20.0	3	100.0	6	2.0	0	100	0	0	0	0	0	0	2.9
DISTRICT 7	33	1,666	50.5	30	90.9	534	16.2	17	25	17	8	0	8	0	25	21.7
Carter	9	489	54.3	6	66.7	213	23.7	0	33	33	0	0	0	0	33	30.9
Custer	3	54	18.0	3	100.0	3	1.0	100	0	0	0	0	0	0	0	1.4
Dawson	9	207	23.0	9	100.0	126	14.0	0	33	0	33	0	0	0	33	26.6
Garfield	3	240	80.0	3	100.0	120	40.0	0	0	0	0	0	0	0	100	63.5
Prairie	3	135	45.0	3	100.0	48	16.0	0	0	0	0	0	100	0	0	27.1
Treasure	6	540	90.0	6	100.0	24	4.0	33	33	33	0	0	0	0	0	6.2

Montana Fish Wildlife and Parks
1998 Furbearer Survey Report: Statistical Estimates of Trapping, Hunting, and Harvest
Detail of All Furbearer Activities Combined, by Species and Location

Species: RACCOON

Location	Active In Fur	Activity Days	Days/ Hunter	Success Hunters	Percent Success	Total Harvest	Mean Harvest	%Take 1	%Take 2-3	%Take 4-6	%Take 7-10	%Take 11-15	%Take 16-21	%Take 22-29	%Take 30+	Species % Comp.
STATEWIDE	471	11,931	25.3	429	91.1	4,200	8.9	13	26	23	13	8	9	4	4	10.1
DISTRICT 1	36	447	12.4	24	66.7	144	4.0	33	33	0	0	22	11	0	0	3.1
Flathead	27	426	15.8	18	66.7	138	5.1	14	43	0	0	29	14	0	0	4.7
Lincoln	6	18	3.0	3	50.0	3	0.5	100	0	0	0	0	0	0	0	0.3
Sanders	3	3	1.0	3	100.0	3	1.0	100	0	0	0	0	0	0	0	0.9
DISTRICT 2	42	1,102	26.2	33	78.6	198	4.7	27	36	9	9	9	0	9	0	3.6
Deer Lodge	3	21	7.0	3	100.0	3	1.0	100	0	0	0	0	0	0	0	0.3
Mineral	3	42	14.0	0	0.0	0	0.0	-0	-0	-0	-0	-0	-0	-0	-0	0.0
Missoula	12	183	15.3	9	75.0	12	1.0	67	33	0	0	0	0	0	0	3.6
Powell	3	42	14.0	3	100.0	6	2.0	0	100	0	0	0	0	0	0	0.4
Ravalli	21	814	38.7	18	85.7	177	8.4	0	33	17	17	17	0	17	0	7.3
DISTRICT 3	114	2,717	23.8	108	94.7	871	7.6	10	27	22	24	5	7	5	0	8.5
Beaverhead	12	279	23.2	12	100.0	63	5.3	20	40	20	20	0	0	0	0	2.7
Broadwater	9	93	10.3	6	66.7	21	2.3	50	0	50	0	0	0	0	0	10.4
Gallatin	33	928	28.1	33	100.0	327	9.9	8	15	23	31	8	8	8	0	11.2
Jefferson	18	345	19.2	18	100.0	195	10.8	0	33	0	17	17	17	17	0	12.5
Madison	24	591	24.6	21	87.5	111	4.6	0	29	43	29	0	0	0	0	7.4
Park	27	480	17.8	24	88.9	153	5.7	13	38	13	25	0	13	0	0	9.4
DISTRICT 4	126	2,669	21.2	114	90.5	736	5.8	20	22	27	20	5	2	2	2	7.3
Cascade	39	898	23.0	33	84.6	132	3.4	18	9	73	0	0	0	0	0	5.0
Chouteau	12	72	6.0	12	100.0	108	9.0	0	17	17	67	0	0	0	0	11.7
Fergus	21	282	13.4	18	85.7	195	9.3	17	17	0	17	17	17	17	0	9.4
Judith Basin	3	18	6.0	0	0.0	0	0.0	-0	-0	-0	-0	-0	-0	-0	-0	0.0
Lewis & Clark	24	706	29.4	18	75.0	138	5.8	33	33	0	17	0	0	0	17	7.7
Liberty	15	420	28.0	12	80.0	24	1.6	50	25	25	0	0	0	0	0	10.8
Meagher	3	9	3.0	3	100.0	9	3.0	0	100	0	0	0	0	0	0	1.3
Pondera	3	75	25.0	3	100.0	30	10.0	0	0	0	100	0	0	0	0	8.8
Teton	15	159	10.6	15	100.0	72	4.8	20	40	20	0	20	0	0	0	8.8
Toole	3	30	10.0	3	100.0	27	9.0	0	0	0	100	0	0	0	0	24.3
DISTRICT 5	102	3,255	31.9	93	91.2	1,855	18.2	5	22	19	3	11	16	8	16	30.0
Bighorn	15	655	43.6	15	100.0	345	23.0	0	0	33	0	17	17	0	33	39.1
Carbon	24	579	24.1	24	100.0	354	14.8	10	20	10	0	20	30	10	0	23.6
Musselshell	15	249	16.6	9	60.0	27	1.8	0	67	33	0	0	0	0	0	12.7
Stillwater	9	279	31.0	6	66.7	39	4.3	0	50	0	50	0	0	0	0	10.0
Sweetgrass	9	450	50.0	9	100.0	438	48.7	0	0	33	0	0	0	0	67	34.8
Wheatland	15	486	32.4	15	100.0	222	14.8	17	17	17	0	17	0	33	0	25.3
Yellowstone	18	555	30.8	18	100.0	429	23.8	0	29	14	0	0	29	0	29	41.2
DISTRICT 6	24	600	25.0	24	100.0	129	5.4	0	38	50	0	13	0	0	0	5.5
Blaine	6	117	19.5	6	100.0	24	4.0	0	50	50	0	0	0	0	0	8.1
Hill	6	276	46.0	6	100.0	36	6.0	0	0	100	0	0	0	0	0	5.0
Mccone	3	12	4.0	3	100.0	9	3.0	0	100	0	0	0	0	0	0	33.3
Richland	3	45	15.0	3	100.0	36	12.0	0	0	0	0	100	0	0	0	12.1
Valley	6	150	25.0	6	100.0	24	4.0	0	50	50	0	0	0	0	0	11.6
DISTRICT 7	36	1,141	31.7	36	100.0	267	7.4	8	25	33	8	0	25	0	0	10.8
Carter	9	363	40.3	9	100.0	63	7.0	33	33	0	0	0	33	0	0	9.1
Custer	3	54	18.0	3	100.0	18	6.0	0	0	100	0	0	0	0	0	8.7
Dawson	9	222	24.7	9	100.0	36	4.0	0	33	67	0	0	0	0	0	7.6
Powder River	3	6	2.0	3	100.0	6	2.0	0	100	0	0	0	0	0	0	6.7
Prairie	3	135	45.0	3	100.0	24	8.0	0	0	0	100	0	0	0	0	13.6
Rosebud	3	90	30.0	3	100.0	54	18.0	0	0	0	0	0	100	0	0	22.5
Treasure	6	270	45.0	6	100.0	66	11.0	0	0	50	0	0	50	0	0	17.1

Montana Fish Wildlife and Parks
1998 Furbearer Survey Report: Statistical Estimates of Trapping, Hunting, and Harvest
Detail of All Furbearer Activities Combined, by Species and Location

Species: BADGER

Location	Active In Fur	Activity Days	Days/ Hunter	Success Hunters	Percent Success	Total Harvest	Mean Harvest	%Take 1	%Take 2-3	%Take 4-6	%Take 7-10	%Take 11-15	%Take 16-21	%Take 22-29	%Take 30+	Species % Comp.
STATEWIDE	81	1,141	14.1	72	88.9	261	3.2	54	21	8	4	8	4	0	0	0.6
DISTRICT 2	6	12	2.0	3	50.0	3	0.5	100	0	0	0	0	0	0	0	0.1
Missoula	3	3	1.0	3	100.0	3	1.0	100	0	0	0	0	0	0	0	0.9
Powell	3	9	3.0	0	0.0	0	0.0	-0	-0	-0	-0	-0	-0	-0	-0	0.0
DISTRICT 3	15	108	7.2	15	100.0	51	3.4	60	20	0	0	20	0	0	0	0.5
Beaverhead	9	45	5.0	9	100.0	42	4.7	67	0	0	0	33	0	0	0	1.8
Broadwater	3	60	20.0	3	100.0	3	1.0	100	0	0	0	0	0	0	0	1.5
Jefferson	3	3	1.0	3	100.0	6	2.0	0	100	0	0	0	0	0	0	0.4
DISTRICT 4	27	276	10.2	24	88.9	87	3.2	38	38	13	0	13	0	0	0	0.9
Cascade	6	72	12.0	6	100.0	18	3.0	50	0	50	0	0	0	0	0	0.7
Chouteau	3	6	2.0	3	100.0	6	2.0	0	100	0	0	0	0	0	0	0.6
Fergus	3	90	30.0	3	100.0	6	2.0	0	100	0	0	0	0	0	0	0.3
Lewis & Clark	9	93	10.3	6	66.7	51	5.7	0	50	0	0	50	0	0	0	2.8
Meagher	3	12	4.0	3	100.0	3	1.0	100	0	0	0	0	0	0	0	0.4
Teton	3	3	1.0	3	100.0	3	1.0	100	0	0	0	0	0	0	0	0.4
DISTRICT 5	9	201	22.3	9	100.0	9	1.0	100	0	0	0	0	0	0	0	0.1
Bighorn	3	48	16.0	3	100.0	3	1.0	100	0	0	0	0	0	0	0	0.3
Carbon	3	63	21.0	3	100.0	3	1.0	100	0	0	0	0	0	0	0	0.2
Wheatland	3	90	30.0	3	100.0	3	1.0	100	0	0	0	0	0	0	0	0.3
DISTRICT 6	9	60	6.7	9	100.0	42	4.7	33	0	33	33	0	0	0	0	1.8
Hill	6	57	9.5	6	100.0	39	6.5	0	0	50	50	0	0	0	0	5.4
Valley	3	3	1.0	3	100.0	3	1.0	100	0	0	0	0	0	0	0	1.4
DISTRICT 7	15	483	32.2	12	80.0	69	4.6	50	25	0	0	0	25	0	0	2.8
Carter	6	360	60.0	6	100.0	63	10.5	0	50	0	0	0	50	0	0	9.1
Custer	3	60	20.0	3	100.0	3	1.0	100	0	0	0	0	0	0	0	1.4
Dawson	6	63	10.5	3	50.0	3	0.5	100	0	0	0	0	0	0	0	0.6

Species: OTHER

Location	Active In Fur	Activity Days	Days/ Hunter	Success Hunters	Percent Success	Total Harvest	Mean Harvest	%Take 1	%Take 2-3	%Take 4-6	%Take 7-10	%Take 11-15	%Take 16-21	%Take 22-29	%Take 30+	Species % Comp.
STATEWIDE	9	117	13.0	9	100.0	72	8.0	75	0	0	0	0	25	0	0	0.2
DISTRICT 1	6	84	14.0	6	100.0	69	11.5	67	0	0	0	0	33	0	0	1.5
Flathead	3	42	14.0	3	100.0	66	22.0	50	0	0	0	0	50	0	0	2.2
Lincoln	3	42	14.0	3	100.0	3	1.0	100	0	0	0	0	0	0	0	0.3
DISTRICT 2	3	33	11.0	3	100.0	3	1.0	100	0	0	0	0	0	0	0	0.1
Ravalli	3	33	11.0	3	100.0	3	1.0	100	0	0	0	0	0	0	0	0.1

Statistical Estimates
Detail of Trapping and Snaring Activities

March 27th, 2002 page 1

Montana Fish Wildlife and Parks
1998 Furbearer Survey Report: Statistical Estimates of Trapping Effort and Catch
Detail of Trapping and Snaring Activities, by Species and Location

Species: ALL

Location	Active Trapper	Activity Days	Days/ Hunter	Traps Set	Traps/ Hunter	Trap Days	TrapDay /Hunter	Success Hunters	Percent Success	Total Catch	Mean Catch	T Days /Catch	%Take 1	%Take 2-3	%Take 4-6	%Take 7-10	%Take 11-15	%Take 16-21	%Take 22-29	%Take 30+	Species % Comp.
STATEWIDE	1,168	86,191	73.8	40,393	34.6	1,326,506	1,136	1,066	91.3	37,586	32.2	35.3	20	22	16	11	8	7	5	11	100.0
DISTRICT 1	183	9,082	49.6	4,819	26.3	119,814	654	165	90.2	4,209	23.0	28.5	24	21	21	8	7	5	2	11	100.0
Flathead	99	5,071	51.2	2,774	28.0	57,903	584	93	93.9	2,849	28.8	20.3	24	19	22	8	7	6	4	11	100.0
Lake	12	222	18.5	153	12.8	1,549	129	12	100.0	132	11.0	11.7	0	40	40	0	0	0	0	20	100.0
Lincoln	60	3,206	53.4	1,645	27.4	56,161	935	48	80.0	1,120	18.7	50.2	27	21	18	9	9	0	0	15	100.0
Sanders	24	582	24.3	246	10.2	4,200	175	18	75.0	108	4.5	38.9	33	33	11	11	0	11	0	0	100.0
DISTRICT 2	162	11,664	71.9	5,257	32.4	185,435	1,144	153	94.4	5,314	32.8	34.9	19	27	13	14	9	3	2	13	100.0
Deer Lodge	27	1,720	63.7	721	26.7	21,346	790	27	100.0	895	33.1	23.9	17	30	9	13	13	0	0	17	100.0
Granite	18	958	53.2	420	23.3	10,013	556	18	100.0	231	12.8	43.3	18	27	9	36	0	0	9	0	100.0
Mineral	18	276	15.3	147	8.2	1,279	71	15	83.3	99	5.5	12.9	50	13	13	0	25	0	0	0	100.0
Missoula	39	1,120	28.7	676	17.3	9,265	237	39	100.0	291	7.5	31.8	33	33	15	11	7	0	0	0	100.0
Powell	30	2,153	71.7	1,048	34.9	46,125	1,536	27	90.0	1,393	46.4	33.1	10	15	0	25	10	5	0	35	100.0
Ravalli	48	5,437	113.2	2,246	46.7	97,407	2,028	45	93.8	2,405	50.1	40.5	12	28	20	8	8	6	4	14	100.0
DISTRICT 3	264	20,845	78.9	10,250	38.8	356,372	1,349	243	92.0	9,553	36.2	37.3	19	24	16	11	6	8	8	8	100.0
Beaverhead	42	3,047	72.5	2,150	51.1	56,495	1,344	39	92.9	2,192	52.1	25.8	16	24	16	10	6	12	4	10	100.0
Broadwater	9	213	23.7	240	26.7	1,030	114	9	100.0	132	14.7	7.8	38	25	13	13	0	0	13	0	100.0
Gallatin	84	5,608	66.7	2,450	29.1	123,098	1,464	72	85.7	2,738	32.6	45.0	21	19	11	14	6	5	11	13	100.0
Jefferson	33	3,834	116.1	1,465	44.4	63,586	1,925	30	90.9	1,477	44.7	43.0	6	31	14	17	6	9	6	11	100.0
Madison	57	4,335	76.0	1,855	32.5	57,951	1,016	57	100.0	1,414	24.8	41.0	20	22	19	9	9	9	7	4	100.0
Park	51	3,294	64.5	1,705	33.4	46,758	916	51	100.0	1,462	28.6	32.0	22	29	16	6	4	6	10	6	100.0
Silver Bow	18	513	28.5	384	21.3	7,455	414	12	66.7	138	7.7	54.0	22	22	44	0	0	11	0	0	100.0
DISTRICT 4	306	18,458	60.3	9,376	30.6	228,732	747	273	89.2	9,145	29.9	25.0	22	20	15	10	9	6	5	12	100.0
Cascade	63	4,032	64.0	2,084	33.0	48,902	776	60	95.2	2,279	36.1	21.5	34	9	20	6	8	6	5	11	100.0
Chouteau	36	1,222	33.9	805	22.3	25,670	713	36	100.0	652	18.1	39.4	13	35	9	22	9	0	4	9	100.0
Fergus	39	2,174	55.7	1,300	33.3	32,527	833	36	92.3	2,006	51.4	16.2	9	28	9	13	9	9	9	13	100.0
Glacier	6	42	7.0	54	9.0	378	63	3	50.0	3	0.5	126.0	100	0	0	0	0	0	0	0	100.0
Judith Basin	15	501	33.4	198	13.2	6,269	418	12	80.0	195	13.0	32.1	40	40	0	0	0	0	0	20	100.0
Lewis & Clark	66	6,614	100.1	3,110	47.1	73,677	1,115	54	81.8	1,762	26.7	41.8	21	26	12	10	10	7	5	9	100.0
Liberty	6	994	165.5	366	61.0	15,132	2,520	6	100.0	195	32.5	77.5	25	13	50	0	0	0	0	13	100.0
Meagher	30	1,219	40.6	570	19.0	13,585	452	24	80.0	652	21.7	20.9	14	7	7	29	7	0	14	21	100.0
Petroleum	9	105	11.7	174	19.3	2,894	321	9	100.0	201	22.3	14.4	0	33	0	0	0	0	0	67	100.0
Pondera	12	333	27.8	174	14.5	1,732	144	12	100.0	339	28.3	5.1	13	13	13	13	13	25	0	13	100.0
Teton	42	1,150	27.4	522	12.4	7,533	179	33	78.6	817	19.4	9.2	24	16	24	4	12	4	4	12	100.0
Toole	3	72	24.0	18	6.0	432	144	3	100.0	45	15.0	9.6	0	0	0	0	100	0	0	0	100.0
DISTRICT 5	171	13,787	80.6	6,614	38.6	276,165	1,614	159	93.0	5,341	31.2	51.7	18	23	15	10	12	7	6	10	100.0
Bighorn	24	2,054	85.5	1,018	42.4	42,366	1,764	24	100.0	685	28.5	61.9	13	26	17	13	9	9	4	9	100.0
Carbon	48	4,023	83.8	2,366	49.3	91,856	1,912	48	100.0	1,312	27.3	70.0	17	33	7	9	15	9	7	4	100.0
Golden Valley	12	264	22.0	102	8.5	2,447	204	6	50.0	27	2.3	90.6	0	50	50	0	0	0	0	0	100.0
Musselshell	9	429	47.7	159	17.7	4,050	450	9	100.0	195	21.7	20.8	17	50	17	0	0	0	0	17	100.0
Stillwater	24	973	40.5	243	10.1	5,059	211	21	87.5	375	15.6	13.5	27	20	13	27	0	7	0	7	100.0
Sweetgrass	21	2,513	119.6	1,324	63.0	88,905	4,230	18	85.7	1,231	58.6	72.2	6	6	6	25	19	0	6	31	100.0
Wheatland	21	2,018	96.0	558	26.6	18,837	896	21	100.0	727	34.6	25.9	25	10	25	0	15	0	15	10	100.0
Yellowstone	24	1,513	63.0	844	35.1	22,647	943	24	100.0	790	32.9	28.7	23	15	23	0	12	15	4	8	100.0

Statistical Estimates
Detail of Trapping and Snaring Activities

Montana Fish Wildlife and Parks
1998 Furbearer Survey Report: Statistical Estimates of Trapping Effort and Catch
Detail of Trapping and Snaring Activities, by Species and Location

Species: ALL

Location	Active Trapper	Activity Days	Days/ Hunter	Traps Set	Traps/ Hunter	Trap Days	TrapDay /Hunter	Success Hunters	Percent Success	Total Catch	Mean Catch	T Days /Catch	%Take 1	%Take 2-3	%Take 4-6	%Take 7-10	%Take 11-15	%Take 16-21	%Take 22-29	%Take 30+	Species % Comp.
DISTRICT 6	54	3,915	72.4	1,642	30.4	38,658	715	48	88.9	2,105	38.9	18.4	13	28	15	9	7	4	9	15	100.0
Blaine	21	1,198	57.0	249	11.9	8,328	396	18	85.7	276	13.1	30.2	22	44	0	11	0	0	11	11	100.0
Hill	9	1,786	198.3	673	74.7	18,107	2,010	9	100.0	679	75.3	26.7	12	29	24	6	6	0	6	18	100.0
Mccone	3	36	12.0	18	6.0	72	24	3	100.0	27	9.0	2.7	33	33	33	0	0	0	0	0	100.0
Phillips	3	12	4.0	30	10.0	120	40	0	0.0	0	0.0	-0.0	-0	-0	-0	-0	-0	-0	-0	-0	-0.0
Richland	3	180	60.0	195	65.0	4,503	1,500	3	100.0	297	99.0	15.2	0	0	0	33	33	0	0	33	100.0
Roosevelt	3	210	70.0	33	11.0	1,171	390	3	100.0	126	42.0	9.3	0	0	0	0	0	50	50	0	100.0
Sheridan	9	54	6.0	156	17.3	829	92	9	100.0	540	60.0	1.5	25	0	0	0	0	0	25	50	100.0
Valley	9	438	48.7	288	32.0	5,527	614	9	100.0	159	17.7	34.7	0	38	25	13	13	13	0	0	100.0
DISTRICT 7	90	8,440	93.7	2,435	27.0	121,330	1,347	81	90.0	1,918	21.3	63.2	23	14	22	11	5	15	3	8	100.0
Carter	12	2,486	207.0	486	40.5	34,136	2,842	12	100.0	618	51.5	55.2	0	25	8	17	0	25	8	17	100.0
Custer	15	670	44.6	342	22.8	6,599	440	15	100.0	117	7.8	56.4	50	0	38	0	0	13	0	0	100.0
Dawson	21	1,168	55.6	366	17.4	8,010	381	18	85.7	351	16.7	22.8	24	24	24	12	0	6	6	6	100.0
Fallon	3	180	60.0	18	6.0	1,081	360	3	100.0	12	4.0	90.0	0	0	100	0	0	0	0	0	100.0
Garfield	6	691	115.0	213	35.5	14,892	2,480	3	50.0	189	31.5	78.7	0	33	0	0	0	33	0	33	100.0
Powder River	12	600	50.0	129	10.7	7,446	620	12	100.0	69	5.8	107.8	40	0	40	0	20	0	0	0	100.0
Prairie	3	540	180.0	180	60.0	8,106	2,700	3	100.0	108	36.0	75.0	25	0	0	25	25	25	0	0	100.0
Rosebud	12	363	30.2	321	26.8	5,452	454	9	75.0	132	11.0	41.3	20	0	20	20	20	20	0	0	100.0
Treasure	6	1,741	290.0	378	63.0	35,608	5,930	6	100.0	321	53.5	110.8	30	10	20	10	0	20	0	10	100.0

March 27th, 2002

page 3

Montana Fish Wildlife and Parks
1998 Furbearer Survey Report: Statistical Estimates of Trapping Effort and Catch
Detail of Trapping and Snaring Activities, by Species and Location

Species: BEAVER

Location	Active Trapper	Activity Days	Days/ Hunter	Traps Set	Traps/ Hunter	Trap Days	TrapDay /Hunter	Success Hunters	Percent Success	Total Catch	Mean Catch	T Days /Catch	%Take 1	%Take 2-3	%Take 4-6	%Take 7-10	%Take 11-15	%Take 16-21	%Take 22-29	%Take 30+	Species % Comp.
STATEWIDE	721	15,909	22.1	8,707	12.1	231,869	322	682	94.6	11,634	16.1	19.9	7	16	16	17	11	10	8	15	31.0
DISTRICT 1	90	1,132	12.6	730	8.1	9,703	108	72	80.0	510	5.7	19.0	12	24	32	16	12	0	0	4	12.1
Flathead	51	691	13.5	261	5.1	3,615	71	36	70.6	324	6.4	11.1	0	17	50	8	17	0	0	8	11.4
Lake	3	6	2.0	9	3.0	18	6	3	100.0	6	2.0	3.0	0	100	0	0	0	0	0	0	4.5
Lincoln	30	321	10.7	399	13.3	5,122	171	27	90.0	144	4.8	35.5	22	33	11	22	11	0	0	0	12.9
Sanders	9	114	12.7	60	6.7	949	105	9	100.0	36	4.0	26.3	33	0	33	33	0	0	0	0	33.3
DISTRICT 2	96	1,666	17.3	778	8.1	18,677	194	93	96.9	1,045	10.9	17.9	16	19	16	25	9	6	0	9	19.7
Deer Lodge	21	387	18.4	138	6.6	3,020	144	21	100.0	225	10.7	13.4	0	29	29	29	0	0	0	14	25.2
Granite	9	144	16.0	51	5.7	1,072	119	6	66.7	39	4.3	27.5	0	50	0	50	0	0	0	0	16.9
Mineral	9	63	7.0	42	4.7	312	35	9	100.0	72	8.0	4.3	33	0	0	0	67	0	0	0	72.7
Missoula	18	138	7.7	138	7.7	1,195	66	18	100.0	72	4.0	16.6	33	17	17	33	0	0	0	0	24.7
Powell	18	670	37.2	288	16.0	11,685	649	18	100.0	513	28.5	22.8	0	0	0	33	17	17	0	33	36.9
Ravalli	24	264	11.0	120	5.0	1,393	58	24	100.0	123	5.1	11.3	25	25	25	13	0	13	0	0	5.1
DISTRICT 3	180	5,356	29.7	2,573	14.3	92,468	513	177	98.3	3,243	18.0	28.5	3	15	17	15	11	14	14	12	33.9
Beaverhead	33	655	19.8	423	12.8	9,382	284	33	100.0	727	22.0	12.9	9	0	0	18	9	27	18	18	33.2
Broadwater	3	9	3.0	36	12.0	108	36	3	100.0	21	7.0	5.1	0	0	0	100	0	0	0	0	15.9
Gallatin	54	1,405	26.0	603	11.2	29,549	547	51	94.4	522	9.7	56.6	6	35	6	18	12	6	12	6	19.1
Jefferson	24	985	41.0	315	13.1	19,098	795	24	100.0	615	25.6	31.0	0	0	38	25	0	13	0	25	41.7
Madison	45	1,123	24.9	606	13.5	16,387	364	45	100.0	709	15.7	23.1	0	7	27	7	20	13	20	7	50.1
Park	36	1,060	29.4	483	13.4	16,068	446	36	100.0	627	17.4	25.6	0	17	17	8	8	17	17	17	42.9
Silver Bow	6	120	20.0	105	17.5	1,876	313	6	100.0	21	3.5	89.3	0	50	50	0	0	0	0	0	15.2
DISTRICT 4	189	3,705	19.6	2,528	13.4	53,468	283	186	98.4	3,942	20.8	13.6	6	12	14	12	9	14	6	26	43.1
Cascade	39	931	23.8	447	11.5	12,328	316	39	100.0	1,051	26.9	11.7	0	0	23	0	8	23	8	38	46.1
Chouteau	15	162	10.8	129	8.6	2,297	153	15	100.0	189	12.6	12.1	0	0	40	20	20	0	0	20	29.0
Fergus	27	561	20.8	315	11.7	10,373	384	24	88.9	700	25.9	14.8	0	13	13	13	0	25	13	25	34.9
Judith Basin	9	51	5.7	87	9.7	504	56	9	100.0	189	21.0	2.7	0	67	0	0	0	0	0	33	96.9
Lewis & Clark	42	1,069	25.4	943	22.4	17,972	428	42	100.0	570	13.6	31.5	14	21	7	21	7	14	0	14	32.4
Meagher	21	369	17.6	195	9.3	3,672	175	21	100.0	327	15.6	11.2	0	14	0	43	14	0	14	14	50.2
Petroleum	6	99	16.5	168	28.0	2,882	480	6	100.0	195	32.5	14.8	0	0	0	0	0	0	0	100	97.0
Pondera	9	84	9.3	42	4.7	429	48	9	100.0	72	8.0	6.0	33	33	0	0	0	33	0	0	21.2
Teton	27	306	11.3	183	6.8	2,579	95	27	100.0	603	22.3	4.3	11	0	22	0	11	11	11	33	73.9
Toole	3	72	24.0	18	6.0	432	144	3	100.0	45	15.0	9.6	0	0	0	0	100	0	0	0	100.0
DISTRICT 5	126	2,579	20.5	1,450	11.5	40,991	325	120	95.2	1,900	15.1	21.6	5	15	10	17	22	7	10	12	35.6
Bighorn	21	528	25.1	237	11.3	6,503	309	21	100.0	273	13.0	23.8	14	14	14	14	14	14	0	14	39.9
Carbon	36	682	18.9	333	9.3	6,608	183	33	91.7	399	11.1	16.5	0	27	0	18	27	9	18	0	30.4
Golden Valley	3	21	7.0	9	3.0	63	21	3	100.0	18	6.0	3.5	0	0	100	0	0	0	0	0	66.7
Musselshell	6	123	20.5	78	13.0	2,000	333	3	50.0	153	25.5	13.1	0	0	0	0	0	0	0	100	78.5
Stillwater	9	69	7.7	72	8.0	600	67	9	100.0	57	6.3	10.5	0	0	33	67	0	0	0	0	15.2
Sweetgrass	18	661	36.7	285	15.8	17,353	963	18	100.0	456	25.3	38.0	0	17	0	33	17	0	0	33	37.1
Wheatland	15	276	18.4	216	14.4	4,840	322	15	100.0	342	22.8	14.1	20	0	0	0	20	0	40	20	47.1
Yellowstone	18	219	12.2	219	12.2	3,023	168	18	100.0	201	11.2	15.0	0	17	17	0	50	17	0	0	25.5

Statistical Estimates

Detail of Trapping and Snaring Activities

March 27th, 2002 page 4

Montana Fish Wildlife and Parks
1998 Furbearer Survey Report: Statistical Estimates of Trapping Effort and Catch
Detail of Trapping and Snaring Activities, by Species and Location

Species: BEAVER

Location	Active Trapper	Activity Days	Days/ Hunter	Traps Set	Traps/ Hunter	Trap Days	TrapDay /Hunter	Success Hunters	Percent Success	Total Catch	Mean Catch	T Days /Catch	%Take 1	%Take 2-3	%Take 4-6	%Take 7-10	%Take 11-15	%Take 16-21	%Take 22-29	%Take 30+	Species % Comp.
DISTRICT 6	33	883	26.7	426	12.9	11,154	338	30	90.9	718	21.7	15.5	8	25	8	17	0	8	17	17	34.1
Blaine	12	441	36.8	129	10.7	4,446	370	9	75.0	108	9.0	41.1	0	33	0	33	0	0	33	0	39.1
Hill	9	102	11.3	123	13.7	2,075	230	9	100.0	270	30.0	7.7	0	33	0	0	0	0	33	33	39.8
Richland	3	90	30.0	105	35.0	3,152	1,050	3	100.0	240	80.0	13.1	0	0	0	0	0	0	0	100	80.8
Roosevelt	3	90	30.0	15	5.0	450	150	3	100.0	51	17.0	8.8	0	0	0	0	0	100	0	0	40.5
Sheridan	3	6	2.0	3	1.0	6	2	3	100.0	3	1.0	2.0	100	0	0	0	0	0	0	0	0.6
Valley	9	153	17.0	51	5.7	1,024	114	9	100.0	45	5.0	22.7	0	33	33	33	0	0	0	0	28.3
DISTRICT 7	27	588	21.8	222	8.2	5,407	200	24	88.9	276	10.2	19.6	0	13	13	38	0	25	13	0	14.4
Custer	9	171	19.0	78	8.7	2,084	231	6	66.7	75	8.3	27.8	0	0	50	0	0	50	0	0	64.1
Dawson	12	237	19.8	105	8.8	2,153	179	12	100.0	123	10.3	17.5	0	25	0	50	0	0	25	0	35.0
Rosebud	3	90	30.0	30	10.0	901	300	3	100.0	30	10.0	30.0	0	0	0	100	0	0	0	0	22.7
Treasure	3	90	30.0	9	3.0	270	90	3	100.0	48	16.0	5.6	0	0	0	0	0	100	0	0	15.0

Detail of Trapping and Snaring Activities

March 27th, 2002

Montana Fish Wildlife and Parks
1998 Furbearer Survey Report: Statistical Estimates of Trapping Effort and Catch
Detail of Trapping and Snaring Activities, by Species and Location

Species: OTTER

Location	Active Trapper	Activity Days	Days/ Hunter	Traps Set	Traps/ Hunter	Trap Days	TrapDay /Hunter	Success Hunters	Percent Success	Total Catch	Mean Catch	T Days /Catch	%Take 1	%Take 2-3	%Take 4-6	%Take 7-10	%Take 11-15	%Take 16-21	%Take 22-29	%Take 30+	Species % Comp.
STATEWIDE	102	1,630	16.0	661	6.5	22,562	221	87	85.3	270	2.6	83.5	83	13	0	0	0	0	0	3	0.7
DISTRICT 1	21	174	8.3	90	4.3	964	46	21	100.0	21	1.0	45.9	100	0	0	0	0	0	0	0	0.5
Flathead	15	102	6.8	60	4.0	459	31	15	100.0	15	1.0	30.6	100	0	0	0	0	0	0	0	0.5
Lincoln	3	12	4.0	6	2.0	24	8	3	100.0	3	1.0	8.0	100	0	0	0	0	0	0	0	0.3
Sanders	3	60	20.0	24	8.0	480	160	3	100.0	3	1.0	160.0	100	0	0	0	0	0	0	0	2.8
DISTRICT 2	15	330	22.0	216	14.4	9,121	608	9	60.0	177	11.8	51.5	67	0	0	0	0	0	0	33	3.3
Mineral	3	42	14.0	9	3.0	126	42	0	0.0	0	0.0	-0.0	-0	-0	-0	-0	-0	-0	-0	-0	0.0
Missoula	6	24	4.0	27	4.5	108	18	3	50.0	3	0.5	36.0	100	0	0	0	0	0	0	0	1.0
Powell	3	180	60.0	120	40.0	7,206	2,400	3	100.0	171	57.0	42.1	0	0	0	0	0	0	0	100	12.3
Ravalli	3	84	28.0	60	20.0	1,681	560	3	100.0	3	1.0	560.0	100	0	0	0	0	0	0	0	0.1
DISTRICT 3	48	922	19.2	267	5.6	11,322	236	45	93.8	57	1.2	198.5	73	27	0	0	0	0	0	0	0.6
Beaverhead	6	126	21.0	21	3.5	336	56	6	100.0	9	1.5	37.3	50	50	0	0	0	0	0	0	0.4
Gallatin	9	171	19.0	45	5.0	1,708	190	9	100.0	9	1.0	189.7	100	0	0	0	0	0	0	0	0.3
Jefferson	9	318	35.3	114	12.7	7,569	840	9	100.0	15	1.7	504.2	33	67	0	0	0	0	0	0	1.0
Madison	18	291	16.2	72	4.0	1,657	92	15	83.3	18	1.0	92.0	80	20	0	0	0	0	0	0	1.3
Park	6	15	2.5	15	2.5	51	9	6	100.0	6	1.0	8.5	100	0	0	0	0	0	0	0	0.4
DISTRICT 4	18	144	8.0	72	4.0	856	48	12	66.7	12	0.7	71.3	100	0	0	0	0	0	0	0	0.1
Cascade	12	84	7.0	48	4.0	519	43	12	100.0	12	1.0	43.3	100	0	0	0	0	0	0	0	0.5
Lewis & Clark	6	60	10.0	24	4.0	336	56	0	0.0	0	0.0	-0.0	-0	-0	-0	-0	-0	-0	-0	-0	0.0
DISTRICT 5	3	60	20.0	15	5.0	300	100	3	100.0	3	1.0	100.0	100	0	0	0	0	0	0	0	0.1
Sweetgrass	3	60	20.0	15	5.0	300	100	3	100.0	3	1.0	100.0	100	0	0	0	0	0	0	0	0.2

Detail of Trapping and Snaring Activities

Montana Fish Wildlife and Parks
1998 Furbearer Survey Report: Statistical Estimates of Trapping Effort and Catch
Detail of Trapping and Snaring Activities, by Species and Location

Species: MUSKRAT

Location	Active Trapper	Activity Days	Days/ Hunter	Traps Set	Traps/ Hunter	Trap Days	TrapDay /Hunter	Success Hunters	Percent Success	Total Catch	Mean Catch	T Days /Catch	%Take 1	%Take 2-3	%Take 4-6	%Take 7-10	%Take 11-15	%Take 16-21	%Take 22-29	%Take 30+	Species % Comp.
STATEWIDE	417	8,824	21.1	6,350	15.2	171,288	410	411	98.6	12,243	29.3	14.0	7	12	12	7	12	8	12	31	32.6
DISTRICT 1	66	1,174	17.8	1,141	17.3	26,297	398	66	100.0	2,270	34.4	11.6	9	5	0	14	9	5	5	55	53.9
Flathead	45	748	16.6	688	15.3	12,994	289	45	100.0	1,489	33.1	8.7	13	7	0	20	7	0	7	47	52.3
Lake	3	36	12.0	45	15.0	540	180	3	100.0	90	30.0	6.0	0	0	0	0	0	0	0	100	68.2
Lincoln	15	363	24.2	396	26.4	12,655	843	15	100.0	642	42.8	19.7	0	0	0	0	20	0	0	80	57.4
Sanders	3	27	9.0	12	4.0	108	36	3	100.0	48	16.0	2.3	0	0	0	0	0	100	0	0	44.4
DISTRICT 2	57	1,567	27.5	970	17.0	31,473	552	57	100.0	2,240	39.3	14.1	5	10	15	5	10	5	5	45	42.1
Deer Lodge	15	486	32.4	273	18.2	8,136	542	15	100.0	537	35.8	15.1	0	20	0	0	20	0	0	60	60.1
Granite	3	90	30.0	9	3.0	270	90	3	100.0	75	25.0	3.6	0	0	0	0	0	0	100	0	32.5
Mineral	6	45	7.5	39	6.5	429	71	6	100.0	18	3.0	23.8	0	50	50	0	0	0	0	0	18.2
Missoula	12	96	8.0	117	9.8	1,387	116	12	100.0	69	5.8	20.1	25	0	50	0	25	0	0	0	23.7
Powell	6	225	37.5	102	17.0	3,513	585	6	100.0	261	43.5	13.4	0	0	0	0	0	0	0	100	18.8
Ravalli	18	624	34.7	429	23.8	17,738	985	18	100.0	1,279	71.0	13.9	0	0	0	17	0	17	0	67	53.2
DISTRICT 3	117	2,858	24.4	1,804	15.4	75,550	645	111	94.9	3,495	29.8	21.6	3	13	10	8	10	10	18	28	36.6
Beaverhead	24	534	22.3	330	13.7	6,968	290	24	100.0	1,006	41.9	6.9	0	25	25	0	0	13	0	38	45.9
Broadwater	3	9	3.0	108	36.0	324	108	3	100.0	78	26.0	4.2	0	0	0	0	0	0	100	0	59.1
Gallatin	33	964	29.2	757	22.9	53,627	1,624	30	90.9	1,336	40.5	40.1	0	0	0	10	10	0	20	60	48.8
Jefferson	21	453	21.6	174	8.3	4,323	206	21	100.0	306	14.6	14.1	0	29	14	14	14	14	0	14	20.7
Madison	21	402	19.1	207	9.9	4,726	225	21	100.0	252	12.0	18.7	14	14	0	14	14	29	14	0	17.8
Park	21	495	23.6	228	10.9	5,581	266	18	85.7	516	24.6	10.8	0	0	17	0	17	0	50	17	35.3
DISTRICT 4	84	1,345	16.0	1,720	20.5	25,144	299	84	100.0	2,609	31.0	9.6	7	7	10	3	21	10	17	24	28.5
Cascade	24	177	7.4	633	26.4	4,107	171	24	100.0	724	30.1	5.7	0	13	13	0	25	13	13	25	31.8
Chouteau	3	21	7.0	6	2.0	42	14	3	100.0	6	2.0	7.0	0	100	0	0	0	0	0	0	0.9
Fergus	18	345	19.2	330	18.3	6,896	383	18	100.0	1,000	55.5	6.9	0	0	0	17	33	0	17	33	49.9
Lewis & Clark	24	645	26.9	435	18.1	10,430	434	24	100.0	525	21.9	19.9	13	0	13	0	13	13	38	13	29.8
Liberty	3	30	10.0	120	40.0	1,201	400	3	100.0	120	40.0	10.0	0	0	0	0	0	0	0	100	61.5
Meagher	3	90	30.0	72	24.0	2,162	720	3	100.0	117	39.0	18.5	0	0	0	0	0	0	0	100	18.0
Pondera	3	3	1.0	72	24.0	72	24	3	100.0	54	18.0	1.3	0	0	0	0	0	100	0	0	15.9
Teton	9	33	3.7	51	5.7	234	26	9	100.0	63	7.0	3.7	33	0	33	0	33	0	0	0	7.7
DISTRICT 5	66	1,180	17.9	429	6.5	9,292	141	66	100.0	709	10.7	13.1	9	26	26	9	9	4	4	13	13.3
Bighorn	9	78	8.7	30	3.3	348	39	9	100.0	39	4.3	8.9	33	33	0	33	0	0	0	0	5.7
Carbon	18	204	11.3	126	7.0	1,657	92	18	100.0	156	8.7	10.6	0	50	0	17	17	0	17	0	11.9
Musselshell	3	33	11.0	6	2.0	66	22	3	100.0	9	3.0	7.3	0	100	0	0	0	0	0	0	4.6
Stillwater	6	63	10.5	24	4.0	279	46	6	100.0	66	11.0	4.2	0	50	0	0	0	50	0	0	17.6
Sweetgrass	3	135	45.0	60	20.0	2,702	900	3	100.0	105	35.0	25.7	0	0	0	0	0	0	0	100	8.5
Wheatland	15	486	32.4	96	6.4	3,026	202	15	100.0	186	12.4	16.3	0	0	60	0	20	0	0	20	25.6
Yellowstone	15	180	12.0	87	5.8	1,213	81	15	100.0	147	9.8	8.2	20	0	60	0	0	0	0	20	18.6

Montana Fish Wildlife and Parks
1998 Furbearer Survey Report: Statistical Estimates of Trapping Effort and Catch
Detail of Trapping and Snaring Activities, by Species and Location

Species: MUSKRAT

Location	Active Trapper	Activity Days	Days/ Hunter	Traps Set	Traps/ Hunter	Trap Days	TrapDay /Hunter	Success Hunters	Percent Success	Total Catch	Mean Catch	T Days /Catch	%Take 1	%Take 2-3	%Take 4-6	%Take 7-10	%Take 11-15	%Take 16-21	%Take 22-29	%Take 30+	Species % Comp.
DISTRICT 6	24	519	21.6	237	9.9	3,083	128	24	100.0	811	33.7	3.8	0	13	13	0	13	0	25	38	38.5
Blaine	6	66	11.0	39	6.5	639	107	6	100.0	150	25.0	4.3	0	50	0	0	0	0	0	50	54.3
Hill	3	270	90.0	9	3.0	811	270	3	100.0	12	4.0	67.5	0	0	100	0	0	0	0	0	1.8
Roosevelt	3	120	40.0	18	6.0	721	240	3	100.0	75	25.0	9.6	0	0	0	0	0	0	100	0	59.5
Sheridan	9	48	5.3	153	17.0	823	91	9	100.0	537	59.7	1.5	0	0	0	0	0	0	33	67	99.4
Valley	3	15	5.0	18	6.0	90	30	3	100.0	36	12.0	2.5	0	0	0	0	100	0	0	0	22.6
DISTRICT 7	12	180	15.0	48	4.0	447	37	12	100.0	111	9.2	4.0	50	0	0	0	0	50	0	0	5.8
Carter	3	9	3.0	30	10.0	90	30	3	100.0	57	19.0	1.6	0	0	0	0	0	100	0	0	9.2
Dawson	6	81	13.5	9	1.5	87	15	6	100.0	51	8.5	1.7	50	0	0	0	0	50	0	0	14.5
Treasure	3	90	30.0	9	3.0	270	90	3	100.0	3	1.0	90.0	100	0	0	0	0	0	0	0	0.9

Statistical Estimates

Detail of Trapping and Snaring Activities

Montana Fish Wildlife and Parks
1998 Furbearer Survey Report: Statistical Estimates of Trapping Effort and Catch
Detail of Trapping and Snaring Activities, by Species and Location

Species: MINK

Location	Active Trapper	Activity Days	Days/ Hunter	Traps Set	Traps/ Hunter	Trap Days	TrapDay /Hunter	Success Hunters	Percent Success	Total Catch	Mean Catch	T Days /Catch	%Take 1	%Take 2-3	%Take 4-6	%Take 7-10	%Take 11-15	%Take 16-21	%Take 22-29	%Take 30+	Species % Comp.
STATEWIDE	291	5,491	18.9	2,549	8.8	51,730	178	246	84.5	1,078	3.7	48.0	40	25	17	6	6	4	2	0	2.9
DISTRICT 1	63	1,105	17.5	661	10.5	13,381	212	54	85.7	285	4.5	46.9	28	33	22	0	0	11	6	0	6.8
Flathead	45	760	16.9	501	11.1	9,703	215	39	86.7	249	5.5	38.9	31	23	23	0	0	15	8	0	8.7
Lake	3	30	10.0	12	4.0	120	40	3	100.0	6	2.0	20.0	0	100	0	0	0	0	0	0	4.5
Lincoln	18	315	17.5	147	8.2	3,558	198	12	66.7	30	1.7	118.5	25	50	25	0	0	0	0	0	2.7
DISTRICT 2	27	766	28.3	360	13.3	8,394	311	24	88.9	162	6.0	51.8	11	33	11	22	22	0	0	0	3.1
Deer Lodge	9	315	35.0	99	11.0	3,107	345	9	100.0	66	7.3	47.0	0	33	0	33	33	0	0	0	7.4
Missoula	6	72	12.0	72	12.0	769	128	6	100.0	45	7.5	17.1	0	50	0	0	50	0	0	0	15.5
Powell	6	225	37.5	81	13.5	2,567	428	6	100.0	27	4.5	95.0	50	0	0	50	0	0	0	0	1.9
Ravalli	9	153	17.0	108	12.0	1,952	217	6	66.7	24	2.7	81.3	0	50	50	0	0	0	0	0	1.0
DISTRICT 3	84	1,555	18.5	805	9.6	15,444	184	66	78.6	309	3.7	49.9	41	36	0	9	5	5	5	0	3.2
Beaverhead	18	192	10.7	393	21.8	5,365	298	18	100.0	87	4.8	61.6	33	50	0	0	0	17	0	0	4.0
Broadwater	3	9	3.0	18	6.0	54	18	0	0.0	0	0.0	-0.0	-0	-0	-0	-0	-0	-0	-0	-0	0.0
Gallatin	30	727	24.2	135	4.5	4,750	158	21	70.0	105	3.5	45.2	71	14	0	0	0	0	14	0	3.8
Jefferson	12	285	23.8	66	5.5	2,237	186	6	50.0	27	2.3	82.8	0	50	0	50	0	0	0	0	1.8
Madison	6	135	22.5	30	5.0	721	120	6	100.0	39	6.5	18.5	0	50	0	0	50	0	0	0	2.8
Park	15	207	13.8	162	10.8	2,318	154	15	100.0	51	3.4	45.4	40	40	0	20	0	0	0	0	3.5
DISTRICT 4	69	1,105	16.0	417	6.0	8,187	119	66	95.7	171	2.5	47.8	64	5	27	0	5	0	0	0	1.9
Cascade	24	285	11.9	96	4.0	2,726	114	24	100.0	24	1.0	113.5	100	0	0	0	0	0	0	0	1.1
Chouteau	3	15	5.0	18	6.0	90	30	3	100.0	3	1.0	30.0	100	0	0	0	0	0	0	0	0.5
Fergus	6	108	18.0	48	8.0	889	148	6	100.0	15	2.5	59.2	50	0	50	0	0	0	0	0	0.7
Lewis & Clark	24	633	26.4	177	7.4	3,960	165	21	87.5	90	3.8	44.0	43	0	43	0	14	0	0	0	5.1
Liberty	3	21	7.0	54	18.0	378	126	3	100.0	15	5.0	25.2	0	0	100	0	0	0	0	0	7.7
Pondera	3	21	7.0	15	5.0	105	35	3	100.0	15	5.0	7.0	0	0	100	0	0	0	0	0	4.4
Teton	6	21	3.5	9	1.5	39	7	6	100.0	9	1.5	4.3	50	50	0	0	0	0	0	0	1.1
DISTRICT 5	36	829	23.0	189	5.3	5,101	142	30	83.3	120	3.3	42.5	40	20	30	0	10	0	0	0	2.2
Bighorn	6	78	13.0	15	2.5	204	34	3	50.0	6	1.0	34.0	0	100	0	0	0	0	0	0	0.9
Carbon	6	114	19.0	18	3.0	366	61	3	50.0	3	0.5	122.0	100	0	0	0	0	0	0	0	0.2
Stillwater	3	45	15.0	15	5.0	225	75	3	100.0	3	1.0	75.0	100	0	0	0	0	0	0	0	0.8
Sweetgrass	3	135	45.0	30	10.0	1,351	450	3	100.0	18	6.0	75.0	0	0	100	0	0	0	0	0	1.5
Wheatland	12	384	32.0	63	5.3	2,354	196	12	100.0	75	6.3	31.4	25	25	25	0	25	0	0	0	10.3
Yellowstone	6	72	12.0	48	8.0	600	100	6	100.0	15	2.5	40.0	50	0	50	0	0	0	0	0	1.9
DISTRICT 6	6	75	12.5	63	10.5	856	143	6	100.0	27	4.5	31.7	0	50	0	50	0	0	0	0	1.3
Hill	3	30	10.0	18	6.0	180	60	3	100.0	6	2.0	30.0	0	100	0	0	0	0	0	0	0.9
Richland	3	45	15.0	45	15.0	676	225	3	100.0	21	7.0	32.1	0	0	0	100	0	0	0	0	7.1
DISTRICT 7	9	57	6.3	54	6.0	366	41	3	33.3	3	0.3	122.0	100	0	0	0	0	0	0	0	0.2
Custer	6	42	7.0	48	8.0	336	56	3	50.0	3	0.5	112.0	100	0	0	0	0	0	0	0	2.6
Dawson	3	15	5.0	6	2.0	30	10	0	0.0	0	0.0	-0.0	-0	-0	-0	-0	-0	-0	-0	-0	0.0

Statistical Estimates

Detail of Trapping and Snaring Activities

March 27th, 2002 page 9

Montana Fish Wildlife and Parks
1998 Furbearer Survey Report: Statistical Estimates of Trapping Effort and Catch
Detail of Trapping and Snaring Activities, by Species and Location

Species: MARTEN

Location	Active Trapper	Activity Days	Days/ Hunter	Traps Set	Traps/ Hunter	Trap Days	TrapDay /Hunter	Success Hunters	Percent Success	Total Catch	Mean Catch	T Days /Catch	%Take 1	%Take 2-3	%Take 4-6	%Take 7-10	%Take 11-15	%Take 16-21	%Take 22-29	%Take 30+	Species % Comp.
STATEWIDE	126	3,116	24.7	1,846	14.6	54,168	430	99	78.6	796	6.3	68.1	29	17	23	14	3	6	3	6	2.1
DISTRICT 1	60	1,561	26.0	892	14.9	34,034	567	48	80.0	603	10.1	56.4	6	13	31	19	0	13	6	13	14.3
Flathead	36	799	22.2	528	14.7	15,822	439	27	75.0	366	10.2	43.2	11	11	11	22	0	22	11	11	12.9
Lake	6	60	10.0	60	10.0	600	100	6	100.0	30	5.0	20.0	0	0	100	0	0	0	0	0	22.7
Lincoln	15	667	44.4	285	19.0	17,395	1,159	15	100.0	207	13.8	84.0	0	20	40	20	0	0	0	20	18.5
Sanders	3	36	12.0	18	6.0	216	72	0	0.0	0	0.0	-0.0	-0	-0	-0	-0	-0	-0	-0	-0	0.0
DISTRICT 2	27	642	23.8	354	13.1	11,742	435	24	88.9	111	4.1	105.7	25	25	25	13	13	0	0	0	2.1
Deer Lodge	6	66	11.0	51	8.5	718	120	6	100.0	6	1.0	119.5	100	0	0	0	0	0	0	0	0.7
Granite	9	141	15.7	48	5.3	817	91	6	66.7	21	2.3	38.9	0	50	50	0	0	0	0	0	9.1
Missoula	3	45	15.0	60	20.0	901	300	3	100.0	24	8.0	37.5	0	0	0	100	0	0	0	0	8.2
Ravalli	9	390	43.3	195	21.7	9,307	1,033	9	100.0	60	6.7	155.0	0	33	33	0	33	0	0	0	2.5
DISTRICT 3	27	630	23.3	276	10.2	5,734	212	21	77.8	63	2.3	91.0	57	14	14	14	0	0	0	0	0.7
Beaverhead	6	63	10.5	60	10.0	630	105	3	50.0	3	0.5	210.0	100	0	0	0	0	0	0	0	0.1
Gallatin	12	204	17.0	135	11.3	2,411	201	9	75.0	48	4.0	50.2	33	0	33	33	0	0	0	0	1.8
Jefferson	6	294	49.0	51	8.5	2,312	385	3	50.0	6	1.0	385.0	0	100	0	0	0	0	0	0	0.4
Madison	3	30	10.0	3	1.0	30	10	3	100.0	3	1.0	10.0	100	0	0	0	0	0	0	0	0.2
Park	3	39	13.0	27	9.0	351	117	3	100.0	3	1.0	117.0	100	0	0	0	0	0	0	0	0.2
DISTRICT 4	15	267	17.8	99	6.6	1,531	102	9	60.0	9	0.6	170.0	100	0	0	0	0	0	0	0	0.1
Glacier	6	42	7.0	54	9.0	378	63	3	50.0	3	0.5	126.0	100	0	0	0	0	0	0	0	100.0
Lewis & Clark	9	225	25.0	45	5.0	1,153	128	6	66.7	6	0.7	192.0	100	0	0	0	0	0	0	0	0.3
DISTRICT 5	3	15	5.0	225	75.0	1,126	375	3	100.0	9	3.0	125.0	0	100	0	0	0	0	0	0	0.2
Carbon	3	15	5.0	225	75.0	1,126	375	3	100.0	9	3.0	125.0	0	100	0	0	0	0	0	0	0.7

March 27th, 2002 page 10

Species: FISHER

Location	Active Trapper	Activity Days	Days/ Hunter	Traps Set	Traps/ Hunter	Trap Days	TrapDay /Hunter	Success Hunters	Percent Success	Total Catch	Mean Catch	T Days /Catch	%Take 1	%Take 2-3	%Take 4-6	%Take 7-10	%Take 11-15	%Take 16-21	%Take 22-29	%Take 30+	Species % Comp.
STATEWIDE	15	438	29.2	138	9.2	5,909	394	9	60.0	9	0.6	656.0	100	0	0	0	0	0	0	0	0.0
DISTRICT 1	9	324	36.0	93	10.3	5,218	579	3	33.3	3	0.3	######	100	0	0	0	0	0	0	0	0.1
Lake	3	30	10.0	9	3.0	90	30	0	0.0	0	0.0	-0.0	-0	-0	-0	-0	-0	-0	-0	-0	0.0
Lincoln	3	219	73.0	63	21.0	4,603	1,533	3	100.0	3	1.0	######	100	0	0	0	0	0	0	0	0.3
Sanders	3	75	25.0	21	7.0	525	175	0	0.0	0	0.0	-0.0	-0	-0	-0	-0	-0	-0	-0	-0	0.0
DISTRICT 2	6	114	19.0	45	7.5	691	115	6	100.0	6	1.0	115.0	100	0	0	0	0	0	0	0	0.1
Mineral	3	24	8.0	30	10.0	240	80	3	100.0	3	1.0	80.0	100	0	0	0	0	0	0	0	3.0
Ravalli	3	90	30.0	15	5.0	450	150	3	100.0	3	1.0	150.0	100	0	0	0	0	0	0	0	0.1

Detail of Trapping and Snaring Activities

March 27th, 2002 page 11

Montana Fish Wildlife and Parks
1998 Furbearer Survey Report: Statistical Estimates of Trapping Effort and Catch
Detail of Trapping and Snaring Activities, by Species and Location

Species: WOLVERINE

Location	Active Trapper	Activity Days	Days/ Hunter	Traps Set	Traps/ Hunter	Trap Days	TrapDay /Hunter	Success Hunters	Percent Success	Total Catch	Mean Catch	T Days /Catch	%Take 1	%Take 2-3	%Take 4-6	%Take 7-10	%Take 11-15	%Take 16-21	%Take 22-29	%Take 30+	Species % Comp.
STATEWIDE	33	991	30.0	111	3.4	2,966	90	9	27.3	9	0.3	329.3	100	0	0	0	0	0	0	0	0.0
DISTRICT 1	9	330	36.7	24	2.7	811	90	0	0.0	0	0.0	-0.0	-0	-0	-0	-0	-0	-0	-0	-0	0.0
Lake	3	30	10.0	6	2.0	60	20	0	0.0	0	0.0	-0.0	-0	-0	-0	-0	-0	-0	-0	-0	0.0
Lincoln	3	225	75.0	6	2.0	450	150	0	0.0	0	0.0	-0.0	-0	-0	-0	-0	-0	-0	-0	-0	0.0
Sanders	3	75	25.0	12	4.0	300	100	0	0.0	0	0.0	-0.0	-0	-0	-0	-0	-0	-0	-0	-0	0.0
DISTRICT 2	3	90	30.0	15	5.0	450	150	0	0.0	0	0.0	-0.0	-0	-0	-0	-0	-0	-0	-0	-0	0.0
Ravalli	3	90	30.0	15	5.0	450	150	0	0.0	0	0.0	-0.0	-0	-0	-0	-0	-0	-0	-0	-0	0.0
DISTRICT 3	3	60	20.0	6	2.0	60	20	3	100.0	3	1.0	20.0	100	0	0	0	0	0	0	0	0.0
Gallatin	3	30	10.0	3	1.0	30	10	3	100.0	3	1.0	10.0	100	0	0	0	0	0	0	0	0.1
Madison	3	30	10.0	3	1.0	30	10	0	0.0	0	0.0	-0.0	-0	-0	-0	-0	-0	-0	-0	-0	0.0
DISTRICT 4	18	510	28.3	66	3.7	1,645	91	6	33.3	6	0.3	274.0	100	0	0	0	0	0	0	0	0.1
Cascade	3	21	7.0	6	2.0	42	14	3	100.0	3	1.0	14.0	100	0	0	0	0	0	0	0	0.1
Lewis & Clark	3	90	30.0	21	7.0	630	210	0	0.0	0	0.0	-0.0	-0	-0	-0	-0	-0	-0	-0	-0	0.0
Meagher	9	174	19.3	33	3.7	522	58	3	33.3	3	0.3	174.0	100	0	0	0	0	0	0	0	0.5
Teton	3	225	75.0	6	2.0	450	150	0	0.0	0	0.0	-0.0	-0	-0	-0	-0	-0	-0	-0	-0	0.0

March 27th, 2002 page 12

Species: LYNX

Location	Active Trapper	Activity Days	Days/ Hunter	Traps Set	Traps/ Hunter	Trap Days	TrapDay /Hunter	Success Hunters	Percent Success	Total Catch	Mean Catch	T Days /Catch	%Take 1	%Take 2-3	%Take 4-6	%Take 7-10	%Take 11-15	%Take 16-21	%Take 22-29	%Take 30+	Species % Comp.
STATEWIDE	27	369	13.7	132	4.9	1,630	60	6	22.2	6	0.2	271.5	100	0	0	0	0	0	0	0	0.0
DISTRICT 1	3	6	2.0	3	1.0	6	2	0	0.0	0	0.0	-0.0	-0	-0	-0	-0	-0	-0	-0	-0	0.0
Lincoln	3	6	2.0	3	1.0	6	2	0	0.0	0	0.0	-0.0	-0	-0	-0	-0	-0	-0	-0	-0	0.0
DISTRICT 2	6	93	15.5	27	4.5	462	77	3	50.0	3	0.5	154.0	100	0	0	0	0	0	0	0	0.1
Missoula	3	3	1.0	12	4.0	12	4	3	100.0	3	1.0	4.0	100	0	0	0	0	0	0	0	1.0
Ravalli	3	90	30.0	15	5.0	450	150	0	0.0	0	0.0	-0.0	-0	-0	-0	-0	-0	-0	-0	-0	0.0
DISTRICT 3	3	3	1.0	45	15.0	45	15	0	0.0	0	0.0	-0.0	-0	-0	-0	-0	-0	-0	-0	-0	0.0
Beaverhead	3	3	1.0	45	15.0	45	15	0	0.0	0	0.0	-0.0	-0	-0	-0	-0	-0	-0	-0	-0	0.0
DISTRICT 4	15	267	17.8	57	3.8	1,117	74	3	20.0	3	0.2	372.0	100	0	0	0	0	0	0	0	0.0
Chouteau	3	90	30.0	6	2.0	180	60	3	100.0	3	1.0	60.0	100	0	0	0	0	0	0	0	0.5
Lewis & Clark	3	90	30.0	21	7.0	630	210	0	0.0	0	0.0	-0.0	-0	-0	-0	-0	-0	-0	-0	-0	0.0
Meagher	3	21	7.0	6	2.0	42	14	0	0.0	0	0.0	-0.0	-0	-0	-0	-0	-0	-0	-0	-0	0.0
Teton	6	66	11.0	24	4.0	264	44	0	0.0	0	0.0	-0.0	-0	-0	-0	-0	-0	-0	-0	-0	0.0

Montana Fish Wildlife and Parks
1998 Furbearer Survey Report: Statistical Estimates of Trapping Effort and Catch
Detail of Trapping and Snaring Activities, by Species and Location

Species: BOBCAT

Location	Active Trapper	Activity Days	Days/ Hunter	Traps Set	Traps/ Hunter	Trap Days	TrapDay /Hunter	Success Hunters	Percent Success	Total Catch	Mean Catch	T Days /Catch	%Take 1	%Take 2-3	%Take 4-6	%Take 7-10	%Take 11-15	%Take 16-21	%Take 22-29	%Take 30+	Species % Comp.
STATEWIDE	336	11,340	33.7	3,798	11.3	169,304	503	210	62.5	597	1.8	283.4	38	42	15	3	3	0	0	0	1.6
DISTRICT 1	45	1,039	23.1	441	9.8	13,769	306	30	66.7	84	1.9	163.8	30	40	30	0	0	0	0	0	2.0
Flathead	12	288	24.0	162	13.5	4,750	396	12	100.0	39	3.3	121.7	50	0	50	0	0	0	0	0	1.4
Lake	3	30	10.0	12	4.0	120	40	0	0.0	0	0.0	-0.0	-0	-0	-0	-0	-0	-0	-0	-0	0.0
Lincoln	18	525	29.2	168	9.3	7,278	404	6	33.3	24	1.3	303.0	0	50	50	0	0	0	0	0	2.1
Sanders	15	195	13.0	99	6.6	1,621	108	12	80.0	21	1.4	77.1	25	75	0	0	0	0	0	0	19.4
DISTRICT 2	39	1,207	30.9	435	11.2	18,179	466	27	69.2	63	1.6	288.3	11	78	11	0	0	0	0	0	1.2
Granite	6	198	33.0	30	5.0	1,063	177	3	50.0	3	0.5	354.0	100	0	0	0	0	0	0	0	1.3
Mineral	3	21	7.0	9	3.0	63	21	0	0.0	0	0.0	-0.0	-0	-0	-0	-0	-0	-0	-0	-0	0.0
Missoula	12	312	26.0	114	9.5	3,092	258	12	100.0	33	2.8	93.6	0	75	25	0	0	0	0	0	11.3
Powell	6	135	22.5	54	9.0	1,261	210	3	50.0	6	1.0	210.0	0	100	0	0	0	0	0	0	0.4
Ravalli	12	540	45.0	228	19.0	12,700	1,058	9	75.0	21	1.8	604.3	0	100	0	0	0	0	0	0	0.9
DISTRICT 3	75	2,141	28.5	925	12.3	34,572	461	48	64.0	129	1.7	267.8	25	44	31	0	0	0	0	0	1.4
Beaverhead	9	402	44.7	231	25.7	11,559	1,283	9	100.0	36	4.0	320.8	0	33	67	0	0	0	0	0	1.6
Broadwater	3	30	10.0	3	1.0	30	10	3	100.0	6	2.0	5.0	0	100	0	0	0	0	0	0	4.5
Gallatin	6	180	30.0	54	9.0	1,681	280	0	0.0	0	0.0	-0.0	-0	-0	-0	-0	-0	-0	-0	-0	0.0
Jefferson	9	354	39.3	96	10.7	5,032	559	3	33.3	6	0.7	838.0	0	100	0	0	0	0	0	0	0.4
Madison	21	582	27.7	201	9.6	7,308	348	15	71.4	30	1.4	243.4	40	40	20	0	0	0	0	0	2.1
Park	18	414	23.0	201	11.2	6,482	360	15	83.3	39	2.2	166.1	40	40	20	0	0	0	0	0	2.7
Silver Bow	9	177	19.7	138	15.3	2,480	275	3	33.3	12	1.3	206.5	0	0	100	0	0	0	0	0	8.7
DISTRICT 4	75	2,654	35.4	709	9.4	27,051	360	39	52.0	111	1.5	243.5	38	38	15	8	0	0	0	0	1.2
Cascade	15	429	28.6	117	7.8	4,254	283	12	80.0	21	1.4	202.4	50	50	0	0	0	0	0	0	0.9
Chouteau	6	150	25.0	93	15.5	2,612	435	6	100.0	15	2.5	174.0	0	100	0	0	0	0	0	0	2.3
Fergus	6	195	32.5	78	13.0	2,012	335	3	50.0	15	2.5	134.0	0	0	100	0	0	0	0	0	0.7
Judith Basin	6	360	60.0	81	13.5	4,864	810	3	50.0	3	0.5	######	100	0	0	0	0	0	0	0	1.5
Lewis & Clark	30	1,003	33.4	264	8.8	9,673	322	12	40.0	30	1.0	322.2	50	25	25	0	0	0	0	0	1.7
Liberty	3	51	17.0	9	3.0	153	51	0	0.0	0	0.0	-0.0	-0	-0	-0	-0	-0	-0	-0	-0	0.0
Meagher	6	270	45.0	54	9.0	2,702	450	3	50.0	27	4.5	100.0	0	0	0	100	0	0	0	0	4.1
Teton	3	195	65.0	12	4.0	781	260	0	0.0	0	0.0	-0.0	-0	-0	-0	-0	-0	-0	-0	-0	0.0
DISTRICT 5	48	2,027	42.2	835	17.4	54,711	1,139	30	62.5	129	2.7	423.8	36	45	0	9	9	0	0	0	2.4
Bighorn	3	39	13.0	21	7.0	273	91	0	0.0	0	0.0	-0.0	-0	-0	-0	-0	-0	-0	-0	-0	0.0
Carbon	21	811	38.6	246	11.7	14,381	684	15	71.4	21	1.0	684.3	80	20	0	0	0	0	0	0	1.6
Golden Valley	6	153	25.5	84	14.0	2,114	352	3	50.0	9	1.5	234.7	0	100	0	0	0	0	0	0	33.3
Musselshell	3	90	30.0	18	6.0	540	180	3	100.0	9	3.0	60.0	0	100	0	0	0	0	0	0	4.6
Stillwater	6	132	22.0	36	6.0	889	148	3	50.0	9	1.5	98.7	0	100	0	0	0	0	0	0	2.4
Sweetgrass	9	606	67.3	393	43.7	34,172	3,794	6	66.7	75	8.3	455.3	0	0	0	50	50	0	0	0	6.1
Yellowstone	3	195	65.0	36	12.0	2,342	780	3	100.0	6	2.0	390.0	0	100	0	0	0	0	0	0	0.8
DISTRICT 6	9	537	59.7	60	6.7	2,222	247	6	66.7	9	1.0	246.7	100	0	0	0	0	0	0	0	0.4
Blaine	3	240	80.0	9	3.0	721	240	3	100.0	3	1.0	240.0	100	0	0	0	0	0	0	0	1.1
Hill	6	285	47.5	21	3.5	1,381	230	6	100.0	6	1.0	230.0	100	0	0	0	0	0	0	0	0.9
Phillips	3	12	4.0	30	10.0	120	40	0	0.0	0	0.0	-0.0	-0	-0	-0	-0	-0	-0	-0	-0	-0.0

Detail of Trapping and Snaring Activities

March 27th, 2002 page 14

Montana Fish Wildlife and Parks
1998 Furbearer Survey Report: Statistical Estimates of Trapping Effort and Catch
Detail of Trapping and Snaring Activities, by Species and Location

Species: BOBCAT

Location	Active Trapper	Activity Days	Days/ Hunter	Traps Set	Traps/ Hunter	Trap Days	TrapDay /Hunter	Success Hunters	Percent Success	Total Catch	Mean Catch	T Days /Catch	%Take 1	%Take 2-3	%Take 4-6	%Take 7-10	%Take 11-15	%Take 16-21	%Take 22-29	%Take 30+	Species % Comp.
DISTRICT 7	45	1,735	38.5	393	8.7	18,801	417	30	66.7	72	1.6	260.9	70	20	0	0	10	0	0	0	3.8
Carter	3	180	60.0	24	8.0	1,441	480	3	100.0	6	2.0	240.0	0	100	0	0	0	0	0	0	1.0
Custer	9	174	19.3	102	11.3	1,982	220	0	0.0	0	0.0	-0.0	-0	-0	-0	-0	-0	-0	-0	-0	0.0
Dawson	9	195	21.7	39	4.3	802	89	6	66.7	6	0.7	133.5	100	0	0	0	0	0	0	0	1.7
Garfield	6	210	35.0	63	10.5	2,882	480	3	50.0	9	1.5	320.0	0	100	0	0	0	0	0	0	4.8
Powder River	9	480	53.3	84	9.3	6,545	727	9	100.0	42	4.7	155.7	67	0	0	0	33	0	0	0	60.9
Prairie	3	135	45.0	45	15.0	2,027	675	3	100.0	3	1.0	675.0	100	0	0	0	0	0	0	0	2.8
Rosebud	3	60	20.0	6	2.0	120	40	3	100.0	3	1.0	40.0	100	0	0	0	0	0	0	0	2.3
Treasure	3	300	100.0	30	10.0	3,002	1,000	3	100.0	3	1.0	######	100	0	0	0	0	0	0	0	0.9

March 27th, 2002 page 15

Species: WEASEL

Location	Active Trapper	Activity Days	Days/ Hunter	Traps Set	Traps/ Hunter	Trap Days	TrapDay /Hunter	Success Hunters	Percent Success	Total Catch	Mean Catch	T Days /Catch	%Take 1	%Take 2-3	%Take 4-6	%Take 7-10	%Take 11-15	%Take 16-21	%Take 22-29	%Take 30+	Species % Comp.
STATEWIDE	81	1,621	20.0	618	7.6	16,333	201	72	88.9	246	3.0	66.3	33	42	13	4	8	0	0	0	0.7
DISTRICT 1	36	895	24.8	303	8.4	8,695	241	36	100.0	144	4.0	60.3	25	42	17	8	8	0	0	0	3.4
Flathead	27	579	21.4	207	7.7	5,170	191	27	100.0	96	3.6	53.8	11	56	22	11	0	0	0	0	3.4
Lincoln	12	315	26.2	96	8.0	3,525	294	9	75.0	48	4.0	73.4	67	0	0	0	33	0	0	0	4.3
DISTRICT 2	24	387	16.1	183	7.6	4,705	196	21	87.5	48	2.0	97.9	43	43	14	0	0	0	0	0	0.9
Deer Lodge	6	105	17.5	45	7.5	946	158	6	100.0	9	1.5	105.0	50	50	0	0	0	0	0	0	1.0
Granite	3	63	21.0	12	4.0	252	84	3	100.0	3	1.0	84.0	100	0	0	0	0	0	0	0	1.3
Missoula	6	66	11.0	36	6.0	408	68	6	100.0	12	2.0	34.0	50	50	0	0	0	0	0	0	4.1
Ravalli	9	153	17.0	90	10.0	3,098	344	6	66.7	24	2.7	129.0	0	50	50	0	0	0	0	0	1.0
DISTRICT 3	6	66	11.0	24	4.0	264	44	6	100.0	9	1.5	29.3	50	50	0	0	0	0	0	0	0.1
Gallatin	3	21	7.0	12	4.0	84	28	3	100.0	3	1.0	28.0	100	0	0	0	0	0	0	0	0.1
Jefferson	3	45	15.0	12	4.0	180	60	3	100.0	6	2.0	30.0	0	100	0	0	0	0	0	0	0.4
DISTRICT 4	12	270	22.5	105	8.8	2,666	222	6	50.0	42	3.5	63.4	0	50	0	0	50	0	0	0	0.5
Lewis & Clark	12	270	22.5	105	8.8	2,666	222	6	50.0	42	3.5	63.4	0	50	0	0	50	0	0	0	2.4
DISTRICT 5	3	3	1.0	3	1.0	3	1	3	100.0	3	1.0	1.0	100	0	0	0	0	0	0	0	0.1
Stillwater	3	3	1.0	3	1.0	3	1	3	100.0	3	1.0	1.0	100	0	0	0	0	0	0	0	0.8

Statistical Estimates
Detail of Trapping and Snaring Activities

Montana Fish Wildlife and Parks
1998 Furbearer Survey Report: Statistical Estimates of Trapping Effort and Catch
Detail of Trapping and Snaring Activities, by Species and Location

Species: SKUNK

Location	Active Trapper	Activity Days	Days/ Hunter	Traps Set	Traps/ Hunter	Trap Days	TrapDay /Hunter	Success Hunters	Percent Success	Total Catch	Mean Catch	T Days /Catch	%Take 1	%Take 2-3	%Take 4-6	%Take 7-10	%Take 11-15	%Take 16-21	%Take 22-29	%Take 30+	Species % Comp.
STATEWIDE	195	4,738	24.3	1,315	6.7	39,198	201	189	96.9	1,507	7.7	26.0	20	22	22	14	8	6	5	3	4.0
DISTRICT 1	18	240	13.3	63	3.5	847	47	18	100.0	84	4.7	10.1	50	0	33	0	17	0	0	0	2.0
Flathead	18	240	13.3	63	3.5	847	47	18	100.0	84	4.7	10.1	50	0	33	0	17	0	0	0	3.0
DISTRICT 2	27	937	34.7	279	10.3	11,286	418	27	100.0	246	9.1	45.8	30	20	10	10	10	10	10	0	4.6
Granite	3	42	14.0	72	24.0	1,009	336	3	100.0	27	9.0	37.3	0	0	0	100	0	0	0	0	11.7
Mineral	3	9	3.0	12	4.0	36	12	3	100.0	3	1.0	12.0	100	0	0	0	0	0	0	0	3.0
Missoula	6	222	37.0	33	5.5	600	100	6	100.0	12	2.0	50.0	50	50	0	0	0	0	0	0	4.1
Powell	3	30	10.0	9	3.0	90	30	3	100.0	6	2.0	15.0	0	100	0	0	0	0	0	0	0.4
Ravalli	15	633	42.2	153	10.2	9,550	636	15	100.0	198	13.2	48.2	20	0	20	0	20	20	20	0	8.2
DISTRICT 3	42	603	14.4	312	7.4	6,089	145	42	100.0	339	8.1	17.9	7	29	29	14	0	14	7	0	3.6
Beaverhead	9	102	11.3	99	11.0	1,231	137	9	100.0	75	8.3	16.4	0	0	33	67	0	0	0	0	3.4
Broadwater	3	30	10.0	3	1.0	30	10	3	100.0	3	1.0	10.0	100	0	0	0	0	0	0	0	2.3
Gallatin	15	267	17.8	105	7.0	2,282	152	15	100.0	150	10.0	15.2	0	40	20	0	0	40	0	0	5.5
Jefferson	3	120	40.0	60	20.0	2,402	800	3	100.0	69	23.0	34.8	0	0	0	0	0	0	100	0	4.7
Madison	6	24	4.0	36	6.0	54	9	6	100.0	18	3.0	3.0	0	50	50	0	0	0	0	0	1.3
Park	3	30	10.0	6	2.0	60	20	3	100.0	9	3.0	6.7	0	100	0	0	0	0	0	0	0.6
Silver Bow	3	30	10.0	3	1.0	30	10	3	100.0	15	5.0	2.0	0	0	100	0	0	0	0	0	10.9
DISTRICT 4	51	1,054	20.6	225	4.4	5,311	104	45	88.2	339	6.6	15.7	20	27	7	20	20	0	0	7	3.7
Cascade	12	336	28.0	39	3.3	1,282	107	12	100.0	93	7.8	13.8	25	0	0	50	25	0	0	0	4.1
Chouteau	6	24	4.0	21	3.5	39	7	6	100.0	18	3.0	2.2	0	100	0	0	0	0	0	0	2.8
Fergus	3	45	15.0	30	10.0	450	150	3	100.0	9	3.0	50.0	0	100	0	0	0	0	0	0	0.4
Lewis & Clark	18	408	22.7	78	4.3	1,492	83	12	66.7	75	4.2	19.9	25	25	0	25	25	0	0	0	4.3
Meagher	3	150	50.0	33	11.0	1,651	550	3	100.0	90	30.0	18.3	0	0	0	0	0	0	0	100	13.8
Pondera	3	75	25.0	15	5.0	375	125	3	100.0	33	11.0	11.4	0	0	0	0	100	0	0	0	9.7
Teton	6	15	2.5	9	1.5	21	4	6	100.0	21	3.5	1.0	50	0	50	0	0	0	0	0	2.6
DISTRICT 5	33	973	29.5	267	8.1	7,740	234	33	100.0	273	8.3	28.3	27	36	18	0	0	9	0	9	5.1
Bighorn	3	48	16.0	30	10.0	480	160	3	100.0	12	4.0	40.0	0	0	100	0	0	0	0	0	1.8
Carbon	9	195	21.7	123	13.7	2,387	265	9	100.0	27	3.0	88.3	0	67	33	0	0	0	0	0	2.1
Musselshell	3	3	1.0	3	1.0	3	1	3	100.0	3	1.0	1.0	100	0	0	0	0	0	0	0	1.5
Stillwater	6	240	40.0	24	4.0	1,081	180	6	100.0	156	26.0	6.9	0	50	0	0	0	0	0	50	41.6
Wheatland	3	300	100.0	18	6.0	1,801	600	3	100.0	3	1.0	600.0	100	0	0	0	0	0	0	0	0.4
Yellowstone	9	186	20.7	69	7.7	1,988	221	9	100.0	72	8.0	27.6	33	33	0	0	0	33	0	0	9.1
DISTRICT 6	3	9	3.0	6	2.0	18	6	3	100.0	15	5.0	1.2	0	0	100	0	0	0	0	0	0.7
Mccone	3	9	3.0	6	2.0	18	6	3	100.0	15	5.0	1.2	0	0	100	0	0	0	0	0	55.6
DISTRICT 7	21	922	43.9	162	7.7	7,908	376	21	100.0	210	10.0	37.6	0	0	43	43	0	0	14	0	11.0
Carter	9	676	75.0	84	9.3	6,305	700	9	100.0	138	15.3	45.7	0	0	0	67	0	0	33	0	22.3
Custer	3	54	18.0	9	3.0	162	54	3	100.0	12	4.0	13.5	0	0	100	0	0	0	0	0	10.3
Dawson	3	42	14.0	30	10.0	420	140	3	100.0	18	6.0	23.3	0	0	100	0	0	0	0	0	5.1
Powder River	3	60	20.0	15	5.0	300	100	3	100.0	12	4.0	25.0	0	0	100	0	0	0	0	0	17.4
Treasure	3	90	30.0	24	8.0	721	240	3	100.0	30	10.0	24.0	0	0	0	100	0	0	0	0	9.3

Statistical Estimates

Detail of Trapping and Snaring Activities

Montana Fish Wildlife and Parks
1998 Furbearer Survey Report: Statistical Estimates of Trapping Effort and Catch
Detail of Trapping and Snaring Activities, by Species and Location

Species: COYOTE

Location	Active Trapper	Activity Days	Days/ Hunter	Traps Set	Traps/ Hunter	Trap Days	TrapDay /Hunter	Success Hunters	Percent Success	Total Catch	Mean Catch	T Days /Catch	%Take 1	%Take 2-3	%Take 4-6	%Take 7-10	%Take 11-15	%Take 16-21	%Take 22-29	%Take 30+	Species % Comp.
STATEWIDE	360	12,574	34.9	6,407	17.8	285,043	791	318	88.3	3,735	10.4	76.3	17	28	18	8	6	5	5	13	9.9
DISTRICT 1	21	525	25.0	108	5.1	2,513	120	12	57.1	39	1.9	64.4	0	50	50	0	0	0	0	0	0.9
Flathead	15	345	23.0	72	4.8	1,432	95	9	60.0	27	1.8	53.0	0	67	33	0	0	0	0	0	0.9
Lincoln	6	180	30.0	36	6.0	1,081	180	3	50.0	12	2.0	90.0	0	0	100	0	0	0	0	0	1.1
DISTRICT 2	42	1,795	42.7	883	21.0	44,641	1,062	42	100.0	802	19.1	55.7	7	13	13	27	13	0	0	27	15.1
Deer Lodge	3	195	65.0	72	24.0	4,684	1,560	3	100.0	36	12.0	130.0	0	0	0	0	100	0	0	0	4.0
Granite	6	237	39.5	126	21.0	4,521	753	6	100.0	57	9.5	79.3	0	0	0	100	0	0	0	0	24.7
Mineral	3	30	10.0	3	1.0	30	10	3	100.0	3	1.0	10.0	100	0	0	0	0	0	0	0	3.0
Powell	15	618	41.2	363	24.2	19,536	1,301	15	100.0	399	26.6	48.9	0	0	0	40	20	0	0	40	28.7
Ravalli	18	715	39.7	318	17.7	15,870	881	18	100.0	306	17.0	51.8	0	33	33	0	0	0	0	33	12.7
DISTRICT 3	99	2,807	28.3	1,369	13.8	62,190	628	90	90.9	868	8.8	71.7	30	23	27	0	0	7	3	10	9.1
Beaverhead	15	435	29.0	291	19.4	15,708	1,046	15	100.0	96	6.4	163.5	20	20	40	0	0	20	0	0	4.4
Broadwater	3	30	10.0	30	10.0	300	100	3	100.0	12	4.0	25.0	0	0	100	0	0	0	0	0	9.1
Gallatin	15	606	40.4	213	14.2	14,843	989	9	60.0	273	18.2	54.3	0	33	0	0	0	0	33	33	10.0
Jefferson	9	435	48.3	216	24.0	10,763	1,195	9	100.0	201	22.3	53.5	33	0	33	0	0	0	0	33	13.6
Madison	24	790	32.9	306	12.8	12,063	502	24	100.0	162	6.7	74.4	38	25	25	0	0	0	0	13	11.5
Park	24	372	15.5	207	8.6	5,897	246	21	87.5	54	2.3	109.1	43	29	29	0	0	0	0	0	3.7
Silver Bow	9	138	15.3	105	11.7	2,615	290	9	100.0	69	7.7	37.9	33	33	0	0	0	33	0	0	50.0
DISTRICT 4	102	2,972	29.1	1,870	18.3	57,816	566	87	85.3	835	8.2	69.3	14	38	14	10	3	3	10	7	9.1
Cascade	21	477	22.7	270	12.9	9,625	458	15	71.4	129	6.1	74.6	20	20	20	20	0	0	20	0	5.7
Chouteau	21	588	28.0	459	21.9	19,107	909	21	100.0	345	16.4	55.3	14	29	0	14	14	0	14	14	53.0
Fergus	15	429	28.6	210	14.0	5,954	397	15	100.0	54	3.6	110.2	20	60	0	20	0	0	0	0	2.7
Lewis & Clark	24	865	36.0	639	26.6	15,084	628	15	62.5	174	7.3	86.6	0	60	0	0	0	20	0	20	9.9
Liberty	6	390	65.0	54	9.0	4,413	735	6	100.0	18	3.0	245.0	50	0	50	0	0	0	0	0	9.2
Meagher	6	132	22.0	174	29.0	2,822	470	6	100.0	84	14.0	33.6	0	0	50	0	0	0	50	0	12.9
Petroleum	3	6	2.0	6	2.0	12	4	3	100.0	6	2.0	2.0	0	100	0	0	0	0	0	0	3.0
Teton	6	84	14.0	57	9.5	799	133	6	100.0	24	4.0	33.3	0	50	50	0	0	0	0	0	2.9
DISTRICT 5	42	1,774	42.2	1,099	26.1	67,579	1,608	39	92.9	507	12.1	133.2	23	31	0	15	8	0	8	15	9.5
Bighorn	9	495	55.0	270	30.0	18,014	2,000	9	100.0	99	11.0	181.8	0	33	0	33	0	0	33	0	14.5
Carbon	18	871	48.3	636	35.3	41,147	2,284	18	100.0	327	18.2	125.7	17	50	0	0	0	0	0	33	24.9
Golden Valley	3	90	30.0	9	3.0	270	90	0	0.0	0	0.0	-0.0	-0	-0	-0	-0	-0	-0	-0	-0	0.0
Stillwater	3	90	30.0	18	6.0	540	180	3	100.0	30	10.0	18.0	0	0	0	100	0	0	0	0	8.0
Sweetgrass	3	180	60.0	120	40.0	7,206	2,400	3	100.0	45	15.0	160.0	0	0	0	0	100	0	0	0	3.7
Yellowstone	6	48	8.0	45	7.5	402	67	6	100.0	6	1.0	67.0	100	0	0	0	0	0	0	0	0.8
DISTRICT 6	15	832	55.4	336	22.4	10,736	715	15	100.0	255	17.0	42.1	17	33	0	0	17	17	0	17	12.1
Blaine	6	360	60.0	42	7.0	1,621	270	6	100.0	9	1.5	180.0	50	50	0	0	0	0	0	0	3.3
Hill	9	411	45.7	222	24.7	7,674	852	9	100.0	198	22.0	38.7	0	33	0	0	33	0	0	33	29.2
Valley	3	60	20.0	72	24.0	1,441	480	3	100.0	48	16.0	30.0	0	0	0	0	0	100	0	0	30.2

Statistical Estimates

Detail of Trapping and Snaring Activities

Montana Fish Wildlife and Parks
1998 Furbearer Survey Report: Statistical Estimates of Trapping Effort and Catch
Detail of Trapping and Snaring Activities, by Species and Location

Species: COYOTE

Location	Active Trapper	Activity Days	Days/ Hunter	Traps Set	Traps/ Hunter	Trap Days	TrapDay /Hunter	Success Hunters	Percent Success	Total Catch	Mean Catch	T Days /Catch	%Take 1	%Take 2-3	%Take 4-6	%Take 7-10	%Take 11-15	%Take 16-21	%Take 22-29	%Take 30+	Species % Comp.
DISTRICT 7	42	1,867	44.4	742	17.6	39,568	941	36	85.7	429	10.2	92.2	8	17	33	0	17	8	0	17	22.4
Carter	6	450	75.0	120	20.0	9,908	1,650	3	50.0	90	15.0	110.0	0	0	0	0	0	0	0	100	14.6
Custer	3	60	20.0	24	8.0	480	160	3	100.0	3	1.0	160.0	100	0	0	0	0	0	0	0	2.6
Dawson	6	168	28.0	36	6.0	985	164	6	100.0	18	3.0	54.7	0	50	50	0	0	0	0	0	5.1
Fallon	3	180	60.0	18	6.0	1,081	360	3	100.0	12	4.0	90.0	0	0	100	0	0	0	0	0	100.0
Garfield	3	240	80.0	75	25.0	6,005	2,000	3	100.0	60	20.0	100.0	0	0	0	0	0	100	0	0	31.7
Powder River	3	60	20.0	30	10.0	600	200	3	100.0	15	5.0	40.0	0	0	100	0	0	0	0	0	21.7
Prairie	3	135	45.0	45	15.0	2,027	675	3	100.0	33	11.0	61.4	0	0	0	0	100	0	0	0	30.6
Rosebud	9	123	13.7	261	29.0	3,711	412	6	66.7	45	5.0	82.4	0	0	50	0	50	0	0	0	34.1
Treasure	6	450	75.0	132	22.0	14,771	2,460	6	100.0	153	25.5	96.5	0	50	0	0	0	0	0	50	47.7

Detail of Trapping and Snaring Activities

Montana Fish Wildlife and Parks
1998 Furbearer Survey Report: Statistical Estimates of Trapping Effort and Catch
Detail of Trapping and Snaring Activities, by Species and Location

Species: FOX

Location	Active Trapper	Activity Days	Days/ Hunter	Traps Set	Traps/ Hunter	Trap Days	TrapDay /Hunter	Success Hunters	Percent Success	Total Catch	Mean Catch	T Days /Catch	%Take 1	%Take 2-3	%Take 4-6	%Take 7-10	%Take 11-15	%Take 16-21	%Take 22-29	%Take 30+	Species % Comp.
STATEWIDE	255	7,485	29.3	3,270	12.8	128,367	503	243	95.3	1,921	7.5	66.8	16	35	17	12	6	4	2	7	5.1
DISTRICT 1	9	156	17.3	51	5.7	967	107	9	100.0	27	3.0	35.8	33	0	67	0	0	0	0	0	0.6
Flathead	9	156	17.3	51	5.7	967	107	9	100.0	27	3.0	35.8	33	0	67	0	0	0	0	0	0.9
DISTRICT 2	33	1,012	30.6	375	11.4	13,724	416	33	100.0	210	6.4	65.3	9	55	9	9	9	0	0	9	4.0
Deer Lodge	6	144	24.0	27	4.5	630	105	6	100.0	12	2.0	52.5	0	100	0	0	0	0	0	0	1.3
Granite	3	42	14.0	72	24.0	1,009	336	3	100.0	6	2.0	168.0	0	100	0	0	0	0	0	0	2.6
Missoula	3	45	15.0	9	3.0	135	45	3	100.0	6	2.0	22.5	0	100	0	0	0	0	0	0	2.1
Powell	3	18	6.0	15	5.0	90	30	3	100.0	3	1.0	30.0	100	0	0	0	0	0	0	0	0.2
Ravalli	18	763	42.3	252	14.0	11,859	658	18	100.0	183	10.2	64.8	0	33	17	17	17	0	0	17	7.6
DISTRICT 3	60	1,318	22.0	763	12.7	23,673	394	54	90.0	288	4.8	82.1	6	44	22	17	6	6	0	0	3.0
Beaverhead	9	213	23.7	81	9.0	2,792	310	9	100.0	51	5.7	54.7	0	67	0	0	33	0	0	0	2.3
Broadwater	3	3	1.0	30	10.0	30	10	3	100.0	6	2.0	5.0	0	100	0	0	0	0	0	0	4.5
Gallatin	15	255	17.0	156	10.4	3,933	262	9	60.0	54	3.6	72.8	0	0	67	33	0	0	0	0	2.0
Jefferson	6	210	35.0	162	27.0	5,134	855	6	100.0	33	5.5	155.5	0	50	0	50	0	0	0	0	2.2
Madison	9	360	40.0	198	22.0	8,376	930	9	100.0	87	9.7	96.2	0	33	0	33	0	33	0	0	6.2
Park	12	228	19.0	102	8.5	2,954	246	12	100.0	36	3.0	82.0	0	75	25	0	0	0	0	0	2.5
Silver Bow	6	48	8.0	33	5.5	453	76	6	100.0	21	3.5	21.6	50	0	50	0	0	0	0	0	15.2
DISTRICT 4	66	1,546	23.4	576	8.7	15,327	232	60	90.9	378	5.7	40.5	20	40	10	20	5	0	0	5	4.1
Cascade	18	423	23.5	126	7.0	4,897	272	15	83.3	87	4.8	56.2	40	20	0	20	20	0	0	0	3.8
Chouteau	6	120	20.0	48	8.0	1,081	180	6	100.0	27	4.5	40.0	0	50	0	50	0	0	0	0	4.1
Fergus	6	120	20.0	105	17.5	2,102	350	6	100.0	12	2.0	175.0	0	100	0	0	0	0	0	0	0.6
Judith Basin	3	90	30.0	30	10.0	901	300	3	100.0	3	1.0	300.0	100	0	0	0	0	0	0	0	1.5
Lewis & Clark	21	495	23.6	180	8.6	4,666	222	18	85.7	66	3.1	70.6	17	50	17	17	0	0	0	0	3.7
Liberty	6	180	30.0	27	4.5	676	113	6	100.0	27	4.5	25.0	0	50	50	0	0	0	0	0	13.8
Pondera	3	75	25.0	15	5.0	375	125	3	100.0	135	45.0	2.8	0	0	0	0	0	0	0	100	39.8
Teton	3	42	14.0	45	15.0	630	210	3	100.0	21	7.0	30.0	0	0	0	100	0	0	0	0	2.6
DISTRICT 5	45	1,546	34.3	823	18.3	35,136	780	45	100.0	408	9.1	86.1	20	13	20	13	13	7	13	0	7.6
Bighorn	6	135	22.5	72	12.0	1,261	210	6	100.0	12	2.0	105.0	0	100	0	0	0	0	0	0	1.8
Carbon	15	564	37.6	393	26.2	16,612	1,107	15	100.0	183	12.2	90.7	0	0	20	20	40	20	0	0	14.0
Stillwater	9	240	26.7	42	4.7	1,171	130	9	100.0	21	2.3	55.7	67	0	33	0	0	0	0	0	5.6
Sweetgrass	6	360	60.0	210	35.0	12,610	2,100	6	100.0	105	17.5	120.0	0	0	0	50	0	0	50	0	8.5
Yellowstone	9	246	27.3	105	11.7	3,483	387	9	100.0	87	9.7	40.0	33	0	33	0	0	0	33	0	11.0
DISTRICT 6	15	429	28.6	225	15.0	4,672	311	15	100.0	120	8.0	38.9	20	60	0	0	0	0	0	20	5.7
Hill	9	354	39.3	147	16.3	3,200	355	9	100.0	111	12.3	28.8	0	67	0	0	0	0	0	33	16.4
Mccone	3	15	5.0	6	2.0	30	10	3	100.0	3	1.0	10.0	100	0	0	0	0	0	0	0	11.1
Valley	3	60	20.0	72	24.0	1,441	480	3	100.0	6	2.0	240.0	0	100	0	0	0	0	0	0	3.8

Montana Fish Wildlife and Parks
1998 Furbearer Survey Report: Statistical Estimates of Trapping Effort and Catch
Detail of Trapping and Snaring Activities, by Species and Location

Species: FOX

Location	Active Trapper	Activity Days	Days/ Hunter	Traps Set	Traps/ Hunter	Trap Days	TrapDay /Hunter	Success Hunters	Percent Success	Total Catch	Mean Catch	T Days /Catch	%Take 1	%Take 2-3	%Take 4-6	%Take 7-10	%Take 11-15	%Take 16-21	%Take 22-29	%Take 30+	Species % Comp.
DISTRICT 7	27	1,477	54.7	456	16.9	34,869	1,290	27	100.0	489	18.1	71.3	22	11	22	0	0	11	0	33	25.5
Carter	6	450	75.0	120	20.0	9,908	1,650	6	100.0	204	34.0	48.5	0	0	50	0	0	0	0	50	33.0
Custer	3	54	18.0	9	3.0	162	54	3	100.0	3	1.0	54.0	100	0	0	0	0	0	0	0	2.6
Dawson	6	147	24.5	75	12.5	1,997	333	6	100.0	96	16.0	20.8	0	50	0	0	0	0	0	50	27.4
Garfield	3	240	80.0	75	25.0	6,005	2,000	3	100.0	120	40.0	50.0	0	0	0	0	0	0	0	100	63.5
Prairie	3	135	45.0	45	15.0	2,027	675	3	100.0	48	16.0	42.2	0	0	0	0	0	100	0	0	44.4
Treasure	6	450	75.0	132	22.0	14,771	2,460	6	100.0	18	3.0	820.0	50	0	50	0	0	0	0	0	5.6

Statistical Estimates

Detail of Trapping and Snaring Activities

Montana Fish Wildlife and Parks
1998 Furbearer Survey Report: Statistical Estimates of Trapping Effort and Catch
Detail of Trapping and Snaring Activities, by Species and Location

Species: RACCOON

Location	Active Trapper	Activity Days	Days/ Hunter	Traps Set	Traps/ Hunter	Trap Days	TrapDay /Hunter	Success Hunters	Percent Success	Total Catch	Mean Catch	T Days /Catch	%Take 1	%Take 2-3	%Take 4-6	%Take 7-10	%Take 11-15	%Take 16-21	%Take 22-29	%Take 30+	Species % Comp.
STATEWIDE	384	10,448	27.2	3,885	10.1	135,240	352	354	92.2	3,273	8.5	41.3	11	26	23	13	8	10	4	4	8.7
DISTRICT 1	27	366	13.6	186	6.9	2,177	81	18	66.7	132	4.9	16.5	17	33	0	0	33	17	0	0	3.1
Flathead	24	351	14.6	177	7.4	2,132	89	15	62.5	129	5.4	16.5	0	40	0	0	40	20	0	0	4.5
Lincoln	3	15	5.0	9	3.0	45	15	3	100.0	3	1.0	15.0	100	0	0	0	0	0	0	0	0.3
DISTRICT 2	39	1,012	25.9	294	7.5	11,511	295	30	76.9	195	5.0	59.0	20	40	10	10	10	0	10	0	3.7
Deer Lodge	3	21	7.0	15	5.0	105	35	3	100.0	3	1.0	35.0	100	0	0	0	0	0	0	0	0.3
Mineral	3	42	14.0	3	1.0	42	14	0	0.0	0	0.0	-0.0	-0	-0	-0	-0	-0	-0	-0	-0	0.0
Missoula	9	93	10.3	51	5.7	652	72	6	66.7	9	1.0	72.3	50	50	0	0	0	0	0	0	3.1
Powell	3	42	14.0	12	4.0	168	56	3	100.0	6	2.0	28.0	0	100	0	0	0	0	0	0	0.4
Ravalli	21	814	38.7	213	10.1	10,544	502	18	85.7	177	8.4	59.5	0	33	17	17	17	0	17	0	7.4
DISTRICT 3	96	2,417	25.2	940	9.8	28,090	292	93	96.9	700	7.3	40.2	9	28	19	25	6	6	6	0	7.3
Beaverhead	12	276	23.0	72	6.0	1,759	147	12	100.0	60	5.0	29.3	0	50	25	25	0	0	0	0	2.7
Broadwater	6	33	5.5	6	1.0	33	6	3	50.0	3	0.5	11.0	100	0	0	0	0	0	0	0	2.3
Gallatin	30	778	25.9	231	7.7	8,199	273	30	100.0	234	7.8	35.0	10	20	20	30	10	0	10	0	8.6
Jefferson	15	330	22.0	165	11.0	4,503	300	15	100.0	186	12.4	24.2	0	20	0	20	20	20	20	0	12.6
Madison	18	567	31.5	192	10.7	6,599	366	18	100.0	96	5.3	68.7	0	33	33	33	0	0	0	0	6.8
Park	18	432	24.0	273	15.2	6,995	388	18	100.0	120	6.7	58.2	17	33	17	17	0	17	0	0	8.2
DISTRICT 4	93	2,348	25.2	844	9.1	27,318	294	87	93.5	606	6.5	45.0	17	20	30	17	7	3	3	3	6.6
Cascade	30	796	26.5	273	9.1	8,839	294	30	100.0	117	3.9	75.5	20	10	70	0	0	0	0	0	5.1
Chouteau	6	51	8.5	24	4.0	222	37	6	100.0	45	7.5	4.9	0	0	0	100	0	0	0	0	6.9
Fergus	18	279	15.5	174	9.7	3,582	199	18	100.0	195	10.8	18.4	17	17	0	17	17	17	17	0	9.7
Lewis & Clark	18	667	37.0	132	7.3	4,257	236	12	66.7	132	7.3	32.2	0	50	0	25	0	0	0	25	7.5
Liberty	6	321	53.5	102	17.0	8,310	1,384	6	100.0	15	2.5	553.6	50	0	50	0	0	0	0	0	7.7
Pondera	3	75	25.0	15	5.0	375	125	3	100.0	30	10.0	12.5	0	0	0	100	0	0	0	0	8.8
Teton	15	159	10.6	123	8.2	1,732	115	15	100.0	72	4.8	24.0	20	40	20	0	20	0	0	0	8.8
DISTRICT 5	78	2,600	33.3	1,180	15.1	51,715	662	75	96.2	1,270	16.3	40.7	8	20	20	4	8	20	4	16	23.8
Bighorn	15	603	40.2	312	20.8	14,801	986	15	100.0	240	16.0	61.6	0	0	40	0	20	20	0	20	35.1
Carbon	21	504	24.0	255	12.1	7,383	351	21	100.0	183	8.7	40.3	14	29	14	0	14	29	0	0	14.0
Musselshell	9	180	20.0	54	6.0	1,441	160	6	66.7	21	2.3	68.6	0	50	50	0	0	0	0	0	10.8
Stillwater	3	90	30.0	9	3.0	270	90	3	100.0	30	10.0	9.0	0	0	0	100	0	0	0	0	8.0
Sweetgrass	6	375	62.5	210	35.0	13,210	2,200	6	100.0	423	70.5	31.2	0	0	0	0	0	0	0	100	34.4
Wheatland	12	480	40.0	105	8.8	5,014	418	12	100.0	117	9.8	42.8	25	25	25	0	0	0	25	0	16.1
Yellowstone	12	366	30.5	234	19.5	9,595	799	12	100.0	255	21.3	37.6	0	25	0	0	0	50	0	25	32.3
DISTRICT 6	21	573	27.3	192	9.1	4,789	228	21	100.0	111	5.3	43.1	0	43	43	0	14	0	0	0	5.3
Blaine	3	90	30.0	30	10.0	901	300	3	100.0	6	2.0	150.0	0	100	0	0	0	0	0	0	2.2
Hill	6	276	46.0	36	6.0	1,657	276	6	100.0	36	6.0	46.0	0	0	100	0	0	0	0	0	5.3
Mccone	3	12	4.0	6	2.0	24	8	3	100.0	9	3.0	2.7	0	100	0	0	0	0	0	0	33.3
Richland	3	45	15.0	45	15.0	676	225	3	100.0	36	12.0	18.8	0	0	0	0	100	0	0	0	12.1
Valley	6	150	25.0	75	12.5	1,531	255	6	100.0	24	4.0	63.7	0	50	50	0	0	0	0	0	15.1

March 27th, 2002 page 22

Montana Fish Wildlife and Parks
1998 Furbearer Survey Report: Statistical Estimates of Trapping Effort and Catch
Detail of Trapping and Snaring Activities, by Species and Location

Species: RACCOON

Location	Active Trapper	Activity Days	Days/ Hunter	Traps Set	Traps/ Hunter	Trap Days	TrapDay /Hunter	Success Hunters	Percent Success	Total Catch	Mean Catch	T Days /Catch	%Take 1	%Take 2-3	%Take 4-6	%Take 7-10	%Take 11-15	%Take 16-21	%Take 22-29	%Take 30+	Species % Comp.
DISTRICT 7	30	1,132	37.7	249	8.3	9,640	321	30	100.0	258	8.6	37.3	0	20	40	10	0	30	0	0	13.5
Carter	6	360	60.0	54	9.0	3,243	540	6	100.0	60	10.0	54.0	0	50	0	0	0	50	0	0	9.7
Custer	3	54	18.0	24	8.0	432	144	3	100.0	18	6.0	24.0	0	0	100	0	0	0	0	0	15.4
Dawson	9	222	24.7	60	6.7	1,417	157	9	100.0	36	4.0	39.3	0	33	67	0	0	0	0	0	10.3
Prairie	3	135	45.0	45	15.0	2,027	675	3	100.0	24	8.0	84.4	0	0	0	100	0	0	0	0	22.2
Rosebud	3	90	30.0	24	8.0	721	240	3	100.0	54	18.0	13.3	0	0	0	0	0	100	0	0	40.9
Treasure	6	270	45.0	42	7.0	1,801	300	6	100.0	66	11.0	27.3	0	0	50	0	0	50	0	0	20.6

March 27th, 2002 page 23

Species: BADGER

Location	Active Trapper	Activity Days	Days/ Hunter	Traps Set	Traps/ Hunter	Trap Days	TrapDay /Hunter	Success Hunters	Percent Success	Total Catch	Mean Catch	T Days /Catch	%Take 1	%Take 2-3	%Take 4-6	%Take 7-10	%Take 11-15	%Take 16-21	%Take 22-29	%Take 30+	Species % Comp.
STATEWIDE	72	1,129	15.7	540	7.5	10,103	140	66	91.7	252	3.5	40.1	55	18	9	5	9	5	0	0	0.7
DISTRICT 2	6	12	2.0	9	1.5	15	3	3	50.0	3	0.5	5.0	100	0	0	0	0	0	0	0	0.1
Missoula	3	3	1.0	6	2.0	6	2	3	100.0	3	1.0	2.0	100	0	0	0	0	0	0	0	1.0
Powell	3	9	3.0	3	1.0	9	3	0	0.0	0	0.0	-0.0	-0	-0	-0	-0	-0	-0	-0	-0	0.0
DISTRICT 3	15	108	7.2	141	9.4	871	58	15	100.0	51	3.4	17.1	60	20	0	0	20	0	0	0	0.5
Beaverhead	9	45	5.0	102	11.3	718	80	9	100.0	42	4.7	17.1	67	0	0	0	33	0	0	0	1.9
Broadwater	3	60	20.0	6	2.0	120	40	3	100.0	3	1.0	40.0	100	0	0	0	0	0	0	0	2.3
Jefferson	3	3	1.0	33	11.0	33	11	3	100.0	6	2.0	5.5	0	100	0	0	0	0	0	0	0.4
DISTRICT 4	24	270	11.3	87	3.6	1,294	54	21	87.5	81	3.4	16.0	43	29	14	0	14	0	0	0	0.9
Cascade	6	72	12.0	27	4.5	282	47	6	100.0	18	3.0	15.7	50	0	50	0	0	0	0	0	0.8
Fergus	3	90	30.0	9	3.0	270	90	3	100.0	6	2.0	45.0	0	100	0	0	0	0	0	0	0.3
Lewis & Clark	9	93	10.3	45	5.0	727	81	6	66.7	51	5.7	14.2	0	50	0	0	50	0	0	0	2.9
Meagher	3	12	4.0	3	1.0	12	4	3	100.0	3	1.0	4.0	100	0	0	0	0	0	0	0	0.5
Teton	3	3	1.0	3	1.0	3	1	3	100.0	3	1.0	1.0	100	0	0	0	0	0	0	0	0.4
DISTRICT 5	9	201	22.3	99	11.0	2,471	274	9	100.0	9	1.0	274.3	100	0	0	0	0	0	0	0	0.2
Bighorn	3	48	16.0	30	10.0	480	160	3	100.0	3	1.0	160.0	100	0	0	0	0	0	0	0	0.4
Carbon	3	63	21.0	9	3.0	189	63	3	100.0	3	1.0	63.0	100	0	0	0	0	0	0	0	0.2
Wheatland	3	90	30.0	60	20.0	1,801	600	3	100.0	3	1.0	600.0	100	0	0	0	0	0	0	0	0.4
DISTRICT 6	6	57	9.5	96	16.0	1,129	188	6	100.0	39	6.5	28.9	0	0	50	50	0	0	0	0	1.9
Hill	6	57	9.5	96	16.0	1,129	188	6	100.0	39	6.5	28.9	0	0	50	50	0	0	0	0	5.8
DISTRICT 7	12	480	40.0	108	9.0	4,323	360	12	100.0	69	5.8	62.6	50	25	0	0	0	25	0	0	3.6
Carter	6	360	60.0	54	9.0	3,243	540	6	100.0	63	10.5	51.4	0	50	0	0	0	50	0	0	10.2
Custer	3	60	20.0	48	16.0	961	320	3	100.0	3	1.0	320.0	100	0	0	0	0	0	0	0	2.6
Dawson	3	60	20.0	6	2.0	120	40	3	100.0	3	1.0	40.0	100	0	0	0	0	0	0	0	0.9

Statistical Estimates

Detail of Trapping and Snaring Activities

Montana Fish Wildlife and Parks
1998 Furbearer Survey Report: Statistical Estimates of Trapping Effort and Catch
Detail of Trapping and Snaring Activities, by Species and Location

Species: OTHER

Location	Active Trapper	Activity Days	Days/ Hunter	Traps Set	Traps/ Hunter	Trap Days	TrapDay /Hunter	Success Hunters	Percent Success	Total Catch	Mean Catch	T Days /Catch	%Take 1	%Take 2-3	%Take 4-6	%Take 7-10	%Take 11-15	%Take 16-21	%Take 22-29	%Take 30+	Species % Comp.
STATEWIDE	9	87	9.7	66	7.3	796	88	9	100.0	9	1.0	88.3	100	0	0	0	0	0	0	0	0.0
DISTRICT 1	6	54	9.0	33	5.5	432	72	6	100.0	6	1.0	72.0	100	0	0	0	0	0	0	0	0.1
Flathead	3	12	4.0	3	1.0	12	4	3	100.0	3	1.0	4.0	100	0	0	0	0	0	0	0	0.1
Lincoln	3	42	14.0	30	10.0	420	140	3	100.0	3	1.0	140.0	100	0	0	0	0	0	0	0	0.3
DISTRICT 2	3	33	11.0	33	11.0	363	121	3	100.0	3	1.0	121.0	100	0	0	0	0	0	0	0	0.1
Ravalli	3	33	11.0	33	11.0	363	121	3	100.0	3	1.0	121.0	100	0	0	0	0	0	0	0	0.1

Statistical Estimates

Detail of Hunting (without hounds) Activities

March 27th, 2002 page 1

Montana Fish Wildlife and Parks
1998 Furbearer Survey Report: Statistical Estimates of Hunting and Harvest
Detail of Hunting (without hounds) Activities, by Species and Location

Species: ALL

Location	Active Hunter	Hunter Days	Days/ Hunter	Success Hunters	Percent Success	Total Harvest	Mean Harvest	%Take 1	%Take 2-3	%Take 4-6	%Take 7-10	%Take 11-15	%Take 16-21	%Take 22-29	%Take 30+	Species % Comp.
STATEWIDE	354	4,972	14.0	297	83.9	3,077	8.7	26	26	18	13	7	6	1	4	100.0
DISTRICT 1	30	429	14.3	27	90.0	300	10.0	42	25	8	8	0	8	0	8	100.0
Flathead	9	51	5.7	9	100.0	72	8.0	75	0	0	0	0	25	0	0	100.0
Lake	3	45	15.0	3	100.0	27	9.0	0	0	0	100	0	0	0	0	100.0
Lincoln	12	93	7.8	9	75.0	18	1.5	33	67	0	0	0	0	0	0	100.0
Sanders	12	240	20.0	12	100.0	183	15.3	25	25	25	0	0	0	0	25	100.0
DISTRICT 2	30	126	4.2	21	70.0	84	2.8	14	71	0	0	14	0	0	0	100.0
Deer Lodge	3	3	1.0	3	100.0	6	2.0	0	100	0	0	0	0	0	0	100.0
Granite	3	15	5.0	3	100.0	9	3.0	0	100	0	0	0	0	0	0	100.0
Missoula	9	21	2.3	3	33.3	6	0.7	0	100	0	0	0	0	0	0	100.0
Powell	6	63	10.5	6	100.0	51	8.5	0	50	0	0	50	0	0	0	100.0
Ravalli	9	24	2.7	6	66.7	12	1.3	50	50	0	0	0	0	0	0	100.0
DISTRICT 3	81	1,210	14.9	72	88.9	591	7.3	20	27	17	20	10	3	0	3	100.0
Beaverhead	6	63	10.5	6	100.0	129	21.5	50	0	0	0	0	0	0	50	100.0
Broadwater	9	57	6.3	9	100.0	51	5.7	33	0	33	0	33	0	0	0	100.0
Gallatin	18	504	28.0	15	83.3	111	6.2	13	25	13	50	0	0	0	0	100.0
Jefferson	15	147	9.8	9	60.0	81	5.4	0	67	0	0	0	33	0	0	100.0
Madison	15	228	15.2	15	100.0	87	5.8	20	20	20	40	0	0	0	0	100.0
Park	24	201	8.4	24	100.0	120	5.0	25	38	13	0	25	0	0	0	100.0
Silver Bow	3	9	3.0	3	100.0	12	4.0	0	0	100	0	0	0	0	0	100.0
DISTRICT 4	87	1,060	12.2	84	96.6	874	10.0	25	20	27	11	7	5	2	2	100.0
Cascade	12	405	33.8	12	100.0	348	29.0	13	0	38	13	13	13	0	13	100.0
Chouteau	15	276	18.4	15	100.0	252	16.8	0	33	33	17	0	8	8	0	100.0
Fergus	18	108	6.0	18	100.0	75	4.2	50	17	17	0	17	0	0	0	100.0
Judith Basin	6	18	3.0	6	100.0	9	1.5	50	50	0	0	0	0	0	0	100.0
Lewis & Clark	6	54	9.0	6	100.0	21	3.5	50	0	50	0	0	0	0	0	100.0
Liberty	6	42	7.0	6	100.0	21	3.5	67	0	33	0	0	0	0	0	100.0
Meagher	9	45	5.0	9	100.0	54	6.0	25	50	0	0	25	0	0	0	100.0
Petroleum	6	30	5.0	6	100.0	24	4.0	33	33	33	0	0	0	0	0	100.0
Teton	6	12	2.0	3	50.0	3	0.5	100	0	0	0	0	0	0	0	100.0
Toole	6	69	11.5	6	100.0	66	11.0	0	0	33	67	0	0	0	0	100.0
DISTRICT 5	72	760	10.5	54	75.0	468	6.5	33	4	33	13	8	0	4	4	100.0
Bighorn	9	186	20.7	9	100.0	198	22.0	0	0	25	25	25	0	0	25	100.0
Carbon	15	96	6.4	9	60.0	81	5.4	33	0	33	0	0	0	33	0	100.0
Golden Valley	6	15	2.5	0	0.0	0	0.0	-0	-0	-0	-0	-0	-0	-0	-0	-0.0
Musselshell	9	87	9.7	6	66.7	6	0.7	100	0	0	0	0	0	0	0	100.0
Stillwater	6	51	8.5	3	50.0	3	0.5	100	0	0	0	0	0	0	0	100.0
Sweetgrass	9	42	4.7	9	100.0	9	1.0	100	0	0	0	0	0	0	0	100.0
Wheatland	6	27	4.5	6	100.0	78	13.0	0	0	50	25	25	0	0	0	100.0
Yellowstone	18	255	14.2	12	66.7	93	5.2	14	14	57	14	0	0	0	0	100.0
DISTRICT 6	33	222	6.7	21	63.6	210	6.4	30	40	0	10	10	0	0	10	100.0
Blaine	3	6	2.0	3	100.0	3	1.0	100	0	0	0	0	0	0	0	100.0
Hill	6	30	5.0	6	100.0	39	6.5	0	50	0	50	0	0	0	0	100.0
Phillips	9	27	3.0	6	66.7	12	1.3	50	50	0	0	0	0	0	0	100.0
Richland	6	15	2.5	0	0.0	0	0.0	-0	-0	-0	-0	-0	-0	-0	-0	-0.0
Sheridan	3	60	20.0	3	100.0	108	36.0	0	50	0	0	0	0	0	50	100.0
Valley	9	84	9.3	6	66.7	48	5.3	33	33	0	0	33	0	0	0	100.0
DISTRICT 7	42	1,165	27.7	39	92.9	549	13.1	18	36	5	14	0	23	0	5	100.0
Carter	9	141	15.7	9	100.0	72	8.0	40	40	0	0	0	20	0	0	100.0
Custer	9	150	16.7	9	100.0	90	10.0	25	25	25	0	0	25	0	0	100.0
Dawson	6	129	21.5	6	100.0	123	20.5	33	0	0	33	0	0	0	33	100.0
Garfield	3	3	1.0	0	0.0	0	0.0	-0	-0	-0	-0	-0	-0	-0	-0	-0.0
Powder River	6	210	35.0	6	100.0	21	3.5	0	100	0	0	0	0	0	0	100.0
Prairie	6	60	10.0	6	100.0	69	11.5	0	50	0	0	0	50	0	0	100.0
Rosebud	9	291	32.3	9	100.0	108	12.0	0	0	0	67	0	33	0	0	100.0
Treasure	3	180	60.0	3	100.0	66	22.0	0	50	0	0	0	50	0	0	100.0

March 27th, 2002 page 2

Montana Fish Wildlife and Parks
1998 Furbearer Survey Report: Statistical Estimates of Hunting and Harvest
Detail of Hunting (without hounds) Activities, by Species and Location

Species: MARTEN

Location	Active Hunter	Hunter Days	Days/ Hunter	Success Hunters	Percent Success	Total Harvest	Mean Harvest	%Take 1	%Take 2-3	%Take 4-6	%Take 7-10	%Take 11-15	%Take 16-21	%Take 22-29	%Take 30+	Species % Comp.
STATEWIDE	3	15	5.0	3	100.0	9	3.0	0	100	0	0	0	0	0	0	0.3
DISTRICT 2	3	15	5.0	3	100.0	9	3.0	0	100	0	0	0	0	0	0	10.7
Granite	3	15	5.0	3	100.0	9	3.0	0	100	0	0	0	0	0	0	100.0

March 27th, 2002 page 3

Species: BOBCAT

Location	Active Hunter	Hunter Days	Days/ Hunter	Success Hunters	Percent Success	Total Harvest	Mean Harvest	%Take 1	%Take 2-3	%Take 4-6	%Take 7-10	%Take 11-15	%Take 16-21	%Take 22-29	%Take 30+	Species % Comp.
STATEWIDE	63	258	4.1	27	42.9	33	0.5	89	11	0	0	0	0	0	0	1.1
DISTRICT 1	9	36	4.0	6	66.7	6	0.7	100	0	0	0	0	0	0	0	2.0
Flathead	3	3	1.0	3	100.0	3	1.0	100	0	0	0	0	0	0	0	4.2
Lincoln	3	30	10.0	0	0.0	0	0.0	-0	-0	-0	-0	-0	-0	-0	-0	0.0
Sanders	3	3	1.0	3	100.0	3	1.0	100	0	0	0	0	0	0	0	1.6
DISTRICT 2	3	3	1.0	3	100.0	3	1.0	100	0	0	0	0	0	0	0	3.6
Ravalli	3	3	1.0	3	100.0	3	1.0	100	0	0	0	0	0	0	0	25.0
DISTRICT 3	3	39	13.0	3	100.0	3	1.0	100	0	0	0	0	0	0	0	0.5
Jefferson	3	9	3.0	0	0.0	0	0.0	-0	-0	-0	-0	-0	-0	-0	-0	0.0
Madison	3	30	10.0	3	100.0	3	1.0	100	0	0	0	0	0	0	0	3.4
DISTRICT 4	12	21	1.8	6	50.0	12	1.0	50	50	0	0	0	0	0	0	1.4
Fergus	6	15	2.5	0	0.0	0	0.0	-0	-0	-0	-0	-0	-0	-0	-0	0.0
Judith Basin	3	3	1.0	3	100.0	3	1.0	100	0	0	0	0	0	0	0	33.3
Meagher	3	3	1.0	3	100.0	9	3.0	0	100	0	0	0	0	0	0	16.7
DISTRICT 5	21	78	3.7	6	28.6	6	0.3	100	0	0	0	0	0	0	0	1.3
Carbon	3	6	2.0	0	0.0	0	0.0	-0	-0	-0	-0	-0	-0	-0	-0	0.0
Golden Valley	6	15	2.5	0	0.0	0	0.0	-0	-0	-0	-0	-0	-0	-0	-0	-0.0
Stillwater	3	42	14.0	3	100.0	3	1.0	100	0	0	0	0	0	0	0	100.0
Sweetgrass	6	12	2.0	3	50.0	3	0.5	100	0	0	0	0	0	0	0	33.3
Yellowstone	3	3	1.0	0	0.0	0	0.0	-0	-0	-0	-0	-0	-0	-0	-0	0.0
DISTRICT 6	6	18	3.0	0	0.0	0	0.0	-0	-0	-0	-0	-0	-0	-0	-0	0.0
Phillips	3	12	4.0	0	0.0	0	0.0	-0	-0	-0	-0	-0	-0	-0	-0	0.0
Richland	3	6	2.0	0	0.0	0	0.0	-0	-0	-0	-0	-0	-0	-0	-0	-0.0
DISTRICT 7	9	63	7.0	3	33.3	3	0.3	100	0	0	0	0	0	0	0	0.5
Carter	3	30	10.0	0	0.0	0	0.0	-0	-0	-0	-0	-0	-0	-0	-0	0.0
Custer	3	30	10.0	3	100.0	3	1.0	100	0	0	0	0	0	0	0	3.3
Garfield	3	3	1.0	0	0.0	0	0.0	-0	-0	-0	-0	-0	-0	-0	-0	-0.0

March 27th, 2002 page 4

Species: SKUNK

Location	Active Hunter	Hunter Days	Days/ Hunter	Success Hunters	Percent Success	Total Harvest	Mean Harvest	%Take 1	%Take 2-3	%Take 4-6	%Take 7-10	%Take 11-15	%Take 16-21	%Take 22-29	%Take 30+	Species % Comp.
STATEWIDE	12	90	7.5	12	100.0	54	4.5	25	0	50	25	0	0	0	0	1.8
DISTRICT 4	3	9	3.0	3	100.0	3	1.0	100	0	0	0	0	0	0	0	0.3
Petroleum	3	9	3.0	3	100.0	3	1.0	100	0	0	0	0	0	0	0	12.5
DISTRICT 5	6	21	3.5	6	100.0	33	5.5	0	0	50	50	0	0	0	0	7.1
Wheatland	6	21	3.5	6	100.0	33	5.5	0	0	50	50	0	0	0	0	42.3
DISTRICT 7	3	60	20.0	3	100.0	18	6.0	0	0	100	0	0	0	0	0	3.3
Custer	3	60	20.0	3	100.0	18	6.0	0	0	100	0	0	0	0	0	20.0

Statistical Estimates

Detail of Hunting (without hounds) Activities

Montana Fish Wildlife and Parks
1998 Furbearer Survey Report: Statistical Estimates of Hunting and Harvest
Detail of Hunting (without hounds) Activities, by Species and Location

Species: COYOTE

Location	Active Hunter	Hunter Days	Days/ Hunter	Success Hunters	Percent Success	Total Harvest	Mean Harvest	%Take 1	%Take 2-3	%Take 4-6	%Take 7-10	%Take 11-15	%Take 16-21	%Take 22-29	%Take 30+	Species % Comp.
STATEWIDE	291	3,588	12.3	249	85.6	2,321	8.0	20	25	17	15	9	7	1	5	75.4
DISTRICT 1	21	360	17.1	18	85.7	228	10.9	25	38	13	13	0	0	0	13	76.0
Flathead	3	15	5.0	3	100.0	3	1.0	100	0	0	0	0	0	0	0	4.2
Lake	3	45	15.0	3	100.0	27	9.0	0	0	0	100	0	0	0	0	100.0
Lincoln	12	63	5.3	9	75.0	18	1.5	33	67	0	0	0	0	0	0	100.0
Sanders	9	237	26.3	9	100.0	180	20.0	0	33	33	0	0	0	0	33	98.4
DISTRICT 2	24	108	4.5	15	62.5	72	3.0	0	80	0	0	20	0	0	0	85.7
Deer Lodge	3	3	1.0	3	100.0	6	2.0	0	100	0	0	0	0	0	0	100.0
Missoula	9	21	2.3	3	33.3	6	0.7	0	100	0	0	0	0	0	0	100.0
Powell	6	63	10.5	6	100.0	51	8.5	0	50	0	0	50	0	0	0	100.0
Ravalli	6	21	3.5	3	50.0	9	1.5	0	100	0	0	0	0	0	0	75.0
DISTRICT 3	69	919	13.3	60	87.0	516	7.5	18	23	14	23	14	5	0	5	87.3
Beaverhead	3	60	20.0	3	100.0	126	42.0	0	0	0	0	0	0	0	100	97.7
Broadwater	9	57	6.3	9	100.0	51	5.7	33	0	33	0	33	0	0	0	100.0
Gallatin	15	279	18.6	12	80.0	66	4.4	25	0	0	75	0	0	0	0	59.5
Jefferson	12	123	10.3	6	50.0	72	6.0	0	50	0	0	0	50	0	0	88.9
Madison	9	189	21.0	9	100.0	69	7.7	0	33	0	67	0	0	0	0	79.3
Park	24	201	8.4	24	100.0	120	5.0	25	38	13	0	25	0	0	0	100.0
Silver Bow	3	9	3.0	3	100.0	12	4.0	0	0	100	0	0	0	0	0	100.0
DISTRICT 4	78	667	8.5	72	92.3	652	8.3	20	12	32	12	12	4	4	4	74.6
Cascade	12	180	15.0	12	100.0	258	21.5	0	0	25	25	25	0	0	25	74.1
Chouteau	15	213	14.2	15	100.0	177	11.8	0	0	40	20	0	20	20	0	70.2
Fergus	18	90	5.0	18	100.0	75	4.2	50	17	17	0	17	0	0	0	100.0
Judith Basin	3	15	5.0	3	100.0	6	2.0	0	100	0	0	0	0	0	0	66.7
Lewis & Clark	3	36	12.0	3	100.0	18	6.0	0	0	100	0	0	0	0	0	85.7
Liberty	6	27	4.5	3	50.0	15	2.5	0	0	100	0	0	0	0	0	71.4
Meagher	9	42	4.7	9	100.0	45	5.0	33	33	0	0	33	0	0	0	83.3
Petroleum	3	12	4.0	3	100.0	15	5.0	0	0	100	0	0	0	0	0	62.5
Teton	6	12	2.0	3	50.0	3	0.5	100	0	0	0	0	0	0	0	100.0
Toole	6	39	6.5	6	100.0	39	6.5	0	0	50	50	0	0	0	0	59.1
DISTRICT 5	51	525	10.3	39	76.5	180	3.5	38	8	31	15	8	0	0	0	38.5
Bighorn	9	144	16.0	9	100.0	93	10.3	0	0	33	33	33	0	0	0	47.0
Carbon	12	75	6.3	6	50.0	15	1.3	50	0	50	0	0	0	0	0	18.5
Musselshell	9	87	9.7	6	66.7	6	0.7	100	0	0	0	0	0	0	0	100.0
Stillwater	3	9	3.0	0	0.0	0	0.0	-0	-0	-0	-0	-0	-0	-0	-0	0.0
Sweetgrass	6	30	5.0	6	100.0	6	1.0	100	0	0	0	0	0	0	0	66.7
Yellowstone	18	180	10.0	12	66.7	60	3.3	0	25	50	25	0	0	0	0	64.5
DISTRICT 6	27	165	6.1	21	77.8	198	7.3	14	43	0	14	14	0	0	14	94.3
Blaine	3	6	2.0	3	100.0	3	1.0	100	0	0	0	0	0	0	0	100.0
Hill	6	30	5.0	6	100.0	39	6.5	0	50	0	50	0	0	0	0	100.0
Phillips	3	9	3.0	3	100.0	9	3.0	0	100	0	0	0	0	0	0	75.0
Richland	3	9	3.0	0	0.0	0	0.0	-0	-0	-0	-0	-0	-0	-0	-0	-0.0
Sheridan	3	30	10.0	3	100.0	102	34.0	0	0	0	0	0	0	0	100	94.4
Valley	9	81	9.0	6	66.7	45	5.0	0	50	0	0	50	0	0	0	93.8
DISTRICT 7	36	844	23.4	36	100.0	474	13.2	13	33	0	13	0	33	0	7	86.3
Carter	9	69	7.7	9	100.0	60	6.7	33	33	0	0	0	33	0	0	83.3
Custer	6	60	10.0	6	100.0	69	11.5	0	50	0	0	0	50	0	0	76.7
Dawson	6	69	11.5	6	100.0	93	15.5	50	0	0	0	0	0	0	50	75.6
Powder River	6	204	34.0	6	100.0	15	2.5	0	100	0	0	0	0	0	0	71.4
Prairie	6	60	10.0	6	100.0	69	11.5	0	50	0	0	0	50	0	0	100.0
Rosebud	9	291	32.3	9	100.0	108	12.0	0	0	0	67	0	33	0	0	100.0
Treasure	3	90	30.0	3	100.0	60	20.0	0	0	0	0	0	100	0	0	90.9

Statistical Estimates

Detail of Hunting (without hounds) Activities

Montana Fish Wildlife and Parks
1998 Furbearer Survey Report: Statistical Estimates of Hunting and Harvest
Detail of Hunting (without hounds) Activities, by Species and Location

Species: FOX

Location	Active Hunter	Hunter Days	Days/ Hunter	Success Hunters	Percent Success	Total Harvest	Mean Harvest	%Take 1	%Take 2-3	%Take 4-6	%Take 7-10	%Take 11-15	%Take 16-21	%Take 22-29	%Take 30+	Species % Comp.
STATEWIDE	69	694	10.0	60	87.0	234	3.4	25	40	20	10	0	5	0	0	7.6
DISTRICT 3	12	180	15.0	9	75.0	33	2.8	0	67	0	33	0	0	0	0	5.6
Gallatin	12	180	15.0	9	75.0	33	2.8	0	67	0	33	0	0	0	0	29.7
DISTRICT 4	30	237	7.9	27	90.0	117	3.9	33	33	22	0	0	11	0	0	13.4
Cascade	9	150	16.7	9	100.0	75	8.3	33	0	33	0	0	33	0	0	21.6
Chouteau	9	45	5.0	9	100.0	30	3.3	0	67	33	0	0	0	0	0	11.9
Fergus	3	3	1.0	0	0.0	0	0.0	-0	-0	-0	-0	-0	-0	-0	-0	0.0
Lewis & Clark	3	18	6.0	3	100.0	3	1.0	100	0	0	0	0	0	0	0	14.3
Liberty	3	12	4.0	3	100.0	3	1.0	100	0	0	0	0	0	0	0	14.3
Petroleum	3	9	3.0	3	100.0	6	2.0	0	100	0	0	0	0	0	0	25.0
DISTRICT 5	9	51	5.7	9	100.0	30	3.3	33	0	67	0	0	0	0	0	6.4
Wheatland	3	3	1.0	3	100.0	12	4.0	0	0	100	0	0	0	0	0	15.4
Yellowstone	6	48	8.0	6	100.0	18	3.0	50	0	50	0	0	0	0	0	19.4
DISTRICT 6	6	36	6.0	6	100.0	9	1.5	50	50	0	0	0	0	0	0	4.3
Phillips	3	6	2.0	3	100.0	3	1.0	100	0	0	0	0	0	0	0	25.0
Sheridan	3	30	10.0	3	100.0	6	2.0	0	100	0	0	0	0	0	0	5.6
DISTRICT 7	12	189	15.8	9	75.0	45	3.8	0	67	0	33	0	0	0	0	8.2
Carter	6	39	6.5	3	50.0	9	1.5	0	100	0	0	0	0	0	0	12.5
Dawson	3	60	20.0	3	100.0	30	10.0	0	0	0	100	0	0	0	0	24.4
Treasure	3	90	30.0	3	100.0	6	2.0	0	100	0	0	0	0	0	0	9.1

Species: RACCOON

Location	Active Hunter	Hunter Days	Days/ Hunter	Success Hunters	Percent Success	Total Harvest	Mean Harvest	%Take 1	%Take 2-3	%Take 4-6	%Take 7-10	%Take 11-15	%Take 16-21	%Take 22-29	%Take 30+	Species % Comp.
STATEWIDE	54	288	5.3	51	94.4	354	6.6	24	18	29	12	6	0	6	6	11.5
DISTRICT 1	3	3	1.0	3	100.0	3	1.0	100	0	0	0	0	0	0	0	1.0
Flathead	3	3	1.0	3	100.0	3	1.0	100	0	0	0	0	0	0	0	4.2
DISTRICT 3	12	72	6.0	12	100.0	39	3.3	25	25	50	0	0	0	0	0	6.6
Beaverhead	3	3	1.0	3	100.0	3	1.0	100	0	0	0	0	0	0	0	2.3
Gallatin	3	45	15.0	3	100.0	12	4.0	0	0	100	0	0	0	0	0	10.8
Jefferson	3	15	5.0	3	100.0	9	3.0	0	100	0	0	0	0	0	0	11.1
Madison	3	9	3.0	3	100.0	15	5.0	0	0	100	0	0	0	0	0	17.2
DISTRICT 4	21	120	5.7	18	85.7	84	4.0	17	17	33	33	0	0	0	0	9.6
Cascade	6	75	12.5	3	50.0	15	2.5	0	0	100	0	0	0	0	0	4.3
Chouteau	9	12	1.3	9	100.0	39	4.3	0	33	33	33	0	0	0	0	15.5
Liberty	3	3	1.0	3	100.0	3	1.0	100	0	0	0	0	0	0	0	14.3
Toole	3	30	10.0	3	100.0	27	9.0	0	0	0	100	0	0	0	0	40.9
DISTRICT 5	12	84	7.0	12	100.0	219	18.3	0	0	25	0	25	0	25	25	46.8
Bighorn	3	42	14.0	3	100.0	105	35.0	0	0	0	0	0	0	0	100	53.0
Carbon	3	15	5.0	3	100.0	66	22.0	0	0	0	0	0	0	100	0	81.5
Wheatland	3	3	1.0	3	100.0	33	11.0	0	0	0	0	100	0	0	0	42.3
Yellowstone	3	24	8.0	3	100.0	15	5.0	0	0	100	0	0	0	0	0	16.1
DISTRICT 7	6	9	1.5	6	100.0	9	1.5	50	50	0	0	0	0	0	0	1.6
Carter	3	3	1.0	3	100.0	3	1.0	100	0	0	0	0	0	0	0	4.2
Powder River	3	6	2.0	3	100.0	6	2.0	0	100	0	0	0	0	0	0	28.6

Statistical Estimates

Detail of Hunting (without hounds) Activities

March 27th, 2002 page 8

Montana Fish Wildlife and Parks
1998 Furbearer Survey Report: Statistical Estimates of Hunting and Harvest
Detail of Hunting (without hounds) Activities, by Species and Location

Species: BADGER

Location	Active Hunter	Hunter Days	Days/ Hunter	Success Hunters	Percent Success	Total Harvest	Mean Harvest	%Take 1	%Take 2-3	%Take 4-6	%Take 7-10	%Take 11-15	%Take 16-21	%Take 22-29	%Take 30+	Species % Comp.
STATEWIDE	6	9	1.5	6	100.0	9	1.5	50	50	0	0	0	0	0	0	0.3
DISTRICT 4	3	6	2.0	3	100.0	6	2.0	0	100	0	0	0	0	0	0	0.7
Chouteau	3	6	2.0	3	100.0	6	2.0	0	100	0	0	0	0	0	0	2.4
DISTRICT 6	3	3	1.0	3	100.0	3	1.0	100	0	0	0	0	0	0	0	1.4
Valley	3	3	1.0	3	100.0	3	1.0	100	0	0	0	0	0	0	0	6.3

March 27th, 2002 page 9

Species: OTHER

Location	Active Hunter	Hunter Days	Days/ Hunter	Success Hunters	Percent Success	Total Harvest	Mean Harvest	%Take 1	%Take 2-3	%Take 4-6	%Take 7-10	%Take 11-15	%Take 16-21	%Take 22-29	%Take 30+	Species % Comp.
STATEWIDE	3	30	10.0	3	100.0	63	21.0	0	0	0	0	0	100	0	0	2.0
DISTRICT 1	3	30	10.0	3	100.0	63	21.0	0	0	0	0	0	100	0	0	21.0
Flathead	3	30	10.0	3	100.0	63	21.0	0	0	0	0	0	100	0	0	87.5

Statistical Estimates

Detail of Hunting with Hounds Activities

Montana Fish Wildlife and Parks
1998 Furbearer Survey Report: Statistical Estimates of Hunting and Harvest
Detail of Hunting with Hounds Activities, by Species and Location

Species: ALL

Location	Active Hunter	Hunter Days	Days/ Hunter	Success Hunters	Percent Success	Total Harvest	Mean Harvest	%Take 1	%Take 2-3	%Take 4-6	%Take 7-10	%Take 11-15	%Take 16-21	%Take 22-29	%Take 30+	Species % Comp.
STATEWIDE	294	4,957	16.8	156	53.1	772	2.6	52	23	11	6	2	3	2	2	100.0
DISTRICT 1	114	1,729	15.2	54	47.4	120	1.1	73	5	5	14	5	0	0	0	100.0
Flathead	36	378	10.5	15	41.7	30	0.8	67	17	17	0	0	0	0	0	100.0
Lake	6	21	3.5	0	0.0	0	0.0	-0	-0	-0	-0	-0	-0	-0	-0	-0.0
Lincoln	48	793	16.5	21	43.8	45	0.9	71	14	0	14	0	0	0	0	100.0
Sanders	36	537	14.9	24	66.7	45	1.3	78	0	22	0	0	0	0	0	100.0
DISTRICT 2	63	796	12.6	27	42.9	39	0.6	78	11	0	11	0	0	0	0	100.0
Deer Lodge	3	3	1.0	0	0.0	0	0.0	-0	-0	-0	-0	-0	-0	-0	-0	-0.0
Granite	6	39	6.5	0	0.0	0	0.0	-0	-0	-0	-0	-0	-0	-0	-0	-0.0
Mineral	15	165	11.0	6	40.0	6	0.4	100	0	0	0	0	0	0	0	100.0
Missoula	36	516	14.3	21	58.3	33	0.9	71	14	14	0	0	0	0	0	100.0
Powell	6	6	1.0	0	0.0	0	0.0	-0	-0	-0	-0	-0	-0	-0	-0	-0.0
Ravalli	9	66	7.3	0	0.0	0	0.0	-0	-0	-0	-0	-0	-0	-0	-0	-0.0
DISTRICT 3	42	495	11.8	27	64.3	153	3.6	30	20	10	0	20	20	0	0	100.0
Beaverhead	3	9	3.0	0	0.0	0	0.0	-0	-0	-0	-0	-0	-0	-0	-0	-0.0
Broadwater	3	60	20.0	3	100.0	18	6.0	0	0	100	0	0	0	0	0	100.0
Gallatin	15	147	9.8	9	60.0	84	5.6	33	0	0	33	0	33	0	0	100.0
Madison	6	63	10.5	3	50.0	6	1.0	0	100	0	0	0	0	0	0	100.0
Park	18	216	12.0	12	66.7	45	2.5	40	40	0	20	0	0	0	0	100.0
DISTRICT 4	51	988	19.4	27	52.9	60	1.2	56	22	11	0	11	0	0	0	100.0
Cascade	9	57	6.3	0	0.0	0	0.0	-0	-0	-0	-0	-0	-0	-0	-0	-0.0
Chouteau	3	9	3.0	3	100.0	24	8.0	0	0	0	100	0	0	0	0	100.0
Fergus	9	18	2.0	0	0.0	0	0.0	-0	-0	-0	-0	-0	-0	-0	-0	-0.0
Judith Basin	9	78	8.7	6	66.7	6	0.7	100	0	0	0	0	0	0	0	100.0
Lewis & Clark	18	330	18.3	12	66.7	15	0.8	75	25	0	0	0	0	0	0	100.0
Liberty	6	96	16.0	3	50.0	6	1.0	0	100	0	0	0	0	0	0	100.0
Meagher	6	57	9.5	3	50.0	9	1.5	0	100	0	0	0	0	0	0	100.0
Pondera	6	174	29.0	0	0.0	0	0.0	-0	-0	-0	-0	-0	-0	-0	-0	-0.0
Teton	3	165	55.0	0	0.0	0	0.0	-0	-0	-0	-0	-0	-0	-0	-0	-0.0
Toole	3	3	1.0	0	0.0	0	0.0	-0	-0	-0	-0	-0	-0	-0	-0	-0.0
DISTRICT 5	45	913	20.3	27	60.0	381	8.5	9	27	18	0	9	9	18	9	100.0
Bighorn	3	9	3.0	0	0.0	0	0.0	-0	-0	-0	-0	-0	-0	-0	-0	-0.0
Carbon	9	63	7.0	6	66.7	105	11.7	0	0	0	0	50	50	0	0	100.0
Musselshell	9	249	27.7	6	66.7	12	1.3	0	100	0	0	0	0	0	0	100.0
Stillwater	9	276	30.7	6	66.7	12	1.3	50	50	0	0	0	0	0	0	100.0
Sweetgrass	9	132	14.7	3	33.3	21	2.3	0	50	50	0	0	0	0	0	100.0
Wheatland	3	3	1.0	3	100.0	72	24.0	0	0	0	0	0	0	100	0	100.0
Yellowstone	9	180	20.0	6	66.7	159	17.7	0	50	0	0	0	0	0	50	100.0
DISTRICT 6	3	27	9.0	3	100.0	18	6.0	0	0	0	0	100	0	0	0	100.0
Blaine	3	27	9.0	3	100.0	18	6.0	0	0	100	0	0	0	0	0	100.0
DISTRICT 7	6	9	1.5	0	0.0	0	0.0	-0	-0	-0	-0	-0	-0	-0	-0	-0.0
Dawson	3	3	1.0	0	0.0	0	0.0	-0	-0	-0	-0	-0	-0	-0	-0	-0.0
Garfield	3	6	2.0	0	0.0	0	0.0	-0	-0	-0	-0	-0	-0	-0	-0	-0.0

Statistical Estimates

Detail of Hunting with Hounds Activities

March 27th, 2002 page 2

Montana Fish Wildlife and Parks
1998 Furbearer Survey Report: Statistical Estimates of Hunting and Harvest
Detail of Hunting with Hounds Activities, by Species and Location

Species: BOBCAT

Location	Active Hunter	Hunter Days	Days/ Hunter	Success Hunters	Percent Success	Total Harvest	Mean Harvest	%Take 1	%Take 2-3	%Take 4-6	%Take 7-10	%Take 11-15	%Take 16-21	%Take 22-29	%Take 30+	Species % Comp.
STATEWIDE	270	3,717	13.8	108	40.0	189	0.7	71	16	11	3	0	0	0	0	24.5
DISTRICT 1	114	1,651	14.5	54	47.4	111	1.0	75	5	15	5	0	0	0	0	92.5
Flathead	36	306	8.5	15	41.7	24	0.7	80	0	20	0	0	0	0	0	80.0
Lake	6	21	3.5	0	0.0	0	0.0	-0	-0	-0	-0	-0	-0	-0	-0	-0.0
Lincoln	45	790	17.5	21	46.7	45	1.0	71	14	0	14	0	0	0	0	100.0
Sanders	36	534	14.8	24	66.7	42	1.2	75	0	25	0	0	0	0	0	93.3
DISTRICT 2	63	706	11.2	24	38.1	36	0.6	75	13	13	0	0	0	0	0	92.3
Deer Lodge	3	3	1.0	0	0.0	0	0.0	-0	-0	-0	-0	-0	-0	-0	-0	-0.0
Granite	6	39	6.5	0	0.0	0	0.0	-0	-0	-0	-0	-0	-0	-0	-0	-0.0
Mineral	15	165	11.0	6	40.0	6	0.4	100	0	0	0	0	0	0	0	100.0
Missoula	36	426	11.8	18	50.0	30	0.8	67	17	17	0	0	0	0	0	90.9
Powell	6	6	1.0	0	0.0	0	0.0	-0	-0	-0	-0	-0	-0	-0	-0	-0.0
Ravalli	9	66	7.3	0	0.0	0	0.0	-0	-0	-0	-0	-0	-0	-0	-0	-0.0
DISTRICT 3	33	261	7.9	9	27.3	12	0.4	67	33	0	0	0	0	0	0	7.8
Beaverhead	3	9	3.0	0	0.0	0	0.0	-0	-0	-0	-0	-0	-0	-0	-0	-0.0
Gallatin	12	42	3.5	3	25.0	3	0.3	100	0	0	0	0	0	0	0	3.6
Madison	6	48	8.0	3	50.0	6	1.0	0	100	0	0	0	0	0	0	100.0
Park	15	162	10.8	3	20.0	3	0.2	100	0	0	0	0	0	0	0	6.7
DISTRICT 4	45	751	16.7	12	26.7	15	0.3	75	25	0	0	0	0	0	0	25.0
Cascade	3	30	10.0	0	0.0	0	0.0	-0	-0	-0	-0	-0	-0	-0	-0	-0.0
Fergus	6	15	2.5	0	0.0	0	0.0	-0	-0	-0	-0	-0	-0	-0	-0	-0.0
Judith Basin	9	24	2.7	6	66.7	6	0.7	100	0	0	0	0	0	0	0	100.0
Lewis & Clark	18	291	16.2	6	33.3	9	0.5	50	50	0	0	0	0	0	0	60.0
Meagher	6	48	8.0	0	0.0	0	0.0	-0	-0	-0	-0	-0	-0	-0	-0	0.0
Pondera	6	174	29.0	0	0.0	0	0.0	-0	-0	-0	-0	-0	-0	-0	-0	-0.0
Teton	3	165	55.0	0	0.0	0	0.0	-0	-0	-0	-0	-0	-0	-0	-0	-0.0
Toole	3	3	1.0	0	0.0	0	0.0	-0	-0	-0	-0	-0	-0	-0	-0	-0.0
DISTRICT 5	30	342	11.4	9	30.0	15	0.5	33	67	0	0	0	0	0	0	3.9
Carbon	3	3	1.0	0	0.0	0	0.0	-0	-0	-0	-0	-0	-0	-0	-0	0.0
Musselshell	6	180	30.0	3	50.0	6	1.0	0	100	0	0	0	0	0	0	50.0
Stillwater	9	87	9.7	3	33.3	3	0.3	100	0	0	0	0	0	0	0	25.0
Sweetgrass	9	57	6.3	3	33.3	6	0.7	0	100	0	0	0	0	0	0	28.6
Yellowstone	6	15	2.5	0	0.0	0	0.0	-0	-0	-0	-0	-0	-0	-0	-0	0.0
DISTRICT 7	3	6	2.0	0	0.0	0	0.0	-0	-0	-0	-0	-0	-0	-0	-0	-0.0
Garfield	3	6	2.0	0	0.0	0	0.0	-0	-0	-0	-0	-0	-0	-0	-0	-0.0

March 27th, 2002 page 3

Species: SKUNK

Location	Active Hunter	Hunter Days	Days/ Hunter	Success Hunters	Percent Success	Total Harvest	Mean Harvest	%Take 1	%Take 2-3	%Take 4-6	%Take 7-10	%Take 11-15	%Take 16-21	%Take 22-29	%Take 30+	Species % Comp.
STATEWIDE	3	3	1.0	3	100.0	6	2.0	0	100	0	0	0	0	0	0	0.8
DISTRICT 3	3	3	1.0	3	100.0	6	2.0	0	100	0	0	0	0	0	0	3.9
Park	3	3	1.0	3	100.0	6	2.0	0	100	0	0	0	0	0	0	13.3

March 27th, 2002 page 4

Species: COYOTE

Location	Active Hunter	Hunter Days	Days/ Hunter	Success Hunters	Percent Success	Total Harvest	Mean Harvest	%Take 1	%Take 2-3	%Take 4-6	%Take 7-10	%Take 11-15	%Take 16-21	%Take 22-29	%Take 30+	Species % Comp.
STATEWIDE	6	39	6.5	3	50.0	3	0.5	100	0	0	0	0	0	0	0	0.4
DISTRICT 3	3	3	1.0	3	100.0	3	1.0	100	0	0	0	0	0	0	0	2.0
Park	3	3	1.0	3	100.0	3	1.0	100	0	0	0	0	0	0	0	6.7
DISTRICT 4	3	36	12.0	0	0.0	0	0.0	-0	-0	-0	-0	-0	-0	-0	-0	0.0
Judith Basin	3	36	12.0	0	0.0	0	0.0	-0	-0	-0	-0	-0	-0	-0	-0	0.0

Statistical Estimates
Detail of Hunting with Hounds Activities

March 27th, 2002 page 5

Montana Fish Wildlife and Parks
1998 Furbearer Survey Report: Statistical Estimates of Hunting and Harvest
Detail of Hunting with Hounds Activities, by Species and Location

Species: RACCOON

Location	Active Hunter	Hunter Days	Days/ Hunter	Success Hunters	Percent Success	Total Harvest	Mean Harvest	%Take 1	%Take 2-3	%Take 4-6	%Take 7-10	%Take 11-15	%Take 16-21	%Take 22-29	%Take 30+	Species % Comp.
STATEWIDE	75	1,195	15.9	60	80.0	573	7.6	18	32	14	14	5	9	5	5	74.3
DISTRICT 1	9	78	8.7	6	66.7	9	1.0	50	50	0	0	0	0	0	0	7.5
Flathead	3	72	24.0	3	100.0	6	2.0	0	100	0	0	0	0	0	0	20.0
Lincoln	3	3	1.0	0	0.0	0	0.0	-0	-0	-0	-0	-0	-0	-0	-0	0.0
Sanders	3	3	1.0	3	100.0	3	1.0	100	0	0	0	0	0	0	0	6.7
DISTRICT 2	3	90	30.0	3	100.0	3	1.0	100	0	0	0	0	0	0	0	7.7
Missoula	3	90	30.0	3	100.0	3	1.0	100	0	0	0	0	0	0	0	9.1
DISTRICT 3	18	228	12.7	15	83.3	132	7.3	0	20	20	40	0	20	0	0	86.3
Broadwater	3	60	20.0	3	100.0	18	6.0	0	0	100	0	0	0	0	0	100.0
Gallatin	6	105	17.5	6	100.0	81	13.5	0	0	0	50	0	50	0	0	96.4
Madison	3	15	5.0	0	0.0	0	0.0	-0	-0	-0	-0	-0	-0	-0	-0	0.0
Park	9	48	5.3	6	66.7	33	3.7	0	50	0	50	0	0	0	0	73.3
DISTRICT 4	21	201	9.6	15	71.4	45	2.1	40	40	0	20	0	0	0	0	75.0
Cascade	6	27	4.5	0	0.0	0	0.0	-0	-0	-0	-0	-0	-0	-0	-0	-0.0
Chouteau	3	9	3.0	3	100.0	24	8.0	0	0	0	100	0	0	0	0	100.0
Fergus	3	3	1.0	0	0.0	0	0.0	-0	-0	-0	-0	-0	-0	-0	-0	-0.0
Judith Basin	3	18	6.0	0	0.0	0	0.0	-0	-0	-0	-0	-0	-0	-0	-0	0.0
Lewis & Clark	6	39	6.5	6	100.0	6	1.0	100	0	0	0	0	0	0	0	40.0
Liberty	6	96	16.0	3	50.0	6	1.0	0	100	0	0	0	0	0	0	100.0
Meagher	3	9	3.0	3	100.0	9	3.0	0	100	0	0	0	0	0	0	100.0
DISTRICT 5	30	570	19.0	21	70.0	366	12.2	0	38	13	0	13	13	13	13	96.1
Bighorn	3	9	3.0	0	0.0	0	0.0	-0	-0	-0	-0	-0	-0	-0	-0	-0.0
Carbon	6	60	10.0	6	100.0	105	17.5	0	0	0	0	50	50	0	0	100.0
Musselshell	6	69	11.5	3	50.0	6	1.0	0	100	0	0	0	0	0	0	50.0
Stillwater	6	189	31.5	3	50.0	9	1.5	0	100	0	0	0	0	0	0	75.0
Sweetgrass	3	75	25.0	3	100.0	15	5.0	0	0	100	0	0	0	0	0	71.4
Wheatland	3	3	1.0	3	100.0	72	24.0	0	0	0	0	0	0	100	0	100.0
Yellowstone	6	165	27.5	6	100.0	159	26.5	0	50	0	0	0	0	0	50	100.0
DISTRICT 6	3	27	9.0	3	100.0	18	6.0	0	0	100	0	0	0	0	0	100.0
Blaine	3	27	9.0	3	100.0	18	6.0	0	0	100	0	0	0	0	0	100.0

March 27th, 2002 page 6

Species: BADGER

Location	Active Hunter	Hunter Days	Days/ Hunter	Success Hunters	Percent Success	Total Harvest	Mean Harvest	%Take 1	%Take 2-3	%Take 4-6	%Take 7-10	%Take 11-15	%Take 16-21	%Take 22-29	%Take 30+	Species % Comp.
STATEWIDE	3	3	1.0	0	0.0	0	0.0	-0	-0	-0	-0	-0	-0	-0	-0	0.0
DISTRICT 7	3	3	1.0	0	0.0	0	0.0	-0	-0	-0	-0	-0	-0	-0	-0	-0.0
Dawson	3	3	1.0	0	0.0	0	0.0	-0	-0	-0	-0	-0	-0	-0	-0	-0.0

1998 Furbearer Survey Report

Tables of Confidence Bounds on Statistical Estimates

Trapping and Hunting Effort and Harvest Success

6. All Furbearer Activities Combined
7. Trapping and Snaring Activities
8. Hunting (without hounds) Activities
9. Hunting with Hounds Activities

Each Table Ordered by
Furbearer Species (Including ALL Combined)
and
Location (Statewide, Furbearer District, and County)

Confidence Bounds on Statistical Estimates

All Furbearer Activities Combined

March 27th, 2002 page 1

Montana Fish Wildlife and Parks
1998 Furbearer Survey Report: Confidence Bounds on Statistical Estimates
All Furbearer Activities Combined, by Species and Location

Species	Location	Hunters Trapper	Hunter LowBnd	Hunter UpBnd	Hunter Days	H Days Low Bnd	H Days Up Bnd	Succes Hunter	S Hunt LowBnd	S Hunt UpBnd	Total Harvest	Harvest Low Bnd	Harvest Up Bnd
ALL	STATEWIDE	1,468	1,399	1,538	96,119	95,557	96,682	1,267	1,202	1,332	41,435	41,066	41,804
	DISTRICT 1	288	257	319	11,241	11,048	11,433	219	192	246	4,630	4,506	4,753
	Flathead	132	111	153	5,500	5,366	5,635	105	86	124	2,951	2,853	3,050
	Lake	18	10	26	288	257	319	15	8	22	159	136	182
	Lincoln	114	95	133	4,092	3,976	4,208	75	59	91	1,183	1,121	1,245
	Sanders	57	43	71	1,360	1,293	1,427	45	33	57	336	303	370
	DISTRICT 2	213	187	240	12,586	12,382	12,789	180	156	204	5,437	5,303	5,571
	Deer Lodge	27	18	36	1,726	1,651	1,802	27	18	36	901	846	955
	Granite	24	15	33	1,012	954	1,069	18	10	26	240	212	268
	Mineral	27	18	36	441	403	479	21	13	29	105	86	124
	Missoula	75	59	91	1,657	1,583	1,731	57	43	71	330	297	363
	Powell	33	23	43	2,222	2,136	2,307	27	18	36	1,444	1,375	1,513
	Ravalli	60	46	74	5,527	5,392	5,662	48	35	61	2,417	2,328	2,506
	DISTRICT 3	312	280	344	22,550	22,278	22,823	285	255	316	10,298	10,114	10,482
	Beaverhead	45	33	57	3,119	3,018	3,221	39	28	50	2,321	2,233	2,408
	Broadwater	18	10	26	330	297	363	18	10	26	201	175	227
	Gallatin	90	73	107	6,260	6,116	6,403	81	65	97	2,933	2,835	3,032
	Jefferson	39	28	50	3,981	3,867	4,096	33	23	43	1,558	1,487	1,630
	Madison	72	57	87	4,627	4,503	4,750	69	54	84	1,507	1,437	1,578
	Park	72	57	87	3,711	3,600	3,821	66	51	81	1,627	1,554	1,700
	Silver Bow	21	13	29	522	481	564	15	8	22	150	128	172
	DISTRICT 4	363	329	398	20,506	20,246	20,766	315	283	347	10,079	9,897	10,261
	Cascade	72	57	87	4,494	4,373	4,616	63	49	77	2,627	2,534	2,720
	Chouteau	36	25	47	1,507	1,437	1,578	36	25	47	928	872	983
	Fergus	54	41	67	2,300	2,213	2,387	42	30	54	2,081	1,998	2,163
	Glacier	6	2	10	42	30	54	3	0	6	3	0	6
	Judith Basin	24	15	33	597	553	642	18	10	26	210	184	236
	Lewis & Clark	84	67	101	6,998	6,847	7,150	66	51	81	1,798	1,721	1,875
	Liberty	15	8	22	1,132	1,071	1,193	12	6	18	222	195	249
	Meagher	39	28	50	1,321	1,255	1,387	30	20	40	715	666	763
	Petroleum	15	8	22	135	114	156	15	8	22	225	198	252
	Pondera	18	10	26	507	467	548	12	6	18	339	306	373
	Teton	42	30	54	1,327	1,261	1,393	33	23	43	820	768	872
	Toole	6	2	10	144	122	166	6	2	10	111	92	130
	DISTRICT 5	225	198	252	15,459	15,233	15,685	204	178	230	6,191	6,048	6,334
	Bighorn	27	18	36	2,249	2,163	2,335	27	18	36	883	829	937
	Carbon	51	38	64	4,182	4,065	4,300	48	35	61	1,498	1,428	1,568
	Golden Valley	15	8	22	279	249	310	6	2	10	27	18	36
	Musselshell	21	13	29	766	715	816	18	10	26	213	187	240
	Stillwater	33	23	43	1,300	1,235	1,365	30	20	40	390	354	426
	Sweetgrass	39	28	50	2,687	2,593	2,781	30	20	40	1,261	1,197	1,325
	Wheatland	24	15	33	2,048	1,965	2,130	24	15	33	877	823	930
	Yellowstone	42	30	54	1,949	1,868	2,029	36	25	47	1,042	983	1,100
	DISTRICT 6	78	62	94	4,164	4,047	4,281	66	51	81	2,333	2,245	2,420
	Blaine	27	18	36	1,231	1,167	1,295	24	15	33	297	266	329
	Hill	15	8	22	1,816	1,739	1,894	15	8	22	718	669	766
	Mccone	3	0	6	36	25	47	3	0	6	27	18	36
	Phillips	9	4	14	39	28	50	6	2	10	12	6	18
	Richland	6	2	10	195	170	220	3	0	6	297	266	329
	Roosevelt	3	0	6	210	184	236	3	0	6	126	106	146
	Sheridan	12	6	18	114	95	133	12	6	18	649	602	695
	Valley	12	6	18	522	481	564	9	4	14	207	181	233
	DISTRICT 7	111	92	130	9,613	9,436	9,791	96	78	114	2,468	2,378	2,558
	Carter	15	8	22	2,627	2,534	2,720	15	8	22	691	643	738
	Custer	18	10	26	820	768	872	18	10	26	207	181	233
	Dawson	24	15	33	1,300	1,235	1,365	21	13	29	474	435	514
	Fallon	3	0	6	180	156	204	3	0	6	12	6	18
	Garfield	12	6	18	700	652	748	3	0	6	189	164	214
	Powder River	15	8	22	811	759	862	15	8	22	90	73	107
	Prairie	9	4	14	600	556	645	9	4	14	177	153	201
	Rosebud	18	10	26	655	608	701	15	8	22	240	212	268
	Treasure	6	2	10	1,921	1,842	2,001	6	2	10	387	352	423

March 27th, 2002 page 2

Montana Fish Wildlife and Parks
1998 Furbearer Survey Report: Confidence Bounds on Statistical Estimates
All Furbearer Activities Combined, by Species and Location

Species	Location	Hunters Trapper	Hunter LowBnd	Hunter UpBnd	Hunter Days	H Days Low Bnd	H Days Up Bnd	Succes Hunter	S Hunt LowBnd	S Hunt UpBnd	Total Harvest	Harvest Low Bnd	Harvest Up Bnd
BEAVER	STATEWIDE	721	672	769	15,909	15,680	16,138	682	634	729	11,634	11,438	11,830
	DISTRICT 1	90	73	107	1,132	1,071	1,193	72	57	87	510	469	551
	Flathead	51	38	64	691	643	738	36	25	47	324	292	357
	Lake	3	0	6	6	2	10	3	0	6	6	2	10
	Lincoln	30	20	40	321	289	354	27	18	36	144	122	166
	Sanders	9	4	14	114	95	133	9	4	14	36	25	47
	DISTRICT 2	96	78	114	1,666	1,592	1,740	93	76	111	1,045	986	1,103
	Deer Lodge	21	13	29	387	352	423	21	13	29	225	198	252
	Granite	9	4	14	144	122	166	6	2	10	39	28	50
	Mineral	9	4	14	63	49	77	9	4	14	72	57	87
	Missoula	18	10	26	138	117	159	18	10	26	72	57	87
	Powell	18	10	26	670	623	716	18	10	26	513	472	555
	Ravalli	24	15	33	264	235	294	24	15	33	123	103	143
	DISTRICT 3	180	156	204	5,356	5,223	5,489	177	153	201	3,243	3,139	3,346
	Beaverhead	33	23	43	655	608	701	33	23	43	727	678	775
	Broadwater	3	0	6	9	4	14	3	0	6	21	13	29
	Gallatin	54	41	67	1,405	1,337	1,473	51	38	64	522	481	564
	Jefferson	24	15	33	985	928	1,042	24	15	33	615	570	660
	Madison	45	33	57	1,123	1,062	1,184	45	33	57	709	660	757
	Park	36	25	47	1,060	1,001	1,119	36	25	47	627	582	673
	Silver Bow	6	2	10	120	100	140	6	2	10	21	13	29
	DISTRICT 4	189	164	214	3,705	3,594	3,815	186	161	211	3,942	3,828	4,056
	Cascade	39	28	50	931	875	986	39	28	50	1,051	992	1,110
	Chouteau	15	8	22	162	139	185	15	8	22	189	164	214
	Fergus	27	18	36	561	518	604	24	15	33	700	652	748
	Judith Basin	9	4	14	51	38	64	9	4	14	189	164	214
	Lewis & Clark	42	30	54	1,069	1,010	1,128	42	30	54	570	527	614
	Meagher	21	13	29	369	334	404	21	13	29	327	294	360
	Petroleum	6	2	10	99	81	117	6	2	10	195	170	220
	Pondera	9	4	14	84	67	101	9	4	14	72	57	87
	Teton	27	18	36	306	274	338	27	18	36	603	559	648
	Toole	3	0	6	72	57	87	3	0	6	45	33	57
	DISTRICT 5	126	106	146	2,579	2,487	2,671	120	100	140	1,900	1,821	1,980
	Bighorn	21	13	29	528	487	570	21	13	29	273	243	303
	Carbon	36	25	47	682	634	729	33	23	43	399	363	436
	Golden Valley	3	0	6	21	13	29	3	0	6	18	10	26
	Musselshell	6	2	10	123	103	143	3	0	6	153	131	176
	Stillwater	9	4	14	69	54	84	9	4	14	57	43	71
	Sweetgrass	18	10	26	661	614	707	18	10	26	456	418	495
	Wheatland	15	8	22	276	246	306	15	8	22	342	309	376
	Yellowstone	18	10	26	219	192	246	18	10	26	201	175	227
	DISTRICT 6	33	23	43	883	829	937	30	20	40	718	669	766
	Blaine	12	6	18	441	403	479	9	4	14	108	89	127
	Hill	9	4	14	102	84	120	9	4	14	270	240	300
	Richland	3	0	6	90	73	107	3	0	6	240	212	268
	Roosevelt	3	0	6	90	73	107	3	0	6	51	38	64
	Sheridan	3	0	6	6	2	10	3	0	6	3	0	6
	Valley	9	4	14	153	131	176	9	4	14	45	33	57
	DISTRICT 7	27	18	36	588	544	632	24	15	33	276	246	306
	Custer	9	4	14	171	147	195	6	2	10	75	59	91
	Dawson	12	6	18	237	209	265	12	6	18	123	103	143
	Rosebud	3	0	6	90	73	107	3	0	6	30	20	40
	Treasure	3	0	6	90	73	107	3	0	6	48	35	61
OTTER	STATEWIDE	102	84	120	1,630	1,557	1,704	87	70	104	270	240	300
	DISTRICT 1	21	13	29	174	150	198	21	13	29	21	13	29
	Flathead	15	8	22	102	84	120	15	8	22	15	8	22
	Lincoln	3	0	6	12	6	18	3	0	6	3	0	6
	Sanders	3	0	6	60	46	74	3	0	6	3	0	6

Montana Fish Wildlife and Parks
1998 Furbearer Survey Report: Confidence Bounds on Statistical Estimates
All Furbearer Activities Combined, by Species and Location

Species	Location	Hunters Trapper	Hunter LowBnd	Hunter UpBnd	Hunter Days	H Days Low Bnd	H Days Up Bnd	Succes Hunter	S Hunt LowBnd	S Hunt UpBnd	Total Harvest	Harvest Low Bnd	Harvest Up Bnd
OTTER	DISTRICT 2	15	8	22	330	297	363	9	4	14	177	153	201
	Mineral	3	0	6	42	30	54	0	0	0	0	0	0
	Missoula	6	2	10	24	15	33	3	0	6	3	0	6
	Powell	3	0	6	180	156	204	3	0	6	171	147	195
	Ravalli	3	0	6	84	67	101	3	0	6	3	0	6
	DISTRICT 3	48	35	61	922	867	977	45	33	57	57	43	71
	Beaverhead	6	2	10	126	106	146	6	2	10	9	4	14
	Gallatin	9	4	14	171	147	195	9	4	14	9	4	14
	Jefferson	9	4	14	318	286	351	9	4	14	15	8	22
	Madison	18	10	26	291	260	322	15	8	22	18	10	26
	Park	6	2	10	15	8	22	6	2	10	6	2	10
	DISTRICT 4	18	10	26	144	122	166	12	6	18	12	6	18
	Cascade	12	6	18	84	67	101	12	6	18	12	6	18
	Lewis & Clark	6	2	10	60	46	74	0	0	0	0	0	0
	DISTRICT 5	3	0	6	60	46	74	3	0	6	3	0	6
	Sweetgrass	3	0	6	60	46	74	3	0	6	3	0	6
MUSKRAT	STATEWIDE	417	380	454	8,824	8,653	8,994	411	375	448	12,243	12,043	12,444
	DISTRICT 1	66	51	81	1,174	1,112	1,236	66	51	81	2,270	2,183	2,356
	Flathead	45	33	57	748	698	797	45	33	57	1,489	1,419	1,559
	Lake	3	0	6	36	25	47	3	0	6	90	73	107
	Lincoln	15	8	22	363	329	398	15	8	22	642	597	688
	Sanders	3	0	6	27	18	36	3	0	6	48	35	61
	DISTRICT 2	57	43	71	1,567	1,495	1,639	57	43	71	2,240	2,154	2,326
	Deer Lodge	15	8	22	486	446	526	15	8	22	537	495	579
	Granite	3	0	6	90	73	107	3	0	6	75	59	91
	Mineral	6	2	10	45	33	57	6	2	10	18	10	26
	Missoula	12	6	18	96	78	114	12	6	18	69	54	84
	Powell	6	2	10	225	198	252	6	2	10	261	232	291
	Ravalli	18	10	26	624	579	670	18	10	26	1,279	1,214	1,344
	DISTRICT 3	117	97	137	2,858	2,761	2,955	111	92	130	3,495	3,387	3,602
	Beaverhead	24	15	33	534	492	576	24	15	33	1,006	948	1,063
	Broadwater	3	0	6	9	4	14	3	0	6	78	62	94
	Gallatin	33	23	43	964	907	1,020	30	20	40	1,336	1,270	1,402
	Jefferson	21	13	29	453	415	492	21	13	29	306	274	338
	Madison	21	13	29	402	366	439	21	13	29	252	223	281
	Park	21	13	29	495	455	536	18	10	26	516	475	558
	DISTRICT 4	84	67	101	1,345	1,278	1,412	84	67	101	2,609	2,516	2,702
	Cascade	24	15	33	177	153	201	24	15	33	724	675	772
	Chouteau	3	0	6	21	13	29	3	0	6	6	2	10
	Fergus	18	10	26	345	312	379	18	10	26	1,000	942	1,057
	Lewis & Clark	24	15	33	645	599	692	24	15	33	525	484	567
	Liberty	3	0	6	30	20	40	3	0	6	120	100	140
	Meagher	3	0	6	90	73	107	3	0	6	117	97	137
	Pondera	3	0	6	3	0	6	3	0	6	54	41	67
	Teton	9	4	14	33	23	43	9	4	14	63	49	77
	DISTRICT 5	66	51	81	1,180	1,118	1,242	66	51	81	709	660	757
	Bighorn	9	4	14	78	62	94	9	4	14	39	28	50
	Carbon	18	10	26	204	178	230	18	10	26	156	133	179
	Musselshell	3	0	6	33	23	43	3	0	6	9	4	14
	Stillwater	6	2	10	63	49	77	6	2	10	66	51	81
	Sweetgrass	3	0	6	135	114	156	3	0	6	105	86	124
	Wheatland	15	8	22	486	446	526	15	8	22	186	161	211
	Yellowstone	15	8	22	180	156	204	15	8	22	147	125	169

March 27th, 2002 page 4

Montana Fish Wildlife and Parks
1998 Furbearer Survey Report: Confidence Bounds on Statistical Estimates
All Furbearer Activities Combined, by Species and Location

Species	Location	Hunters Trapper	Hunter LowBnd	Hunter UpBnd	Hunter Days	H Days Low Bnd	H Days Up Bnd	Succes Hunter	S Hunt LowBnd	S Hunt UpBnd	Total Harvest	Harvest Low Bnd	Harvest Up Bnd
MUSKRAT	DISTRICT 6	24	15	33	519	478	561	24	15	33	811	759	862
	Blaine	6	2	10	66	51	81	6	2	10	150	128	172
	Hill	3	0	6	270	240	300	3	0	6	12	6	18
	Roosevelt	3	0	6	120	100	140	3	0	6	75	59	91
	Sheridan	9	4	14	48	35	61	9	4	14	537	495	579
	Valley	3	0	6	15	8	22	3	0	6	36	25	47
	DISTRICT 7	12	6	18	180	156	204	12	6	18	111	92	130
	Carter	3	0	6	9	4	14	3	0	6	57	43	71
	Dawson	6	2	10	81	65	97	6	2	10	51	38	64
	Treasure	3	0	6	90	73	107	3	0	6	3	0	6
MINK	STATEWIDE	291	260	322	5,491	5,357	5,626	246	218	275	1,078	1,018	1,137
	DISTRICT 1	63	49	77	1,105	1,045	1,165	54	41	67	285	255	316
	Flathead	45	33	57	760	710	810	39	28	50	249	221	278
	Lake	3	0	6	30	20	40	3	0	6	6	2	10
	Lincoln	18	10	26	315	283	347	12	6	18	30	20	40
	DISTRICT 2	27	18	36	766	715	816	24	15	33	162	139	185
	Deer Lodge	9	4	14	315	283	347	9	4	14	66	51	81
	Missoula	6	2	10	72	57	87	6	2	10	45	33	57
	Powell	6	2	10	225	198	252	6	2	10	27	18	36
	Ravalli	9	4	14	153	131	176	6	2	10	24	15	33
	DISTRICT 3	84	67	101	1,555	1,484	1,627	66	51	81	309	277	341
	Beaverhead	18	10	26	192	167	217	18	10	26	87	70	104
	Broadwater	3	0	6	9	4	14	0	0	0	0	0	0
	Gallatin	30	20	40	727	678	775	21	13	29	105	86	124
	Jefferson	12	6	18	285	255	316	6	2	10	27	18	36
	Madison	6	2	10	135	114	156	6	2	10	39	28	50
	Park	15	8	22	207	181	233	15	8	22	51	38	64
	DISTRICT 4	69	54	84	1,105	1,045	1,165	66	51	81	171	147	195
	Cascade	24	15	33	285	255	316	24	15	33	24	15	33
	Chouteau	3	0	6	15	8	22	3	0	6	3	0	6
	Fergus	6	2	10	108	89	127	6	2	10	15	8	22
	Lewis & Clark	24	15	33	633	588	679	21	13	29	90	73	107
	Liberty	3	0	6	21	13	29	3	0	6	15	8	22
	Pondera	3	0	6	21	13	29	3	0	6	15	8	22
	Teton	6	2	10	21	13	29	6	2	10	9	4	14
	DISTRICT 5	36	25	47	829	776	881	30	20	40	120	100	140
	Bighorn	6	2	10	78	62	94	3	0	6	6	2	10
	Carbon	6	2	10	114	95	133	3	0	6	3	0	6
	Stillwater	3	0	6	45	33	57	3	0	6	3	0	6
	Sweetgrass	3	0	6	135	114	156	3	0	6	18	10	26
	Wheatland	12	6	18	384	349	420	12	6	18	75	59	91
	Yellowstone	6	2	10	72	57	87	6	2	10	15	8	22
	DISTRICT 6	6	2	10	75	59	91	6	2	10	27	18	36
	Hill	3	0	6	30	20	40	3	0	6	6	2	10
	Richland	3	0	6	45	33	57	3	0	6	21	13	29
	DISTRICT 7	9	4	14	57	43	71	3	0	6	3	0	6
	Custer	6	2	10	42	30	54	3	0	6	3	0	6
	Dawson	3	0	6	15	8	22	0	0	0	0	0	0
MARTEN	STATEWIDE	126	106	146	3,131	3,030	3,233	99	81	117	805	753	856
	DISTRICT 1	60	46	74	1,561	1,490	1,633	48	35	61	603	559	648
	Flathead	36	25	47	799	747	850	27	18	36	366	332	401
	Lake	6	2	10	60	46	74	6	2	10	30	20	40
	Lincoln	15	8	22	667	620	713	15	8	22	207	181	233
	Sanders	3	0	6	36	25	47	0	0	0	0	0	0

Confidence Bounds on Statistical Estimates

All Furbearer Activities Combined

Montana Fish Wildlife and Parks
1998 Furbearer Survey Report: Confidence Bounds on Statistical Estimates
All Furbearer Activities Combined, by Species and Location

Species	Location	Hunters Trapper	Hunter LowBnd	Hunter UpBnd	Hunter Days	H Days Low Bnd	H Days Up Bnd	Succes Hunter	S Hunt LowBnd	S Hunt UpBnd	Total Harvest	Harvest Low Bnd	Harvest Up Bnd
MARTEN	DISTRICT 2	27	18	36	658	611	704	24	15	33	120	100	140
	Deer Lodge	6	2	10	66	51	81	6	2	10	6	2	10
	Granite	9	4	14	156	133	179	6	2	10	30	20	40
	Missoula	3	0	6	45	33	57	3	0	6	24	15	33
	Ravalli	9	4	14	390	354	426	9	4	14	60	46	74
	DISTRICT 3	27	18	36	630	585	676	21	13	29	63	49	77
	Beaverhead	6	2	10	63	49	77	3	0	6	3	0	6
	Gallatin	12	6	18	204	178	230	9	4	14	48	35	61
	Jefferson	6	2	10	294	263	325	3	0	6	6	2	10
	Madison	3	0	6	30	20	40	3	0	6	3	0	6
	Park	3	0	6	39	28	50	3	0	6	3	0	6
	DISTRICT 4	15	8	22	267	238	297	9	4	14	9	4	14
	Glacier	6	2	10	42	30	54	3	0	6	3	0	6
	Lewis & Clark	9	4	14	225	198	252	6	2	10	6	2	10
	DISTRICT 5	3	0	6	15	8	22	3	0	6	9	4	14
	Carbon	3	0	6	15	8	22	3	0	6	9	4	14
FISHER	STATEWIDE	15	8	22	438	400	476	9	4	14	9	4	14
	DISTRICT 1	9	4	14	324	292	357	3	0	6	3	0	6
	Lake	3	0	6	30	20	40	0	0	0	0	0	0
	Lincoln	3	0	6	219	192	246	3	0	6	3	0	6
	Sanders	3	0	6	75	59	91	0	0	0	0	0	0
	DISTRICT 2	6	2	10	114	95	133	6	2	10	6	2	10
	Mineral	3	0	6	24	15	33	3	0	6	3	0	6
	Ravalli	3	0	6	90	73	107	3	0	6	3	0	6
WOLVERINE	STATEWIDE	33	23	43	991	934	1,048	9	4	14	9	4	14
	DISTRICT 1	9	4	14	330	297	363	0	0	0	0	0	0
	Lake	3	0	6	30	20	40	0	0	0	0	0	0
	Lincoln	3	0	6	225	198	252	0	0	0	0	0	0
	Sanders	3	0	6	75	59	91	0	0	0	0	0	0
	DISTRICT 2	3	0	6	90	73	107	0	0	0	0	0	0
	Ravalli	3	0	6	90	73	107	0	0	0	0	0	0
	DISTRICT 3	3	0	6	60	46	74	3	0	6	3	0	6
	Gallatin	3	0	6	30	20	40	3	0	6	3	0	6
	Madison	3	0	6	30	20	40	0	0	0	0	0	0
	DISTRICT 4	18	10	26	510	469	551	6	2	10	6	2	10
	Cascade	3	0	6	21	13	29	3	0	6	3	0	6
	Lewis & Clark	3	0	6	90	73	107	0	0	0	0	0	0
	Meagher	9	4	14	174	150	198	3	0	6	3	0	6
	Teton	3	0	6	225	198	252	0	0	0	0	0	0
LYNX	STATEWIDE	27	18	36	369	334	404	6	2	10	6	2	10
	DISTRICT 1	3	0	6	6	2	10	0	0	0	0	0	0
	Lincoln	3	0	6	6	2	10	0	0	0	0	0	0
	DISTRICT 2	6	2	10	93	76	111	3	0	6	3	0	6
	Missoula	3	0	6	3	0	6	3	0	6	3	0	6
	Ravalli	3	0	6	90	73	107	0	0	0	0	0	0
	DISTRICT 3	3	0	6	3	0	6	0	0	0	0	0	0
	Beaverhead	3	0	6	3	0	6	0	0	0	0	0	0

Montana Fish Wildlife and Parks
1998 Furbearer Survey Report: Confidence Bounds on Statistical Estimates
All Furbearer Activities Combined, by Species and Location

Species	Location	Hunters Trapper	Hunter LowBnd	Hunter UpBnd	Hunter Days	H Days Low Bnd	H Days Up Bnd	Succes Hunter	S Hunt LowBnd	S Hunt UpBnd	Total Harvest	Harvest Low Bnd	Harvest Up Bnd
LYNX	DISTRICT 4	15	8	22	267	238	297	3	0	6	3	0	6
	Chouteau	3	0	6	90	73	107	3	0	6	3	0	6
	Lewis & Clark	3	0	6	90	73	107	0	0	0	0	0	0
	Meagher	3	0	6	21	13	29	0	0	0	0	0	0
	Teton	6	2	10	66	51	81	0	0	0	0	0	0
BOBCAT	STATEWIDE	612	568	657	15,315	15,090	15,539	333	300	366	820	768	872
	DISTRICT 1	156	133	179	2,726	2,631	2,821	84	67	101	201	175	227
	Flathead	51	38	64	597	553	642	30	20	40	66	51	81
	Lake	6	2	10	51	38	64	0	0	0	0	0	0
	Lincoln	63	49	77	1,345	1,278	1,412	27	18	36	69	54	84
	Sanders	48	35	61	733	683	782	33	23	43	66	51	81
	DISTRICT 2	96	78	114	1,915	1,836	1,995	51	38	64	102	84	120
	Deer Lodge	3	0	6	3	0	6	0	0	0	0	0	0
	Granite	12	6	18	237	209	265	3	0	6	3	0	6
	Mineral	15	8	22	186	161	211	6	2	10	6	2	10
	Missoula	45	33	57	739	689	788	27	18	36	63	49	77
	Powell	9	4	14	141	120	163	3	0	6	6	2	10
	Ravalli	24	15	33	609	565	654	12	6	18	24	15	33
	DISTRICT 3	105	86	124	2,441	2,351	2,531	60	46	74	144	122	166
	Beaverhead	12	6	18	411	375	448	9	4	14	36	25	47
	Broadwater	3	0	6	30	20	40	3	0	6	6	2	10
	Gallatin	12	6	18	222	195	249	3	0	6	3	0	6
	Jefferson	12	6	18	363	329	398	3	0	6	6	2	10
	Madison	30	20	40	661	614	707	21	13	29	39	28	50
	Park	33	23	43	576	533	620	18	10	26	42	30	54
	Silver Bow	9	4	14	177	153	201	3	0	6	12	6	18
	DISTRICT 4	120	100	140	3,426	3,319	3,532	54	41	67	138	117	159
	Cascade	15	8	22	459	420	498	12	6	18	21	13	29
	Chouteau	6	2	10	150	128	172	6	2	10	15	8	22
	Fergus	15	8	22	225	198	252	3	0	6	15	8	22
	Judith Basin	18	10	26	387	352	423	12	6	18	12	6	18
	Lewis & Clark	45	33	57	1,294	1,229	1,359	15	8	22	39	28	50
	Liberty	3	0	6	51	38	64	0	0	0	0	0	0
	Meagher	15	8	22	321	289	354	6	2	10	36	25	47
	Pondera	6	2	10	174	150	198	0	0	0	0	0	0
	Teton	3	0	6	360	326	395	0	0	0	0	0	0
	Toole	3	0	6	3	0	6	0	0	0	0	0	0
	DISTRICT 5	90	73	107	2,447	2,357	2,537	45	33	57	150	128	172
	Bighorn	3	0	6	39	28	50	0	0	0	0	0	0
	Carbon	24	15	33	820	768	872	15	8	22	21	13	29
	Golden Valley	9	4	14	168	145	192	3	0	6	9	4	14
	Musselshell	9	4	14	270	240	300	6	2	10	15	8	22
	Stillwater	15	8	22	261	232	291	9	4	14	15	8	22
	Sweetgrass	24	15	33	676	628	723	12	6	18	84	67	101
	Yellowstone	12	6	18	213	187	240	3	0	6	6	2	10
	DISTRICT 6	12	6	18	555	513	598	6	2	10	9	4	14
	Blaine	3	0	6	240	212	268	3	0	6	3	0	6
	Hill	6	2	10	285	255	316	6	2	10	6	2	10
	Phillips	3	0	6	24	15	33	0	0	0	0	0	0
	Richland	3	0	6	6	2	10	0	0	0	0	0	0
	DISTRICT 7	57	43	71	1,804	1,727	1,881	33	23	43	75	59	91
	Carter	6	2	10	210	184	236	3	0	6	6	2	10
	Custer	12	6	18	204	178	230	3	0	6	3	0	6
	Dawson	9	4	14	195	170	220	6	2	10	6	2	10
	Garfield	12	6	18	219	192	246	3	0	6	9	4	14
	Powder River	9	4	14	480	441	520	9	4	14	42	30	54
	Prairie	3	0	6	135	114	156	3	0	6	3	0	6
	Rosebud	3	0	6	60	46	74	3	0	6	3	0	6
	Treasure	3	0	6	300	269	332	3	0	6	3	0	6

Confidence Bounds on Statistical Estimates
All Furbearer Activities Combined

March 27th, 2002 page 7

Montana Fish Wildlife and Parks
1998 Furbearer Survey Report: Confidence Bounds on Statistical Estimates
All Furbearer Activities Combined, by Species and Location

Species	Location	Hunters Trapper	Hunter LowBnd	Hunter UpBnd	Hunter Days	H Days Low Bnd	H Days Up Bnd	Succes Hunter	S Hunt LowBnd	S Hunt UpBnd	Total Harvest	Harvest Low Bnd	Harvest Up Bnd
WEASEL	STATEWIDE	81	65	97	1,621	1,548	1,694	72	57	87	246	218	275
	DISTRICT 1	36	25	47	895	840	949	36	25	47	144	122	166
	Flathead	27	18	36	579	536	623	27	18	36	96	78	114
	Lincoln	12	6	18	315	283	347	9	4	14	48	35	61
	DISTRICT 2	24	15	33	387	352	423	21	13	29	48	35	61
	Deer Lodge	6	2	10	105	86	124	6	2	10	9	4	14
	Granite	3	0	6	63	49	77	3	0	6	3	0	6
	Missoula	6	2	10	66	51	81	6	2	10	12	6	18
	Ravalli	9	4	14	153	131	176	6	2	10	24	15	33
	DISTRICT 3	6	2	10	66	51	81	6	2	10	9	4	14
	Gallatin	3	0	6	21	13	29	3	0	6	3	0	6
	Jefferson	3	0	6	45	33	57	3	0	6	6	2	10
	DISTRICT 4	12	6	18	270	240	300	6	2	10	42	30	54
	Lewis & Clark	12	6	18	270	240	300	6	2	10	42	30	54
	DISTRICT 5	3	0	6	3	0	6	3	0	6	3	0	6
	Stillwater	3	0	6	3	0	6	3	0	6	3	0	6
SKUNK	STATEWIDE	207	181	233	4,831	4,705	4,957	201	175	227	1,567	1,495	1,639
	DISTRICT 1	18	10	26	240	212	268	18	10	26	84	67	101
	Flathead	18	10	26	240	212	268	18	10	26	84	67	101
	DISTRICT 2	27	18	36	937	881	992	27	18	36	246	218	275
	Granite	3	0	6	42	30	54	3	0	6	27	18	36
	Mineral	3	0	6	9	4	14	3	0	6	3	0	6
	Missoula	6	2	10	222	195	249	6	2	10	12	6	18
	Powell	3	0	6	30	20	40	3	0	6	6	2	10
	Ravalli	15	8	22	633	588	679	15	8	22	198	173	224
	DISTRICT 3	45	33	57	606	562	651	45	33	57	345	312	379
	Beaverhead	9	4	14	102	84	120	9	4	14	75	59	91
	Broadwater	3	0	6	30	20	40	3	0	6	3	0	6
	Gallatin	15	8	22	267	238	297	15	8	22	150	128	172
	Jefferson	3	0	6	120	100	140	3	0	6	69	54	84
	Madison	6	2	10	24	15	33	6	2	10	18	10	26
	Park	6	2	10	33	23	43	6	2	10	15	8	22
	Silver Bow	3	0	6	30	20	40	3	0	6	15	8	22
	DISTRICT 4	54	41	67	1,063	1,004	1,122	48	35	61	342	309	376
	Cascade	12	6	18	336	303	370	12	6	18	93	76	111
	Chouteau	6	2	10	24	15	33	6	2	10	18	10	26
	Fergus	3	0	6	45	33	57	3	0	6	9	4	14
	Lewis & Clark	18	10	26	408	372	445	12	6	18	75	59	91
	Meagher	3	0	6	150	128	172	3	0	6	90	73	107
	Petroleum	3	0	6	9	4	14	3	0	6	3	0	6
	Pondera	3	0	6	75	59	91	3	0	6	33	23	43
	Teton	6	2	10	15	8	22	6	2	10	21	13	29
	DISTRICT 5	39	28	50	994	937	1,051	39	28	50	306	274	338
	Bighorn	3	0	6	48	35	61	3	0	6	12	6	18
	Carbon	9	4	14	195	170	220	9	4	14	27	18	36
	Musselshell	3	0	6	3	0	6	3	0	6	3	0	6
	Stillwater	6	2	10	240	212	268	6	2	10	156	133	179
	Wheatland	9	4	14	321	289	354	9	4	14	36	25	47
	Yellowstone	9	4	14	186	161	211	9	4	14	72	57	87
	DISTRICT 6	3	0	6	9	4	14	3	0	6	15	8	22
	Mccone	3	0	6	9	4	14	3	0	6	15	8	22

Confidence Bounds on Statistical Estimates

All Furbearer Activities Combined

Montana Fish Wildlife and Parks
1998 Furbearer Survey Report: Confidence Bounds on Statistical Estimates
All Furbearer Activities Combined, by Species and Location

Species	Location	Hunters Trapper	Hunter LowBnd	Hunter UpBnd	Hunter Days	H Days Low Bnd	H Days Up Bnd	Succes Hunter	S Hunt LowBnd	S Hunt UpBnd	Total Harvest	Harvest Low Bnd	Harvest Up Bnd
SKUNK	DISTRICT 7	21	13	29	982	925	1,039	21	13	29	228	201	256
	Carter	9	4	14	676	628	723	9	4	14	138	117	159
	Custer	3	0	6	114	95	133	3	0	6	30	20	40
	Dawson	3	0	6	42	30	54	3	0	6	18	10	26
	Powder River	3	0	6	60	46	74	3	0	6	12	6	18
	Treasure	3	0	6	90	73	107	3	0	6	30	20	40
COYOTE	STATEWIDE	546	504	589	16,201	15,970	16,431	480	441	520	6,059	5,917	6,200
	DISTRICT 1	42	30	54	886	832	940	30	20	40	267	238	297
	Flathead	18	10	26	360	326	395	12	6	18	30	20	40
	Lake	3	0	6	45	33	57	3	0	6	27	18	36
	Lincoln	18	10	26	243	215	271	12	6	18	30	20	40
	Sanders	9	4	14	237	209	265	9	4	14	180	156	204
	DISTRICT 2	60	46	74	1,903	1,824	1,983	51	38	64	874	820	927
	Deer Lodge	6	2	10	198	173	224	6	2	10	42	30	54
	Granite	6	2	10	237	209	265	6	2	10	57	43	71
	Mineral	3	0	6	30	20	40	3	0	6	3	0	6
	Missoula	9	4	14	21	13	29	3	0	6	6	2	10
	Powell	15	8	22	682	634	729	15	8	22	450	412	489
	Ravalli	24	15	33	736	686	785	21	13	29	315	283	347
	DISTRICT 3	141	120	163	3,729	3,618	3,840	132	111	153	1,387	1,319	1,455
	Beaverhead	18	10	26	495	455	536	18	10	26	222	195	249
	Broadwater	9	4	14	87	70	104	9	4	14	63	49	77
	Gallatin	21	13	29	886	832	940	15	8	22	339	306	373
	Jefferson	15	8	22	558	516	601	12	6	18	273	243	303
	Madison	30	20	40	979	922	1,036	30	20	40	231	204	259
	Park	42	30	54	576	533	620	42	30	54	177	153	201
	Silver Bow	12	6	18	147	125	169	12	6	18	81	65	97
	DISTRICT 4	141	120	163	3,675	3,565	3,785	123	103	143	1,486	1,416	1,556
	Cascade	27	18	36	658	611	704	21	13	29	387	352	423
	Chouteau	24	15	33	802	750	853	24	15	33	522	481	564
	Fergus	27	18	36	519	478	561	27	18	36	129	108	150
	Judith Basin	6	2	10	51	38	64	3	0	6	6	2	10
	Lewis & Clark	24	15	33	901	846	955	15	8	22	192	167	217
	Liberty	9	4	14	417	380	454	9	4	14	33	23	43
	Meagher	9	4	14	174	150	198	9	4	14	129	108	150
	Petroleum	6	2	10	18	10	26	6	2	10	21	13	29
	Teton	6	2	10	96	78	114	6	2	10	27	18	36
	Toole	6	2	10	39	28	50	6	2	10	39	28	50
	DISTRICT 5	75	59	91	2,300	2,213	2,387	66	51	81	688	640	735
	Bighorn	12	6	18	639	594	685	12	6	18	192	167	217
	Carbon	21	13	29	946	890	1,002	18	10	26	342	309	376
	Golden Valley	3	0	6	90	73	107	0	0	0	0	0	0
	Musselshell	9	4	14	87	70	104	6	2	10	6	2	10
	Stillwater	6	2	10	99	81	117	3	0	6	30	20	40
	Sweetgrass	9	4	14	210	184	236	9	4	14	51	38	64
	Yellowstone	21	13	29	228	201	256	18	10	26	66	51	81
	DISTRICT 6	39	28	50	997	939	1,054	33	23	43	453	415	492
	Blaine	9	4	14	366	332	401	9	4	14	12	6	18
	Hill	15	8	22	441	403	479	15	8	22	237	209	265
	Phillips	3	0	6	9	4	14	3	0	6	9	4	14
	Richland	3	0	6	9	4	14	0	0	0	0	0	0
	Sheridan	3	0	6	30	20	40	3	0	6	102	84	120
	Valley	9	4	14	141	120	163	6	2	10	93	76	111

Montana Fish Wildlife and Parks
1998 Furbearer Survey Report: Confidence Bounds on Statistical Estimates
All Furbearer Activities Combined, by Species and Location

Species	Location	Hunters Trapper	Hunter LowBnd	Hunter UpBnd	Hunter Days	H Days Low Bnd	H Days Up Bnd	Succes Hunter	S Hunt LowBnd	S Hunt UpBnd	Total Harvest	Harvest Low Bnd	Harvest Up Bnd
COYOTE	DISTRICT 7	69	54	84	2,711	2,617	2,806	66	51	81	904	849	958
	Carter	12	6	18	519	478	561	12	6	18	150	128	172
	Custer	9	4	14	120	100	140	9	4	14	72	57	87
	Dawson	9	4	14	237	209	265	9	4	14	111	92	130
	Fallon	3	0	6	180	156	204	3	0	6	12	6	18
	Garfield	3	0	6	240	212	268	3	0	6	60	46	74
	Powder River	9	4	14	264	235	294	9	4	14	30	20	40
	Prairie	9	4	14	195	170	220	9	4	14	102	84	120
	Rosebud	18	10	26	414	377	451	15	8	22	153	131	176
	Treasure	6	2	10	540	498	583	6	2	10	213	187	240
FOX	STATEWIDE	297	266	329	8,178	8,014	8,342	276	246	306	2,156	2,071	2,240
	DISTRICT 1	9	4	14	156	133	179	9	4	14	27	18	36
	Flathead	9	4	14	156	133	179	9	4	14	27	18	36
	DISTRICT 2	33	23	43	1,012	954	1,069	33	23	43	210	184	236
	Deer Lodge	6	2	10	144	122	166	6	2	10	12	6	18
	Granite	3	0	6	42	30	54	3	0	6	6	2	10
	Missoula	3	0	6	45	33	57	3	0	6	6	2	10
	Powell	3	0	6	18	10	26	3	0	6	3	0	6
	Ravalli	18	10	26	763	712	813	18	10	26	183	159	208
	DISTRICT 3	66	51	81	1,498	1,428	1,568	57	43	71	321	289	354
	Beaverhead	9	4	14	213	187	240	9	4	14	51	38	64
	Broadwater	3	0	6	3	0	6	3	0	6	6	2	10
	Gallatin	21	13	29	435	397	473	12	6	18	87	70	104
	Jefferson	6	2	10	210	184	236	6	2	10	33	23	43
	Madison	9	4	14	360	326	395	9	4	14	87	70	104
	Park	12	6	18	228	201	256	12	6	18	36	25	47
	Silver Bow	6	2	10	48	35	61	6	2	10	21	13	29
	DISTRICT 4	87	70	104	1,783	1,707	1,860	78	62	94	495	455	536
	Cascade	24	15	33	573	530	617	21	13	29	162	139	185
	Chouteau	12	6	18	165	142	188	12	6	18	57	43	71
	Fergus	9	4	14	123	103	143	6	2	10	12	6	18
	Judith Basin	3	0	6	90	73	107	3	0	6	3	0	6
	Lewis & Clark	24	15	33	513	472	555	21	13	29	69	54	84
	Liberty	6	2	10	192	167	217	6	2	10	30	20	40
	Petroleum	3	0	6	9	4	14	3	0	6	6	2	10
	Pondera	3	0	6	75	59	91	3	0	6	135	114	156
	Teton	3	0	6	42	30	54	3	0	6	21	13	29
	DISTRICT 5	51	38	64	1,597	1,525	1,670	51	38	64	438	400	476
	Bighorn	6	2	10	135	114	156	6	2	10	12	6	18
	Carbon	15	8	22	564	521	608	15	8	22	183	159	208
	Stillwater	9	4	14	240	212	268	9	4	14	21	13	29
	Sweetgrass	6	2	10	360	326	395	6	2	10	105	86	124
	Wheatland	3	0	6	3	0	6	3	0	6	12	6	18
	Yellowstone	12	6	18	294	263	325	12	6	18	105	86	124
	DISTRICT 6	21	13	29	465	426	504	21	13	29	129	108	150
	Hill	9	4	14	354	320	388	9	4	14	111	92	130
	Mccone	3	0	6	15	8	22	3	0	6	3	0	6
	Phillips	3	0	6	6	2	10	3	0	6	3	0	6
	Sheridan	3	0	6	30	20	40	3	0	6	6	2	10
	Valley	3	0	6	60	46	74	3	0	6	6	2	10
	DISTRICT 7	33	23	43	1,666	1,592	1,740	30	20	40	534	492	576
	Carter	9	4	14	489	449	530	6	2	10	213	187	240
	Custer	3	0	6	54	41	67	3	0	6	3	0	6
	Dawson	9	4	14	207	181	233	9	4	14	126	106	146
	Garfield	3	0	6	240	212	268	3	0	6	120	100	140
	Prairie	3	0	6	135	114	156	3	0	6	48	35	61
	Treasure	6	2	10	540	498	583	6	2	10	24	15	33

Confidence Bounds on Statistical Estimates
All Furbearer Activities Combined

Montana Fish Wildlife and Parks
1998 Furbearer Survey Report: Confidence Bounds on Statistical Estimates
All Furbearer Activities Combined, by Species and Location

Species	Location	Hunters Trapper	Hunter LowBnd	Hunter UpBnd	Hunter Days	H Days Low Bnd	H Days Up Bnd	Succes Hunter	S Hunt LowBnd	S Hunt UpBnd	Total Harvest	Harvest Low Bnd	Harvest Up Bnd
RACCOON	STATEWIDE	471	432	511	11,931	11,733	12,129	429	392	467	4,200	4,083	4,318
	DISTRICT 1	36	25	47	447	409	486	24	15	33	144	122	166
	Flathead	27	18	36	426	389	464	18	10	26	138	117	159
	Lincoln	6	2	10	18	10	26	3	0	6	3	0	6
	Sanders	3	0	6	3	0	6	3	0	6	3	0	6
	DISTRICT 2	42	30	54	1,102	1,042	1,162	33	23	43	198	173	224
	Deer Lodge	3	0	6	21	13	29	3	0	6	3	0	6
	Mineral	3	0	6	42	30	54	0	0	0	0	0	0
	Missoula	12	6	18	183	159	208	9	4	14	12	6	18
	Powell	3	0	6	42	30	54	3	0	6	6	2	10
	Ravalli	21	13	29	814	762	865	18	10	26	177	153	201
	DISTRICT 3	114	95	133	2,717	2,623	2,812	108	89	127	871	817	924
	Beaverhead	12	6	18	279	249	310	12	6	18	63	49	77
	Broadwater	9	4	14	93	76	111	6	2	10	21	13	29
	Gallatin	33	23	43	928	872	983	33	23	43	327	294	360
	Jefferson	18	10	26	345	312	379	18	10	26	195	170	220
	Madison	24	15	33	591	547	636	21	13	29	111	92	130
	Park	27	18	36	480	441	520	24	15	33	153	131	176
	DISTRICT 4	126	106	146	2,669	2,575	2,763	114	95	133	736	686	785
	Cascade	39	28	50	898	843	952	33	23	43	132	111	153
	Chouteau	12	6	18	72	57	87	12	6	18	108	89	127
	Fergus	21	13	29	282	252	313	18	10	26	195	170	220
	Judith Basin	3	0	6	18	10	26	0	0	0	0	0	0
	Lewis & Clark	24	15	33	706	657	754	18	10	26	138	117	159
	Liberty	15	8	22	420	383	458	12	6	18	24	15	33
	Meagher	3	0	6	9	4	14	3	0	6	9	4	14
	Pondera	3	0	6	75	59	91	3	0	6	30	20	40
	Teton	15	8	22	159	136	182	15	8	22	72	57	87
	Toole	3	0	6	30	20	40	3	0	6	27	18	36
	DISTRICT 5	102	84	120	3,255	3,151	3,358	93	76	111	1,855	1,777	1,934
	Bighorn	15	8	22	655	608	701	15	8	22	345	312	379
	Carbon	24	15	33	579	536	623	24	15	33	354	320	388
	Musselshell	15	8	22	249	221	278	9	4	14	27	18	36
	Stillwater	9	4	14	279	249	310	6	2	10	39	28	50
	Sweetgrass	9	4	14	450	412	489	9	4	14	438	400	476
	Wheatland	15	8	22	486	446	526	15	8	22	222	195	249
	Yellowstone	18	10	26	555	513	598	18	10	26	429	392	467
	DISTRICT 6	24	15	33	600	556	645	24	15	33	129	108	150
	Blaine	6	2	10	117	97	137	6	2	10	24	15	33
	Hill	6	2	10	276	246	306	6	2	10	36	25	47
	Mccone	3	0	6	12	6	18	3	0	6	9	4	14
	Richland	3	0	6	45	33	57	3	0	6	36	25	47
	Valley	6	2	10	150	128	172	6	2	10	24	15	33
	DISTRICT 7	36	25	47	1,141	1,080	1,202	36	25	47	267	238	297
	Carter	9	4	14	363	329	398	9	4	14	63	49	77
	Custer	3	0	6	54	41	67	3	0	6	18	10	26
	Dawson	9	4	14	222	195	249	9	4	14	36	25	47
	Powder River	3	0	6	6	2	10	3	0	6	6	2	10
	Prairie	3	0	6	135	114	156	3	0	6	24	15	33
	Rosebud	3	0	6	90	73	107	3	0	6	54	41	67
	Treasure	6	2	10	270	240	300	6	2	10	66	51	81
BADGER	STATEWIDE	81	65	97	1,141	1,080	1,202	72	57	87	261	232	291
	DISTRICT 2	6	2	10	12	6	18	3	0	6	3	0	6
	Missoula	3	0	6	3	0	6	3	0	6	3	0	6
	Powell	3	0	6	9	4	14	0	0	0	0	0	0

Montana Fish Wildlife and Parks
1998 Furbearer Survey Report: Confidence Bounds on Statistical Estimates
All Furbearer Activities Combined, by Species and Location

Species	Location	Hunters Trapper	Hunter LowBnd	Hunter UpBnd	Hunter Days	H Days Low Bnd	H Days Up Bnd	Succes Hunter	S Hunt LowBnd	S Hunt UpBnd	Total Harvest	Harvest Low Bnd	Harvest Up Bnd
BADGER	DISTRICT 3	15	8	22	108	89	127	15	8	22	51	38	64
	Beaverhead	9	4	14	45	33	57	9	4	14	42	30	54
	Broadwater	3	0	6	60	46	74	3	0	6	3	0	6
	Jefferson	3	0	6	3	0	6	3	0	6	6	2	10
	DISTRICT 4	27	18	36	276	246	306	24	15	33	87	70	104
	Cascade	6	2	10	72	57	87	6	2	10	18	10	26
	Chouteau	3	0	6	6	2	10	3	0	6	6	2	10
	Fergus	3	0	6	90	73	107	3	0	6	6	2	10
	Lewis & Clark	9	4	14	93	76	111	6	2	10	51	38	64
	Meagher	3	0	6	12	6	18	3	0	6	3	0	6
	Teton	3	0	6	3	0	6	3	0	6	3	0	6
	DISTRICT 5	9	4	14	201	175	227	9	4	14	9	4	14
	Bighorn	3	0	6	48	35	61	3	0	6	3	0	6
	Carbon	3	0	6	63	49	77	3	0	6	3	0	6
	Wheatland	3	0	6	90	73	107	3	0	6	3	0	6
	DISTRICT 6	9	4	14	60	46	74	9	4	14	42	30	54
	Hill	6	2	10	57	43	71	6	2	10	39	28	50
	Valley	3	0	6	3	0	6	3	0	6	3	0	6
	DISTRICT 7	15	8	22	483	443	523	12	6	18	69	54	84
	Carter	6	2	10	360	326	395	6	2	10	63	49	77
	Custer	3	0	6	60	46	74	3	0	6	3	0	6
	Dawson	6	2	10	63	49	77	3	0	6	3	0	6
OTHER	STATEWIDE	9	4	14	117	97	137	9	4	14	72	57	87
	DISTRICT 1	6	2	10	84	67	101	6	2	10	69	54	84
	Flathead	3	0	6	42	30	54	3	0	6	66	51	81
	Lincoln	3	0	6	42	30	54	3	0	6	3	0	6
	DISTRICT 2	3	0	6	33	23	43	3	0	6	3	0	6
	Ravalli	3	0	6	33	23	43	3	0	6	3	0	6

Confidence Bounds on Statistical Estimates
Trapping and Snaring Activities

March 27th, 2002 page 1

Montana Fish Wildlife and Parks
1998 Furbearer Survey Report: Confidence Bounds on Statistical Estimates
Trapping and Snaring Activities, by Species and Location

Species: ALL

Location	Hunters Trapper	Hunter LowBnd	Hunter UpBnd	Hunter Days	H Days Low Bnd	H Days Up Bnd	Traps Set	Traps Low Bnd	Traps Up Bnd	Trap Days	T Days Low Bnd	T Days Up Bnd	Succes Hunter	S Hunt LowBnd	S Hunt UpBnd	Total Harvest	Harvest Low Bnd	Harvest Up Bnd
STATEWIDE	1,168	1,106	1,230	86,191	85,658	86,723	40,393	40,029	40,758	1,326,506	1,324,416	1,328,596	1,066	1,007	1,125	37,586	37,234	37,938
DISTRICT 1	183	159	208	9,082	8,909	9,255	4,819	4,693	4,945	119,814	119,186	120,442	165	142	188	4,209	4,092	4,327
Flathead	99	81	117	5,071	4,942	5,200	2,774	2,679	2,870	57,903	57,466	58,339	93	76	111	2,849	2,752	2,946
Lake	12	6	18	222	195	249	153	131	176	1,549	1,478	1,621	12	6	18	132	111	153
Lincoln	60	46	74	3,206	3,104	3,309	1,645	1,572	1,719	56,161	55,731	56,591	48	35	61	1,120	1,059	1,181
Sanders	24	15	33	582	539	626	246	218	275	4,200	4,083	4,318	18	10	26	108	89	127
DISTRICT 2	162	139	185	11,664	11,468	11,860	5,257	5,126	5,389	185,435	184,654	186,217	153	131	176	5,314	5,182	5,446
Deer Lodge	27	18	36	1,720	1,645	1,796	721	672	769	21,346	21,081	21,612	27	18	36	895	840	949
Granite	18	10	26	958	902	1,014	420	383	458	10,013	9,831	10,194	18	10	26	231	204	259
Mineral	18	10	26	276	246	306	147	125	169	1,279	1,214	1,344	15	8	22	99	81	117
Missoula	39	28	50	1,120	1,059	1,181	676	628	723	9,265	9,091	9,440	39	28	50	291	260	322
Powell	30	20	40	2,153	2,068	2,237	1,048	989	1,107	46,125	45,735	46,514	27	18	36	1,393	1,325	1,461
Ravalli	48	35	61	5,437	5,303	5,571	2,246	2,160	2,332	97,407	96,841	97,974	45	33	57	2,405	2,316	2,494
DISTRICT 3	264	235	294	20,845	20,583	21,107	10,250	10,066	10,434	356,372	355,289	357,456	243	215	271	9,553	9,376	9,731
Beaverhead	42	30	54	3,047	2,947	3,148	2,150	2,066	2,234	56,495	56,063	56,926	39	28	50	2,192	2,107	2,277
Broadwater	9	4	14	213	187	240	240	212	268	1,030	972	1,088	9	4	14	132	111	153
Gallatin	84	67	101	5,608	5,472	5,744	2,450	2,360	2,540	123,098	122,462	123,735	72	57	87	2,738	2,643	2,833
Jefferson	33	23	43	3,834	3,722	3,946	1,465	1,396	1,535	63,586	63,129	64,044	30	20	40	1,477	1,407	1,547
Madison	57	43	71	4,335	4,216	4,455	1,855	1,777	1,934	57,951	57,514	58,388	57	43	71	1,414	1,346	1,482
Park	51	38	64	3,294	3,189	3,398	1,705	1,630	1,780	46,758	46,366	47,150	51	38	64	1,462	1,393	1,532
Silver Bow	18	10	26	513	472	555	384	349	420	7,455	7,298	7,611	12	6	18	138	117	159
DISTRICT 4	306	274	338	18,458	18,212	18,705	9,376	9,201	9,552	228,732	227,864	229,599	273	243	303	9,145	8,972	9,319
Cascade	63	49	77	4,032	3,917	4,147	2,084	2,001	2,166	48,902	48,501	49,303	60	46	74	2,279	2,192	2,365
Chouteau	36	25	47	1,222	1,159	1,285	805	753	856	25,670	25,379	25,961	36	25	47	652	605	698
Fergus	39	28	50	2,174	2,089	2,258	1,300	1,235	1,365	32,527	32,200	32,854	36	25	47	2,006	1,924	2,087
Glacier	6	2	10	42	30	54	54	41	67	378	343	414	3	0	6	3	0	6
Judith Basin	15	8	22	501	461	542	198	173	224	6,269	6,125	6,412	12	6	18	195	170	220
Lewis & Clark	66	51	81	6,614	6,467	6,762	3,110	3,009	3,212	73,677	73,184	74,169	54	41	67	1,762	1,686	1,839
Liberty	6	2	10	994	937	1,051	366	332	401	15,132	14,909	15,355	6	2	10	195	170	220
Meagher	30	20	40	1,219	1,156	1,282	570	527	614	13,585	13,374	13,797	24	15	33	652	605	698
Petroleum	9	4	14	105	86	124	174	150	198	2,894	2,797	2,992	9	4	14	201	175	227
Pondera	12	6	18	333	300	366	174	150	198	1,732	1,657	1,808	12	6	18	339	306	373
Teton	42	30	54	1,150	1,088	1,211	522	481	564	7,533	7,375	7,690	33	23	43	817	765	868
Toole	3	0	6	72	57	87	18	10	26	432	395	470	3	0	6	45	33	57
DISTRICT 5	171	147	195	13,787	13,574	14,000	6,614	6,467	6,762	276,165	275,212	277,119	159	136	182	5,341	5,209	5,474
Bighorn	24	15	33	2,054	1,971	2,136	1,018	960	1,076	42,366	41,992	42,739	24	15	33	685	637	732
Carbon	48	35	61	4,023	3,908	4,138	2,366	2,278	2,454	91,856	91,306	92,406	48	35	61	1,312	1,246	1,378
Golden Valley	12	6	18	264	235	294	102	84	120	2,447	2,357	2,537	6	2	10	27	18	36
Musselshell	9	4	14	429	392	467	159	136	182	4,050	3,935	4,166	9	4	14	195	170	220
Stillwater	24	15	33	973	916	1,029	243	215	271	5,059	4,930	5,188	21	13	29	375	340	410
Sweetgrass	21	13	29	2,513	2,422	2,604	1,324	1,258	1,390	88,905	88,364	89,446	18	10	26	1,231	1,167	1,295
Wheatland	21	13	29	2,018	1,936	2,099	558	516	601	18,837	18,588	19,086	21	13	29	727	678	775
Yellowstone	24	15	33	1,513	1,443	1,584	844	791	896	22,647	22,373	22,920	24	15	33	790	739	841

Confidence Bounds on Statistical Estimates
Trapping and Snaring Activities

March 27th, 2002 page 2

Montana Fish Wildlife and Parks
1998 Furbearer Survey Report: Confidence Bounds on Statistical Estimates
Trapping and Snaring Activities, by Species and Location

Species: ALL

Location	Hunters Trapper	Hunter LowBnd	Hunter UpBnd	Hunter Days	H Days Low Bnd	H Days Up Bnd	Traps Set	Traps Low Bnd	Traps Up Bnd	Trap Days	T Days Low Bnd	T Days Up Bnd	Succes Hunter	S Hunt LowBnd	S Hunt UpBnd	Total Harvest	Harvest Low Bnd	Harvest Up Bnd
DISTRICT 6	54	41	67	3,915	3,802	4,029	1,642	1,569	1,716	38,658	38,301	39,015	48	35	61	2,105	2,021	2,188
Blaine	21	13	29	1,198	1,135	1,261	249	221	278	8,328	8,163	8,494	18	10	26	276	246	306
Hill	9	4	14	1,786	1,710	1,863	673	625	720	18,107	17,863	18,351	9	4	14	679	631	726
Mccone	3	0	6	36	25	47	18	10	26	72	57	87	3	0	6	27	18	36
Phillips	3	0	6	12	6	18	30	20	40	120	100	140	0	0	0	0	0	0
Richland	3	0	6	180	156	204	195	170	220	4,503	4,382	4,625	3	0	6	297	266	329
Roosevelt	3	0	6	210	184	236	33	23	43	1,171	1,109	1,233	3	0	6	126	106	146
Sheridan	9	4	14	54	41	67	156	133	179	829	776	881	9	4	14	540	498	583
Valley	9	4	14	438	400	476	288	257	319	5,527	5,392	5,662	9	4	14	159	136	182
DISTRICT 7	90	73	107	8,440	8,273	8,606	2,435	2,345	2,524	121,330	120,698	121,962	81	65	97	1,918	1,839	1,998
Carter	12	6	18	2,486	2,395	2,576	486	446	526	34,136	33,801	34,472	12	6	18	618	573	664
Custer	15	8	22	670	623	716	342	309	376	6,599	6,452	6,746	15	8	22	117	97	137
Dawson	21	13	29	1,168	1,106	1,230	366	332	401	8,010	7,848	8,173	18	10	26	351	317	385
Fallon	3	0	6	180	156	204	18	10	26	1,081	1,021	1,140	3	0	6	12	6	18
Garfield	6	2	10	691	643	738	213	187	240	14,892	14,670	15,113	3	0	6	189	164	214
Powder River	12	6	18	600	556	645	129	108	150	7,446	7,289	7,602	12	6	18	69	54	84
Prairie	3	0	6	540	498	583	180	156	204	8,106	7,943	8,270	3	0	6	108	89	127
Rosebud	12	6	18	363	329	398	321	289	354	5,452	5,318	5,586	9	4	14	132	111	153
Treasure	6	2	10	1,741	1,666	1,817	378	343	414	35,608	35,265	35,950	6	2	10	321	289	354

Confidence Bounds on Statistical Estimates
Trapping and Snaring Activities

Montana Fish Wildlife and Parks
1998 Furbearer Survey Report: Confidence Bounds on Statistical Estimates
Trapping and Snaring Activities, by Species and Location

Species: BEAVER

Location	Hunters Trapper	Hunter LowBnd	Hunter UpBnd	Hunter Days	H Days Low Bnd	H Days Up Bnd	Traps Set	Traps Low Bnd	Traps Up Bnd	Trap Days	T Days Low Bnd	T Days Up Bnd	Succes Hunter	S Hunt LowBnd	S Hunt UpBnd	Total Harvest	Harvest Low Bnd	Harvest Up Bnd
STATEWIDE	721	672	769	15,909	15,680	16,138	8,707	8,537	8,876	231,869	230,996	232,743	682	634	729	11,634	11,438	11,830
DISTRICT 1	90	73	107	1,132	1,071	1,193	730	681	779	9,703	9,525	9,882	72	57	87	510	469	551
Flathead	51	38	64	691	643	738	261	232	291	3,615	3,506	3,724	36	25	47	324	292	357
Lake	3	0	6	6	2	10	9	4	14	18	10	26	3	0	6	6	2	10
Lincoln	30	20	40	321	289	354	399	363	436	5,122	4,992	5,252	27	18	36	144	122	166
Sanders	9	4	14	114	95	133	60	46	74	949	893	1,005	9	4	14	36	25	47
DISTRICT 2	96	78	114	1,666	1,592	1,740	778	727	828	18,677	18,429	18,925	93	76	111	1,045	986	1,103
Deer Lodge	21	13	29	387	352	423	138	117	159	3,020	2,921	3,120	21	13	29	225	198	252
Granite	9	4	14	144	122	166	51	38	64	1,072	1,012	1,131	6	2	10	39	28	50
Mineral	9	4	14	63	49	77	42	30	54	312	280	344	9	4	14	72	57	87
Missoula	18	10	26	138	117	159	138	117	159	1,195	1,132	1,258	18	10	26	72	57	87
Powell	18	10	26	670	623	716	288	257	319	11,685	11,489	11,881	18	10	26	513	472	555
Ravalli	24	15	33	264	235	294	120	100	140	1,393	1,325	1,461	24	15	33	123	103	143
DISTRICT 3	180	156	204	5,356	5,223	5,489	2,573	2,481	2,665	92,468	91,917	93,020	177	153	201	3,243	3,139	3,346
Beaverhead	33	23	43	655	608	701	423	386	461	9,382	9,207	9,558	33	23	43	727	678	775
Broadwater	3	0	6	9	4	14	36	25	47	108	89	127	3	0	6	21	13	29
Gallatin	54	41	67	1,405	1,337	1,473	603	559	648	29,549	29,237	29,861	51	38	64	522	481	564
Jefferson	24	15	33	985	928	1,042	315	283	347	19,098	18,847	19,348	24	15	33	615	570	660
Madison	45	33	57	1,123	1,062	1,184	606	562	651	16,387	16,154	16,619	45	33	57	709	660	757
Park	36	25	47	1,060	1,001	1,119	483	443	523	16,068	15,838	16,298	36	25	47	627	582	673
Silver Bow	6	2	10	120	100	140	105	86	124	1,876	1,798	1,955	6	2	10	21	13	29
DISTRICT 4	189	164	214	3,705	3,594	3,815	2,528	2,437	2,619	53,468	53,049	53,888	186	161	211	3,942	3,828	4,056
Cascade	39	28	50	931	875	986	447	409	486	12,328	12,126	12,529	39	28	50	1,051	992	1,110
Chouteau	15	8	22	162	139	185	129	108	150	2,297	2,210	2,384	15	8	22	189	164	214
Fergus	27	18	36	561	518	604	315	283	347	10,373	10,188	10,558	24	15	33	700	652	748
Judith Basin	9	4	14	51	38	64	87	70	104	504	464	545	9	4	14	189	164	214
Lewis & Clark	42	30	54	1,069	1,010	1,128	943	887	998	17,972	17,729	18,215	42	30	54	570	527	614
Meagher	21	13	29	369	334	404	195	170	220	3,672	3,562	3,782	21	13	29	327	294	360
Petroleum	6	2	10	99	81	117	168	145	192	2,882	2,785	2,980	6	2	10	195	170	220
Pondera	9	4	14	84	67	101	42	30	54	429	392	467	9	4	14	72	57	87
Teton	27	18	36	306	274	338	183	159	208	2,579	2,487	2,671	27	18	36	603	559	648
Toole	3	0	6	72	57	87	18	10	26	432	395	470	3	0	6	45	33	57
DISTRICT 5	126	106	146	2,579	2,487	2,671	1,450	1,381	1,519	40,991	40,623	41,358	120	100	140	1,900	1,821	1,980
Bighorn	21	13	29	528	487	570	237	209	265	6,503	6,357	6,649	21	13	29	273	243	303
Carbon	36	25	47	682	634	729	333	300	366	6,608	6,461	6,756	33	23	43	399	363	436
Golden Valley	3	0	6	21	13	29	9	4	14	63	49	77	3	0	6	18	10	26
Musselshell	6	2	10	123	103	143	78	62	94	2,000	1,918	2,081	3	0	6	153	131	176
Stillwater	9	4	14	69	54	84	72	57	87	600	556	645	9	4	14	57	43	71
Sweetgrass	18	10	26	661	614	707	285	255	316	17,353	17,114	17,592	18	10	26	456	418	495
Wheatland	15	8	22	276	246	306	216	189	243	4,840	4,714	4,966	15	8	22	342	309	376
Yellowstone	18	10	26	219	192	246	219	192	246	3,023	2,924	3,123	18	10	26	201	175	227

Confidence Bounds on Statistical Estimates
Trapping and Snaring Activities

March 27th, 2002 page 4

Montana Fish Wildlife and Parks
1998 Furbearer Survey Report: Confidence Bounds on Statistical Estimates
Trapping and Snaring Activities, by Species and Location

Species: BEAVER

Location	Hunters Trapper	Hunter LowBnd	Hunter UpBnd	Hunter Days	H Days Low Bnd	H Days Up Bnd	Traps Set	Traps Low Bnd	Traps Up Bnd	Trap Days	T Days Low Bnd	T Days Up Bnd	Succes Hunter	S Hunt LowBnd	S Hunt UpBnd	Total Harvest	Harvest Low Bnd	Harvest Up Bnd
DISTRICT 6	33	23	43	883	829	937	426	389	464	11,154	10,962	11,345	30	20	40	718	669	766
Blaine	12	6	18	441	403	479	129	108	150	4,446	4,325	4,567	9	4	14	108	89	127
Hill	9	4	14	102	84	120	123	103	143	2,075	1,992	2,157	9	4	14	270	240	300
Richland	3	0	6	90	73	107	105	86	124	3,152	3,051	3,254	3	0	6	240	212	268
Roosevelt	3	0	6	90	73	107	15	8	22	450	412	489	3	0	6	51	38	64
Sheridan	3	0	6	6	2	10	3	0	6	6	2	10	3	0	6	3	0	6
Valley	9	4	14	153	131	176	51	38	64	1,024	966	1,082	9	4	14	45	33	57
DISTRICT 7	27	18	36	588	544	632	222	195	249	5,407	5,274	5,541	24	15	33	276	246	306
Custer	9	4	14	171	147	195	78	62	94	2,084	2,001	2,166	6	2	10	75	59	91
Dawson	12	6	18	237	209	265	105	86	124	2,153	2,068	2,237	12	6	18	123	103	143
Rosebud	3	0	6	90	73	107	30	20	40	901	846	955	3	0	6	30	20	40
Treasure	3	0	6	90	73	107	9	4	14	270	240	300	3	0	6	48	35	61

Confidence Bounds on Statistical Estimates
Trapping and Snaring Activities

Montana Fish Wildlife and Parks
1998 Furbearer Survey Report: Confidence Bounds on Statistical Estimates
Trapping and Snaring Activities, by Species and Location

Species: OTTER

Location	Hunters Trapper	Hunter LowBnd	Hunter UpBnd	Hunter Days	H Days Low Bnd	H Days Up Bnd	Traps Set	Traps Low Bnd	Traps Up Bnd	Trap Days	T Days Low Bnd	T Days Up Bnd	Succes Hunter	S Hunt LowBnd	S Hunt UpBnd	Total Harvest	Harvest Low Bnd	Harvest Up Bnd
STATEWIDE	102	84	120	1,630	1,557	1,704	661	614	707	22,562	22,290	22,835	87	70	104	270	240	300
DISTRICT 1	21	13	29	174	150	198	90	73	107	964	907	1,020	21	13	29	21	13	29
Flathead	15	8	22	102	84	120	60	46	74	459	420	498	15	8	22	15	8	22
Lincoln	3	0	6	12	6	18	6	2	10	24	15	33	3	0	6	3	0	6
Sanders	3	0	6	60	46	74	24	15	33	480	441	520	3	0	6	3	0	6
DISTRICT 2	15	8	22	330	297	363	216	189	243	9,121	8,948	9,294	9	4	14	177	153	201
Mineral	3	0	6	42	30	54	9	4	14	126	106	146	0	0	0	0	0	0
Missoula	6	2	10	24	15	33	27	18	36	108	89	127	3	0	6	3	0	6
Powell	3	0	6	180	156	204	120	100	140	7,206	7,052	7,360	3	0	6	171	147	195
Ravalli	3	0	6	84	67	101	60	46	74	1,681	1,607	1,756	3	0	6	3	0	6
DISTRICT 3	48	35	61	922	867	977	267	238	297	11,322	11,129	11,515	45	33	57	57	43	71
Beaverhead	6	2	10	126	106	146	21	13	29	336	303	370	6	2	10	9	4	14
Gallatin	9	4	14	171	147	195	45	33	57	1,708	1,633	1,783	9	4	14	9	4	14
Jefferson	9	4	14	318	286	351	114	95	133	7,569	7,411	7,727	9	4	14	15	8	22
Madison	18	10	26	291	260	322	72	57	87	1,657	1,583	1,731	15	8	22	18	10	26
Park	6	2	10	15	8	22	15	8	22	51	38	64	6	2	10	6	2	10
DISTRICT 4	18	10	26	144	122	166	72	57	87	856	803	909	12	6	18	12	6	18
Cascade	12	6	18	84	67	101	48	35	61	519	478	561	12	6	18	12	6	18
Lewis & Clark	6	2	10	60	46	74	24	15	33	336	303	370	0	0	0	0	0	0
DISTRICT 5	3	0	6	60	46	74	15	8	22	300	269	332	3	0	6	3	0	6
Sweetgrass	3	0	6	60	46	74	15	8	22	300	269	332	3	0	6	3	0	6

Montana Fish Wildlife and Parks
1998 Furbearer Survey Report: Confidence Bounds on Statistical Estimates
Trapping and Snaring Activities, by Species and Location

Species: MUSKRAT

Location	Hunters Trapper	Hunter LowBnd	Hunter UpBnd	Hunter Days	H Days Low Bnd	H Days Up Bnd	Traps Set	Traps Low Bnd	Traps Up Bnd	Trap Days	T Days Low Bnd	T Days Up Bnd	Succes Hunter	S Hunt LowBnd	S Hunt UpBnd	Total Harvest	Harvest Low Bnd	Harvest Up Bnd
STATEWIDE	417	380	454	8,824	8,653	8,994	6,350	6,205	6,494	171,288	170,537	172,039	411	375	448	12,243	12,043	12,444
DISTRICT 1	66	51	81	1,174	1,112	1,236	1,141	1,080	1,202	26,297	26,003	26,592	66	51	81	2,270	2,183	2,356
Flathead	45	33	57	748	698	797	688	640	735	12,994	12,787	13,201	45	33	57	1,489	1,419	1,559
Lake	3	0	6	36	25	47	45	33	57	540	498	583	3	0	6	90	73	107
Lincoln	15	8	22	363	329	398	396	360	432	12,655	12,451	12,859	15	8	22	642	597	688
Sanders	3	0	6	27	18	36	12	6	18	108	89	127	3	0	6	48	35	61
DISTRICT 2	57	43	71	1,567	1,495	1,639	970	913	1,026	31,473	31,151	31,795	57	43	71	2,240	2,154	2,326
Deer Lodge	15	8	22	486	446	526	273	243	303	8,136	7,973	8,300	15	8	22	537	495	579
Granite	3	0	6	90	73	107	9	4	14	270	240	300	3	0	6	75	59	91
Mineral	6	2	10	45	33	57	39	28	50	429	392	467	6	2	10	18	10	26
Missoula	12	6	18	96	78	114	117	97	137	1,387	1,319	1,455	12	6	18	69	54	84
Powell	6	2	10	225	198	252	102	84	120	3,513	3,405	3,620	6	2	10	261	232	291
Ravalli	18	10	26	624	579	670	429	392	467	17,738	17,496	17,979	18	10	26	1,279	1,214	1,344
DISTRICT 3	117	97	137	2,858	2,761	2,955	1,804	1,727	1,881	75,550	75,052	76,049	111	92	130	3,495	3,387	3,602
Beaverhead	24	15	33	534	492	576	330	297	363	6,968	6,817	7,120	24	15	33	1,006	948	1,063
Broadwater	3	0	6	9	4	14	108	89	127	324	292	357	3	0	6	78	62	94
Gallatin	33	23	43	964	907	1,020	757	707	806	53,627	53,207	54,048	30	20	40	1,336	1,270	1,402
Jefferson	21	13	29	453	415	492	174	150	198	4,323	4,204	4,443	21	13	29	306	274	338
Madison	21	13	29	402	366	439	207	181	233	4,726	4,601	4,850	21	13	29	252	223	281
Park	21	13	29	495	455	536	228	201	256	5,581	5,446	5,717	18	10	26	516	475	558
DISTRICT 4	84	67	101	1,345	1,278	1,412	1,720	1,645	1,796	25,144	24,857	25,432	84	67	101	2,609	2,516	2,702
Cascade	24	15	33	177	153	201	633	588	679	4,107	3,991	4,223	24	15	33	724	675	772
Chouteau	3	0	6	21	13	29	6	2	10	42	30	54	3	0	6	6	2	10
Fergus	18	10	26	345	312	379	330	297	363	6,896	6,746	7,047	18	10	26	1,000	942	1,057
Lewis & Clark	24	15	33	645	599	692	435	397	473	10,430	10,245	10,615	24	15	33	525	484	567
Liberty	3	0	6	30	20	40	120	100	140	1,201	1,138	1,264	3	0	6	120	100	140
Meagher	3	0	6	90	73	107	72	57	87	2,162	2,077	2,246	3	0	6	117	97	137
Pondera	3	0	6	3	0	6	72	57	87	72	57	87	3	0	6	54	41	67
Teton	9	4	14	33	23	43	51	38	64	234	206	262	9	4	14	63	49	77
DISTRICT 5	66	51	81	1,180	1,118	1,242	429	392	467	9,292	9,117	9,467	66	51	81	709	660	757
Bighorn	9	4	14	78	62	94	30	20	40	348	314	382	9	4	14	39	28	50
Carbon	18	10	26	204	178	230	126	106	146	1,657	1,583	1,731	18	10	26	156	133	179
Musselshell	3	0	6	33	23	43	6	2	10	66	51	81	3	0	6	9	4	14
Stillwater	6	2	10	63	49	77	24	15	33	279	249	310	6	2	10	66	51	81
Sweetgrass	3	0	6	135	114	156	60	46	74	2,702	2,608	2,796	3	0	6	105	86	124
Wheatland	15	8	22	486	446	526	96	78	114	3,026	2,927	3,126	15	8	22	186	161	211
Yellowstone	15	8	22	180	156	204	87	70	104	1,213	1,150	1,276	15	8	22	147	125	169
DISTRICT 6	24	15	33	519	478	561	237	209	265	3,083	2,983	3,184	24	15	33	811	759	862
Blaine	6	2	10	66	51	81	39	28	50	639	594	685	6	2	10	150	128	172
Hill	3	0	6	270	240	300	9	4	14	811	759	862	3	0	6	12	6	18

Confidence Bounds on Statistical Estimates
Trapping and Snaring Activities

March 27th, 2002 page 7

Montana Fish Wildlife and Parks
1998 Furbearer Survey Report: Confidence Bounds on Statistical Estimates
Trapping and Snaring Activities, by Species and Location

Species: MUSKRAT

Location	Hunters Trapper	Hunter LowBnd	Hunter UpBnd	Hunter Days	H Days Low Bnd	H Days Up Bnd	Traps Set	Traps Low Bnd	Traps Up Bnd	Trap Days	T Days Low Bnd	T Days Up Bnd	Succes Hunter	S Hunt LowBnd	S Hunt UpBnd	Total Harvest	Harvest Low Bnd	Harvest Up Bnd
Roosevelt	3	0	6	120	100	140	18	10	26	721	672	769	3	0	6	75	59	91
Sheridan	9	4	14	48	35	61	153	131	176	823	771	875	9	4	14	537	495	579
Valley	3	0	6	15	8	22	18	10	26	90	73	107	3	0	6	36	25	47
DISTRICT 7	12	6	18	180	156	204	48	35	61	447	409	486	12	6	18	111	92	130
Carter	3	0	6	9	4	14	30	20	40	90	73	107	3	0	6	57	43	71
Dawson	6	2	10	81	65	97	9	4	14	87	70	104	6	2	10	51	38	64
Treasure	3	0	6	90	73	107	9	4	14	270	240	300	3	0	6	3	0	6

March 27th, 2002 page 8

Montana Fish Wildlife and Parks
1998 Furbearer Survey Report: Confidence Bounds on Statistical Estimates
Trapping and Snaring Activities, by Species and Location

Species: MINK

Location	Hunters Trapper	Hunter LowBnd	Hunter UpBnd	Hunter Days	H Days Low Bnd	H Days Up Bnd	Traps Set	Traps Low Bnd	Traps Up Bnd	Trap Days	T Days Low Bnd	T Days Up Bnd	Succes Hunter	S Hunt LowBnd	S Hunt UpBnd	Total Harvest	Harvest Low Bnd	Harvest Up Bnd
STATEWIDE	291	260	322	5,491	5,357	5,626	2,549	2,457	2,641	51,730	51,317	52,143	246	218	275	1,078	1,018	1,137
DISTRICT 1	63	49	77	1,105	1,045	1,165	661	614	707	13,381	13,171	13,591	54	41	67	285	255	316
Flathead	45	33	57	760	710	810	501	461	542	9,703	9,525	9,882	39	28	50	249	221	278
Lake	3	0	6	30	20	40	12	6	18	120	100	140	3	0	6	6	2	10
Lincoln	18	10	26	315	283	347	147	125	169	3,558	3,450	3,666	12	6	18	30	20	40
DISTRICT 2	27	18	36	766	715	816	360	326	395	8,394	8,228	8,561	24	15	33	162	139	185
Deer Lodge	9	4	14	315	283	347	99	81	117	3,107	3,006	3,209	9	4	14	66	51	81
Missoula	6	2	10	72	57	87	72	57	87	769	718	819	6	2	10	45	33	57
Powell	6	2	10	225	198	252	81	65	97	2,567	2,475	2,659	6	2	10	27	18	36
Ravalli	9	4	14	153	131	176	108	89	127	1,952	1,871	2,032	6	2	10	24	15	33
DISTRICT 3	84	67	101	1,555	1,484	1,627	805	753	856	15,444	15,218	15,669	66	51	81	309	277	341
Beaverhead	18	10	26	192	167	217	393	357	429	5,365	5,232	5,498	18	10	26	87	70	104
Broadwater	3	0	6	9	4	14	18	10	26	54	41	67	0	0	0	0	0	0
Gallatin	30	20	40	727	678	775	135	114	156	4,750	4,625	4,875	21	13	29	105	86	124
Jefferson	12	6	18	285	255	316	66	51	81	2,237	2,151	2,323	6	2	10	27	18	36
Madison	6	2	10	135	114	156	30	20	40	721	672	769	6	2	10	39	28	50
Park	15	8	22	207	181	233	162	139	185	2,318	2,230	2,405	15	8	22	51	38	64
DISTRICT 4	69	54	84	1,105	1,045	1,165	417	380	454	8,187	8,023	8,351	66	51	81	171	147	195
Cascade	24	15	33	285	255	316	96	78	114	2,726	2,631	2,821	24	15	33	24	15	33
Chouteau	3	0	6	15	8	22	18	10	26	90	73	107	3	0	6	3	0	6
Fergus	6	2	10	108	89	127	48	35	61	889	835	943	6	2	10	15	8	22
Lewis & Clark	24	15	33	633	588	679	177	153	201	3,960	3,846	4,074	21	13	29	90	73	107
Liberty	3	0	6	21	13	29	54	41	67	378	343	414	3	0	6	15	8	22
Pondera	3	0	6	21	13	29	15	8	22	105	86	124	3	0	6	15	8	22
Teton	6	2	10	21	13	29	9	4	14	39	28	50	6	2	10	9	4	14
DISTRICT 5	36	25	47	829	776	881	189	164	214	5,101	4,971	5,231	30	20	40	120	100	140
Bighorn	6	2	10	78	62	94	15	8	22	204	178	230	3	0	6	6	2	10
Carbon	6	2	10	114	95	133	18	10	26	366	332	401	3	0	6	3	0	6
Stillwater	3	0	6	45	33	57	15	8	22	225	198	252	3	0	6	3	0	6
Sweetgrass	3	0	6	135	114	156	30	20	40	1,351	1,284	1,418	3	0	6	18	10	26
Wheatland	12	6	18	384	349	420	63	49	77	2,354	2,266	2,442	12	6	18	75	59	91
Yellowstone	6	2	10	72	57	87	48	35	61	600	556	645	6	2	10	15	8	22
DISTRICT 6	6	2	10	75	59	91	63	49	77	856	803	909	6	2	10	27	18	36
Hill	3	0	6	30	20	40	18	10	26	180	156	204	3	0	6	6	2	10
Richland	3	0	6	45	33	57	45	33	57	676	628	723	3	0	6	21	13	29
DISTRICT 7	9	4	14	57	43	71	54	41	67	366	332	401	3	0	6	3	0	6
Custer	6	2	10	42	30	54	48	35	61	336	303	370	3	0	6	3	0	6
Dawson	3	0	6	15	8	22	6	2	10	30	20	40	0	0	0	0	0	0

Confidence Bounds on Statistical Estimates
Trapping and Snaring Activities

March 27th, 2002 page 9

Montana Fish Wildlife and Parks
1998 Furbearer Survey Report: Confidence Bounds on Statistical Estimates
Trapping and Snaring Activities, by Species and Location

Species: MARTEN

Location	Hunters Trapper	Hunter LowBnd	Hunter UpBnd	Hunter Days	H Days Low Bnd	H Days Up Bnd	Traps Set	Traps Low Bnd	Traps Up Bnd	Trap Days	T Days Low Bnd	T Days Up Bnd	Succes Hunter	S Hunt LowBnd	S Hunt UpBnd	Total Harvest	Harvest Low Bnd	Harvest Up Bnd
STATEWIDE	126	106	146	3,116	3,015	3,218	1,846	1,768	1,924	54,168	53,746	54,590	99	81	117	796	744	847
DISTRICT 1	60	46	74	1,561	1,490	1,633	892	838	946	34,034	33,700	34,369	48	35	61	603	559	648
Flathead	36	25	47	799	747	850	528	487	570	15,822	15,594	16,050	27	18	36	366	332	401
Lake	6	2	10	60	46	74	60	46	74	600	556	645	6	2	10	30	20	40
Lincoln	15	8	22	667	620	713	285	255	316	17,395	17,156	17,635	15	8	22	207	181	233
Sanders	3	0	6	36	25	47	18	10	26	216	189	243	0	0	0	0	0	0
DISTRICT 2	27	18	36	642	597	688	354	320	388	11,742	11,545	11,939	24	15	33	111	92	130
Deer Lodge	6	2	10	66	51	81	51	38	64	718	669	766	6	2	10	6	2	10
Granite	9	4	14	141	120	163	48	35	61	817	765	868	6	2	10	21	13	29
Missoula	3	0	6	45	33	57	60	46	74	901	846	955	3	0	6	24	15	33
Ravalli	9	4	14	390	354	426	195	170	220	9,307	9,132	9,482	9	4	14	60	46	74
DISTRICT 3	27	18	36	630	585	676	276	246	306	5,734	5,597	5,872	21	13	29	63	49	77
Beaverhead	6	2	10	63	49	77	60	46	74	630	585	676	3	0	6	3	0	6
Gallatin	12	6	18	204	178	230	135	114	156	2,411	2,322	2,500	9	4	14	48	35	61
Jefferson	6	2	10	294	263	325	51	38	64	2,312	2,225	2,399	3	0	6	6	2	10
Madison	3	0	6	30	20	40	3	0	6	30	20	40	3	0	6	3	0	6
Park	3	0	6	39	28	50	27	18	36	351	317	385	3	0	6	3	0	6
DISTRICT 4	15	8	22	267	238	297	99	81	117	1,531	1,460	1,602	9	4	14	9	4	14
Glacier	6	2	10	42	30	54	54	41	67	378	343	414	3	0	6	3	0	6
Lewis & Clark	9	4	14	225	198	252	45	33	57	1,153	1,091	1,214	6	2	10	6	2	10
DISTRICT 5	3	0	6	15	8	22	225	198	252	1,126	1,065	1,187	3	0	6	9	4	14
Carbon	3	0	6	15	8	22	225	198	252	1,126	1,065	1,187	3	0	6	9	4	14

March 27th, 2002 page 10

Species: FISHER

Location	Hunters Trapper	Hunter LowBnd	Hunter UpBnd	Hunter Days	H Days Low Bnd	H Days Up Bnd	Traps Set	Traps Low Bnd	Traps Up Bnd	Trap Days	T Days Low Bnd	T Days Up Bnd	Succes Hunter	S Hunt LowBnd	S Hunt UpBnd	Total Harvest	Harvest Low Bnd	Harvest Up Bnd
STATEWIDE	15	8	22	438	400	476	138	117	159	5,909	5,769	6,048	9	4	14	9	4	14
DISTRICT 1	9	4	14	324	292	357	93	76	111	5,218	5,087	5,349	3	0	6	3	0	6
Lake	3	0	6	30	20	40	9	4	14	90	73	107	0	0	0	0	0	0
Lincoln	3	0	6	219	192	246	63	49	77	4,603	4,479	4,726	3	0	6	3	0	6
Sanders	3	0	6	75	59	91	21	13	29	525	484	567	0	0	0	0	0	0
DISTRICT 2	6	2	10	114	95	133	45	33	57	691	643	738	6	2	10	6	2	10
Mineral	3	0	6	24	15	33	30	20	40	240	212	268	3	0	6	3	0	6
Ravalli	3	0	6	90	73	107	15	8	22	450	412	489	3	0	6	3	0	6

Confidence Bounds on Statistical Estimates
Trapping and Snaring Activities

March 27th, 2002 page 11

Montana Fish Wildlife and Parks
1998 Furbearer Survey Report: Confidence Bounds on Statistical Estimates
Trapping and Snaring Activities, by Species and Location

Species: WOLVERINE

Location	Hunters Trapper	Hunter LowBnd	Hunter UpBnd	Hunter Days	H Days Low Bnd	H Days Up Bnd	Traps Set	Traps Low Bnd	Traps Up Bnd	Trap Days	T Days Low Bnd	T Days Up Bnd	Succes Hunter	S Hunt LowBnd	S Hunt UpBnd	Total Harvest	Harvest Low Bnd	Harvest Up Bnd
STATEWIDE	33	23	43	991	934	1,048	111	92	130	2,966	2,867	3,065	9	4	14	9	4	14
DISTRICT 1	9	4	14	330	297	363	24	15	33	811	759	862	0	0	0	0	0	0
Lake	3	0	6	30	20	40	6	2	10	60	46	74	0	0	0	0	0	0
Lincoln	3	0	6	225	198	252	6	2	10	450	412	489	0	0	0	0	0	0
Sanders	3	0	6	75	59	91	12	6	18	300	269	332	0	0	0	0	0	0
DISTRICT 2	3	0	6	90	73	107	15	8	22	450	412	489	0	0	0	0	0	0
Ravalli	3	0	6	90	73	107	15	8	22	450	412	489	0	0	0	0	0	0
DISTRICT 3	3	0	6	60	46	74	6	2	10	60	46	74	3	0	6	3	0	6
Gallatin	3	0	6	30	20	40	3	0	6	30	20	40	3	0	6	3	0	6
Madison	3	0	6	30	20	40	3	0	6	30	20	40	0	0	0	0	0	0
DISTRICT 4	18	10	26	510	469	551	66	51	81	1,645	1,572	1,719	6	2	10	6	2	10
Cascade	3	0	6	21	13	29	6	2	10	42	30	54	3	0	6	3	0	6
Lewis & Clark	3	0	6	90	73	107	21	13	29	630	585	676	0	0	0	0	0	0
Meagher	9	4	14	174	150	198	33	23	43	522	481	564	3	0	6	3	0	6
Teton	3	0	6	225	198	252	6	2	10	450	412	489	0	0	0	0	0	0

March 27th, 2002 page 12

Species: LYNX

Location	Hunters Trapper	Hunter LowBnd	Hunter UpBnd	Hunter Days	H Days Low Bnd	H Days Up Bnd	Traps Set	Traps Low Bnd	Traps Up Bnd	Trap Days	T Days Low Bnd	T Days Up Bnd	Succes Hunter	S Hunt LowBnd	S Hunt UpBnd	Total Harvest	Harvest Low Bnd	Harvest Up Bnd
STATEWIDE	27	18	36	369	334	404	132	111	153	1,630	1,557	1,704	6	2	10	6	2	10
DISTRICT 1	3	0	6	6	2	10	3	0	6	6	2	10	0	0	0	0	0	0
Lincoln	3	0	6	6	2	10	3	0	6	6	2	10	0	0	0	0	0	0
DISTRICT 2	6	2	10	93	76	111	27	18	36	462	423	501	3	0	6	3	0	6
Missoula	3	0	6	3	0	6	12	6	18	12	6	18	3	0	6	3	0	6
Ravalli	3	0	6	90	73	107	15	8	22	450	412	489	0	0	0	0	0	0
DISTRICT 3	3	0	6	3	0	6	45	33	57	45	33	57	0	0	0	0	0	0
Beaverhead	3	0	6	3	0	6	45	33	57	45	33	57	0	0	0	0	0	0
DISTRICT 4	15	8	22	267	238	297	57	43	71	1,117	1,056	1,177	3	0	6	3	0	6
Chouteau	3	0	6	90	73	107	6	2	10	180	156	204	3	0	6	3	0	6
Lewis & Clark	3	0	6	90	73	107	21	13	29	630	585	676	0	0	0	0	0	0
Meagher	3	0	6	21	13	29	6	2	10	42	30	54	0	0	0	0	0	0
Teton	6	2	10	66	51	81	24	15	33	264	235	294	0	0	0	0	0	0

Confidence Bounds on Statistical Estimates
Trapping and Snaring Activities

Montana Fish Wildlife and Parks
1998 Furbearer Survey Report: Confidence Bounds on Statistical Estimates
Trapping and Snaring Activities, by Species and Location

Species: BOBCAT

Location	Hunters Trapper	Hunter LowBnd	Hunter UpBnd	Hunter Days	H Days Low Bnd	H Days Up Bnd	Traps Set	Traps Low Bnd	Traps Up Bnd	Trap Days	T Days Low Bnd	T Days Up Bnd	Succes Hunter	S Hunt LowBnd	S Hunt UpBnd	Total Harvest	Harvest Low Bnd	Harvest Up Bnd
STATEWIDE	336	303	370	11,340	11,147	11,533	3,798	3,686	3,910	169,304	168,557	170,050	210	184	236	597	553	642
DISTRICT 1	45	33	57	1,039	980	1,097	441	403	479	13,769	13,556	13,982	30	20	40	84	67	101
Flathead	12	6	18	288	257	319	162	139	185	4,750	4,625	4,875	12	6	18	39	28	50
Lake	3	0	6	30	20	40	12	6	18	120	100	140	0	0	0	0	0	0
Lincoln	18	10	26	525	484	567	168	145	192	7,278	7,123	7,432	6	2	10	24	15	33
Sanders	15	8	22	195	170	220	99	81	117	1,621	1,548	1,694	12	6	18	21	13	29
DISTRICT 2	39	28	50	1,207	1,144	1,270	435	397	473	18,179	17,934	18,424	27	18	36	63	49	77
Granite	6	2	10	198	173	224	30	20	40	1,063	1,004	1,122	3	0	6	3	0	6
Mineral	3	0	6	21	13	29	9	4	14	63	49	77	0	0	0	0	0	0
Missoula	12	6	18	312	280	344	114	95	133	3,092	2,991	3,193	12	6	18	33	23	43
Powell	6	2	10	135	114	156	54	41	67	1,261	1,197	1,325	3	0	6	6	2	10
Ravalli	12	6	18	540	498	583	228	201	256	12,700	12,495	12,904	9	4	14	21	13	29
DISTRICT 3	75	59	91	2,141	2,057	2,225	925	870	980	34,572	34,234	34,909	48	35	61	129	108	150
Beaverhead	9	4	14	402	366	439	231	204	259	11,559	11,364	11,754	9	4	14	36	25	47
Broadwater	3	0	6	30	20	40	3	0	6	30	20	40	3	0	6	6	2	10
Gallatin	6	2	10	180	156	204	54	41	67	1,681	1,607	1,756	0	0	0	0	0	0
Jefferson	9	4	14	354	320	388	96	78	114	5,032	4,903	5,161	3	0	6	6	2	10
Madison	21	13	29	582	539	626	201	175	227	7,308	7,153	7,463	15	8	22	30	20	40
Park	18	10	26	414	377	451	201	175	227	6,482	6,336	6,628	15	8	22	39	28	50
Silver Bow	9	4	14	177	153	201	138	117	159	2,480	2,390	2,570	3	0	6	12	6	18
DISTRICT 4	75	59	91	2,654	2,561	2,748	709	660	757	27,051	26,752	27,349	39	28	50	111	92	130
Cascade	15	8	22	429	392	467	117	97	137	4,254	4,136	4,373	12	6	18	21	13	29
Chouteau	6	2	10	150	128	172	93	76	111	2,612	2,519	2,705	6	2	10	15	8	22
Fergus	6	2	10	195	170	220	78	62	94	2,012	1,930	2,093	3	0	6	15	8	22
Judith Basin	6	2	10	360	326	395	81	65	97	4,864	4,737	4,990	3	0	6	3	0	6
Lewis & Clark	30	20	40	1,003	945	1,060	264	235	294	9,673	9,495	9,852	12	6	18	30	20	40
Liberty	3	0	6	51	38	64	9	4	14	153	131	176	0	0	0	0	0	0
Meagher	6	2	10	270	240	300	54	41	67	2,702	2,608	2,796	3	0	6	27	18	36
Teton	3	0	6	195	170	220	12	6	18	781	730	831	0	0	0	0	0	0
DISTRICT 5	48	35	61	2,027	1,945	2,108	835	782	887	54,711	54,287	55,136	30	20	40	129	108	150
Bighorn	3	0	6	39	28	50	21	13	29	273	243	303	0	0	0	0	0	0
Carbon	21	13	29	811	759	862	246	218	275	14,381	14,164	14,599	15	8	22	21	13	29
Golden Valley	6	2	10	153	131	176	84	67	101	2,114	2,030	2,197	3	0	6	9	4	14
Musselshell	3	0	6	90	73	107	18	10	26	540	498	583	3	0	6	9	4	14
Stillwater	6	2	10	132	111	153	36	25	47	889	835	943	3	0	6	9	4	14
Sweetgrass	9	4	14	606	562	651	393	357	429	34,172	33,837	34,508	6	2	10	75	59	91
Yellowstone	3	0	6	195	170	220	36	25	47	2,342	2,254	2,430	3	0	6	6	2	10

Confidence Bounds on Statistical Estimates
Trapping and Snaring Activities

March 27th, 2002 page 14

Montana Fish Wildlife and Parks
1998 Furbearer Survey Report: Confidence Bounds on Statistical Estimates
Trapping and Snaring Activities, by Species and Location

Species: BOBCAT

Location	Hunters Trapper	Hunter LowBnd	Hunter UpBnd	Hunter Days	H Days Low Bnd	H Days Up Bnd	Traps Set	Traps Low Bnd	Traps Up Bnd	Trap Days	T Days Low Bnd	T Days Up Bnd	Succes Hunter	S Hunt LowBnd	S Hunt UpBnd	Total Harvest	Harvest Low Bnd	Harvest Up Bnd
DISTRICT 6	9	4	14	537	495	579	60	46	74	2,222	2,136	2,307	6	2	10	9	4	14
Blaine	3	0	6	240	212	268	9	4	14	721	672	769	3	0	6	3	0	6
Hill	6	2	10	285	255	316	21	13	29	1,381	1,314	1,448	6	2	10	6	2	10
Phillips	3	0	6	12	6	18	30	20	40	120	100	140	0	0	0	0	0	0
DISTRICT 7	45	33	57	1,735	1,660	1,811	393	357	429	18,801	18,552	19,049	30	20	40	72	57	87
Carter	3	0	6	180	156	204	24	15	33	1,441	1,372	1,510	3	0	6	6	2	10
Custer	9	4	14	174	150	198	102	84	120	1,982	1,901	2,062	0	0	0	0	0	0
Dawson	9	4	14	195	170	220	39	28	50	802	750	853	6	2	10	6	2	10
Garfield	6	2	10	210	184	236	63	49	77	2,882	2,785	2,980	3	0	6	9	4	14
Powder River	9	4	14	480	441	520	84	67	101	6,545	6,398	6,692	9	4	14	42	30	54
Prairie	3	0	6	135	114	156	45	33	57	2,027	1,945	2,108	3	0	6	3	0	6
Rosebud	3	0	6	60	46	74	6	2	10	120	100	140	3	0	6	3	0	6
Treasure	3	0	6	300	269	332	30	20	40	3,002	2,903	3,102	3	0	6	3	0	6

March 27th, 2002 page 15

Species: WEASEL

Location	Hunters Trapper	Hunter LowBnd	Hunter UpBnd	Hunter Days	H Days Low Bnd	H Days Up Bnd	Traps Set	Traps Low Bnd	Traps Up Bnd	Trap Days	T Days Low Bnd	T Days Up Bnd	Succes Hunter	S Hunt LowBnd	S Hunt UpBnd	Total Harvest	Harvest Low Bnd	Harvest Up Bnd
STATEWIDE	81	65	97	1,621	1,548	1,694	618	573	664	16,333	16,101	16,564	72	57	87	246	218	275
DISTRICT 1	36	25	47	895	840	949	303	272	335	8,695	8,526	8,864	36	25	47	144	122	166
Flathead	27	18	36	579	536	623	207	181	233	5,170	5,040	5,300	27	18	36	96	78	114
Lincoln	12	6	18	315	283	347	96	78	114	3,525	3,417	3,632	9	4	14	48	35	61
DISTRICT 2	24	15	33	387	352	423	183	159	208	4,705	4,580	4,829	21	13	29	48	35	61
Deer Lodge	6	2	10	105	86	124	45	33	57	946	890	1,002	6	2	10	9	4	14
Granite	3	0	6	63	49	77	12	6	18	252	223	281	3	0	6	3	0	6
Missoula	6	2	10	66	51	81	36	25	47	408	372	445	6	2	10	12	6	18
Ravalli	9	4	14	153	131	176	90	73	107	3,098	2,997	3,199	6	2	10	24	15	33
DISTRICT 3	6	2	10	66	51	81	24	15	33	264	235	294	6	2	10	9	4	14
Gallatin	3	0	6	21	13	29	12	6	18	84	67	101	3	0	6	3	0	6
Jefferson	3	0	6	45	33	57	12	6	18	180	156	204	3	0	6	6	2	10
DISTRICT 4	12	6	18	270	240	300	105	86	124	2,666	2,572	2,760	6	2	10	42	30	54
Lewis & Clark	12	6	18	270	240	300	105	86	124	2,666	2,572	2,760	6	2	10	42	30	54
DISTRICT 5	3	0	6	3	0	6	3	0	6	3	0	6	3	0	6	3	0	6
Stillwater	3	0	6	3	0	6	3	0	6	3	0	6	3	0	6	3	0	6

Confidence Bounds on Statistical Estimates
Trapping and Snaring Activities

March 27th, 2002 page 16

Montana Fish Wildlife and Parks
1998 Furbearer Survey Report: Confidence Bounds on Statistical Estimates
Trapping and Snaring Activities, by Species and Location

Species: SKUNK

Location	Hunters Trapper	Hunter LowBnd	Hunter UpBnd	Hunter Days	H Days Low Bnd	H Days Up Bnd	Traps Set	Traps Low Bnd	Traps Up Bnd	Trap Days	T Days Low Bnd	T Days Up Bnd	Succes Hunter	S Hunt LowBnd	S Hunt UpBnd	Total Harvest	Harvest Low Bnd	Harvest Up Bnd
STATEWIDE	195	170	220	4,738	4,613	4,863	1,315	1,249	1,381	39,198	38,839	39,558	189	164	214	1,507	1,437	1,578
DISTRICT 1	18	10	26	240	212	268	63	49	77	847	794	899	18	10	26	84	67	101
Flathead	18	10	26	240	212	268	63	49	77	847	794	899	18	10	26	84	67	101
DISTRICT 2	27	18	36	937	881	992	279	249	310	11,286	11,093	11,478	27	18	36	246	218	275
Granite	3	0	6	42	30	54	72	57	87	1,009	951	1,066	3	0	6	27	18	36
Mineral	3	0	6	9	4	14	12	6	18	36	25	47	3	0	6	3	0	6
Missoula	6	2	10	222	195	249	33	23	43	600	556	645	6	2	10	12	6	18
Powell	3	0	6	30	20	40	9	4	14	90	73	107	3	0	6	6	2	10
Ravalli	15	8	22	633	588	679	153	131	176	9,550	9,373	9,728	15	8	22	198	173	224
DISTRICT 3	42	30	54	603	559	648	312	280	344	6,089	5,947	6,230	42	30	54	339	306	373
Beaverhead	9	4	14	102	84	120	99	81	117	1,231	1,167	1,295	9	4	14	75	59	91
Broadwater	3	0	6	30	20	40	3	0	6	30	20	40	3	0	6	3	0	6
Gallatin	15	8	22	267	238	297	105	86	124	2,282	2,195	2,368	15	8	22	150	128	172
Jefferson	3	0	6	120	100	140	60	46	74	2,402	2,313	2,491	3	0	6	69	54	84
Madison	6	2	10	24	15	33	36	25	47	54	41	67	6	2	10	18	10	26
Park	3	0	6	30	20	40	6	2	10	60	46	74	3	0	6	9	4	14
Silver Bow	3	0	6	30	20	40	3	0	6	30	20	40	3	0	6	15	8	22
DISTRICT 4	51	38	64	1,054	995	1,113	225	198	252	5,311	5,179	5,443	45	33	57	339	306	373
Cascade	12	6	18	336	303	370	39	28	50	1,282	1,217	1,347	12	6	18	93	76	111
Chouteau	6	2	10	24	15	33	21	13	29	39	28	50	6	2	10	18	10	26
Fergus	3	0	6	45	33	57	30	20	40	450	412	489	3	0	6	9	4	14
Lewis & Clark	18	10	26	408	372	445	78	62	94	1,492	1,422	1,562	12	6	18	75	59	91
Meagher	3	0	6	150	128	172	33	23	43	1,651	1,578	1,725	3	0	6	90	73	107
Pondera	3	0	6	75	59	91	15	8	22	375	340	410	3	0	6	33	23	43
Teton	6	2	10	15	8	22	9	4	14	21	13	29	6	2	10	21	13	29
DISTRICT 5	33	23	43	973	916	1,029	267	238	297	7,740	7,580	7,900	33	23	43	273	243	303
Bighorn	3	0	6	48	35	61	30	20	40	480	441	520	3	0	6	12	6	18
Carbon	9	4	14	195	170	220	123	103	143	2,387	2,298	2,475	9	4	14	27	18	36
Musselshell	3	0	6	3	0	6	3	0	6	3	0	6	3	0	6	3	0	6
Stillwater	6	2	10	240	212	268	24	15	33	1,081	1,021	1,140	6	2	10	156	133	179
Wheatland	3	0	6	300	269	332	18	10	26	1,801	1,724	1,878	3	0	6	3	0	6
Yellowstone	9	4	14	186	161	211	69	54	84	1,988	1,907	2,068	9	4	14	72	57	87
DISTRICT 6	3	0	6	9	4	14	6	2	10	18	10	26	3	0	6	15	8	22
Mccone	3	0	6	9	4	14	6	2	10	18	10	26	3	0	6	15	8	22
DISTRICT 7	21	13	29	922	867	977	162	139	185	7,908	7,747	8,069	21	13	29	210	184	236
Carter	9	4	14	676	628	723	84	67	101	6,305	6,161	6,449	9	4	14	138	117	159
Custer	3	0	6	54	41	67	9	4	14	162	139	185	3	0	6	12	6	18
Dawson	3	0	6	42	30	54	30	20	40	420	383	458	3	0	6	18	10	26
Powder River	3	0	6	60	46	74	15	8	22	300	269	332	3	0	6	12	6	18
Treasure	3	0	6	90	73	107	24	15	33	721	672	769	3	0	6	30	20	40

Confidence Bounds on Statistical Estimates
Trapping and Snaring Activities

Montana Fish Wildlife and Parks
1998 Furbearer Survey Report: Confidence Bounds on Statistical Estimates
Trapping and Snaring Activities, by Species and Location

Species: COYOTE

Location	Hunters Trapper	Hunter LowBnd	Hunter UpBnd	Hunter Days	H Days Low Bnd	H Days Up Bnd	Traps Set	Traps Low Bnd	Traps Up Bnd	Trap Days	T Days Low Bnd	T Days Up Bnd	Succes Hunter	S Hunt LowBnd	S Hunt UpBnd	Total Harvest	Harvest Low Bnd	Harvest Up Bnd
STATEWIDE	360	326	395	12,574	12,370	12,777	6,407	6,262	6,552	285,043	284,075	286,012	318	286	351	3,735	3,624	3,846
DISTRICT 1	21	13	29	525	484	567	108	89	127	2,513	2,422	2,604	12	6	18	39	28	50
Flathead	15	8	22	345	312	379	72	57	87	1,432	1,363	1,501	9	4	14	27	18	36
Lincoln	6	2	10	180	156	204	36	25	47	1,081	1,021	1,140	3	0	6	12	6	18
DISTRICT 2	42	30	54	1,795	1,719	1,872	883	829	937	44,641	44,258	45,025	42	30	54	802	750	853
Deer Lodge	3	0	6	195	170	220	72	57	87	4,684	4,559	4,808	3	0	6	36	25	47
Granite	6	2	10	237	209	265	126	106	146	4,521	4,399	4,643	6	2	10	57	43	71
Mineral	3	0	6	30	20	40	3	0	6	30	20	40	3	0	6	3	0	6
Powell	15	8	22	618	573	664	363	329	398	19,536	19,283	19,790	15	8	22	399	363	436
Ravalli	18	10	26	715	666	763	318	286	351	15,870	15,642	16,099	18	10	26	306	274	338
DISTRICT 3	99	81	117	2,807	2,711	2,903	1,369	1,302	1,436	62,190	61,738	62,643	90	73	107	868	814	921
Beaverhead	15	8	22	435	397	473	291	260	322	15,708	15,481	15,936	15	8	22	96	78	114
Broadwater	3	0	6	30	20	40	30	20	40	300	269	332	3	0	6	12	6	18
Gallatin	15	8	22	606	562	651	213	187	240	14,843	14,622	15,065	9	4	14	273	243	303
Jefferson	9	4	14	435	397	473	216	189	243	10,763	10,575	10,952	9	4	14	201	175	227
Madison	24	15	33	790	739	841	306	274	338	12,063	11,864	12,263	24	15	33	162	139	185
Park	24	15	33	372	337	407	207	181	233	5,897	5,757	6,036	21	13	29	54	41	67
Silver Bow	9	4	14	138	117	159	105	86	124	2,615	2,522	2,708	9	4	14	69	54	84
DISTRICT 4	102	84	120	2,972	2,873	3,071	1,870	1,792	1,949	57,816	57,379	58,252	87	70	104	835	782	887
Cascade	21	13	29	477	438	517	270	240	300	9,625	9,447	9,803	15	8	22	129	108	150
Chouteau	21	13	29	588	544	632	459	420	498	19,107	18,856	19,358	21	13	29	345	312	379
Fergus	15	8	22	429	392	467	210	184	236	5,954	5,814	6,094	15	8	22	54	41	67
Lewis & Clark	24	15	33	865	811	918	639	594	685	15,084	14,861	15,306	15	8	22	174	150	198
Liberty	6	2	10	390	354	426	54	41	67	4,413	4,293	4,534	6	2	10	18	10	26
Meagher	6	2	10	132	111	153	174	150	198	2,822	2,726	2,919	6	2	10	84	67	101
Petroleum	3	0	6	6	2	10	6	2	10	12	6	18	3	0	6	6	2	10
Teton	6	2	10	84	67	101	57	43	71	799	747	850	6	2	10	24	15	33
DISTRICT 5	42	30	54	1,774	1,698	1,851	1,099	1,039	1,159	67,579	67,108	68,051	39	28	50	507	467	548
Bighorn	9	4	14	495	455	536	270	240	300	18,014	17,770	18,257	9	4	14	99	81	117
Carbon	18	10	26	871	817	924	636	591	682	41,147	40,779	41,515	18	10	26	327	294	360
Golden Valley	3	0	6	90	73	107	9	4	14	270	240	300	0	0	0	0	0	0
Stillwater	3	0	6	90	73	107	18	10	26	540	498	583	3	0	6	30	20	40
Sweetgrass	3	0	6	180	156	204	120	100	140	7,206	7,052	7,360	3	0	6	45	33	57
Yellowstone	6	2	10	48	35	61	45	33	57	402	366	439	6	2	10	6	2	10
DISTRICT 6	15	8	22	832	779	884	336	303	370	10,736	10,548	10,924	15	8	22	255	226	284
Blaine	6	2	10	360	326	395	42	30	54	1,621	1,548	1,694	6	2	10	9	4	14
Hill	9	4	14	411	375	448	222	195	249	7,674	7,515	7,833	9	4	14	198	173	224
Valley	3	0	6	60	46	74	72	57	87	1,441	1,372	1,510	3	0	6	48	35	61

Confidence Bounds on Statistical Estimates
Trapping and Snaring Activities

Montana Fish Wildlife and Parks
1998 Furbearer Survey Report: Confidence Bounds on Statistical Estimates
Trapping and Snaring Activities, by Species and Location

Species: COYOTE

Location	Hunters Trapper	Hunter LowBnd	Hunter UpBnd	Hunter Days	H Days Low Bnd	H Days Up Bnd	Traps Set	Traps Low Bnd	Traps Up Bnd	Trap Days	T Days Low Bnd	T Days Up Bnd	Succes Hunter	S Hunt LowBnd	S Hunt UpBnd	Total Harvest	Harvest Low Bnd	Harvest Up Bnd
DISTRICT 7	42	30	54	1,867	1,789	1,946	742	692	791	39,568	39,207	39,928	36	25	47	429	392	467
Carter	6	2	10	450	412	489	120	100	140	9,908	9,727	10,088	3	0	6	90	73	107
Custer	3	0	6	60	46	74	24	15	33	480	441	520	3	0	6	3	0	6
Dawson	6	2	10	168	145	192	36	25	47	985	928	1,042	6	2	10	18	10	26
Fallon	3	0	6	180	156	204	18	10	26	1,081	1,021	1,140	3	0	6	12	6	18
Garfield	3	0	6	240	212	268	75	59	91	6,005	5,864	6,145	3	0	6	60	46	74
Powder River	3	0	6	60	46	74	30	20	40	600	556	645	3	0	6	15	8	22
Prairie	3	0	6	135	114	156	45	33	57	2,027	1,945	2,108	3	0	6	33	23	43
Rosebud	9	4	14	123	103	143	261	232	291	3,711	3,600	3,821	6	2	10	45	33	57
Treasure	6	2	10	450	412	489	132	111	153	14,771	14,551	14,992	6	2	10	153	131	176

March 27th, 2002 page 19

Montana Fish Wildlife and Parks
1998 Furbearer Survey Report: Confidence Bounds on Statistical Estimates
Trapping and Snaring Activities, by Species and Location

Species: FOX

Location	Hunters Trapper	Hunter LowBnd	Hunter UpBnd	Hunter Days	H Days Low Bnd	H Days Up Bnd	Traps Set	Traps Low Bnd	Traps Up Bnd	Trap Days	T Days Low Bnd	T Days Up Bnd	Succes Hunter	S Hunt LowBnd	S Hunt UpBnd	Total Harvest	Harvest Low Bnd	Harvest Up Bnd
STATEWIDE	255	226	284	7,485	7,328	7,642	3,270	3,166	3,373	128,367	127,717	129,017	243	215	271	1,921	1,842	2,001
DISTRICT 1	9	4	14	156	133	179	51	38	64	967	910	1,023	9	4	14	27	18	36
Flathead	9	4	14	156	133	179	51	38	64	967	910	1,023	9	4	14	27	18	36
DISTRICT 2	33	23	43	1,012	954	1,069	375	340	410	13,724	13,511	13,936	33	23	43	210	184	236
Deer Lodge	6	2	10	144	122	166	27	18	36	630	585	676	6	2	10	12	6	18
Granite	3	0	6	42	30	54	72	57	87	1,009	951	1,066	3	0	6	6	2	10
Missoula	3	0	6	45	33	57	9	4	14	135	114	156	3	0	6	6	2	10
Powell	3	0	6	18	10	26	15	8	22	90	73	107	3	0	6	3	0	6
Ravalli	18	10	26	763	712	813	252	223	281	11,859	11,662	12,057	18	10	26	183	159	208
DISTRICT 3	60	46	74	1,318	1,252	1,384	763	712	813	23,673	23,394	23,952	54	41	67	288	257	319
Beaverhead	9	4	14	213	187	240	81	65	97	2,792	2,696	2,888	9	4	14	51	38	64
Broadwater	3	0	6	3	0	6	30	20	40	30	20	40	3	0	6	6	2	10
Gallatin	15	8	22	255	226	284	156	133	179	3,933	3,819	4,047	9	4	14	54	41	67
Jefferson	6	2	10	210	184	236	162	139	185	5,134	5,004	5,264	6	2	10	33	23	43
Madison	9	4	14	360	326	395	198	173	224	8,376	8,210	8,543	9	4	14	87	70	104
Park	12	6	18	228	201	256	102	84	120	2,954	2,856	3,053	12	6	18	36	25	47
Silver Bow	6	2	10	48	35	61	33	23	43	453	415	492	6	2	10	21	13	29
DISTRICT 4	66	51	81	1,546	1,475	1,618	576	533	620	15,327	15,102	15,551	60	46	74	378	343	414
Cascade	18	10	26	423	386	461	126	106	146	4,897	4,770	5,024	15	8	22	87	70	104
Chouteau	6	2	10	120	100	140	48	35	61	1,081	1,021	1,140	6	2	10	27	18	36
Fergus	6	2	10	120	100	140	105	86	124	2,102	2,018	2,185	6	2	10	12	6	18
Judith Basin	3	0	6	90	73	107	30	20	40	901	846	955	3	0	6	3	0	6
Lewis & Clark	21	13	29	495	455	536	180	156	204	4,666	4,542	4,790	18	10	26	66	51	81
Liberty	6	2	10	180	156	204	27	18	36	676	628	723	6	2	10	27	18	36
Pondera	3	0	6	75	59	91	15	8	22	375	340	410	3	0	6	135	114	156
Teton	3	0	6	42	30	54	45	33	57	630	585	676	3	0	6	21	13	29
DISTRICT 5	45	33	57	1,546	1,475	1,618	823	771	875	35,136	34,796	35,476	45	33	57	408	372	445
Bighorn	6	2	10	135	114	156	72	57	87	1,261	1,197	1,325	6	2	10	12	6	18
Carbon	15	8	22	564	521	608	393	357	429	16,612	16,378	16,846	15	8	22	183	159	208
Stillwater	9	4	14	240	212	268	42	30	54	1,171	1,109	1,233	9	4	14	21	13	29
Sweetgrass	6	2	10	360	326	395	210	184	236	12,610	12,406	12,813	6	2	10	105	86	124
Yellowstone	9	4	14	246	218	275	105	86	124	3,483	3,376	3,590	9	4	14	87	70	104
DISTRICT 6	15	8	22	429	392	467	225	198	252	4,672	4,548	4,796	15	8	22	120	100	140
Hill	9	4	14	354	320	388	147	125	169	3,200	3,098	3,303	9	4	14	111	92	130
Mccone	3	0	6	15	8	22	6	2	10	30	20	40	3	0	6	3	0	6
Valley	3	0	6	60	46	74	72	57	87	1,441	1,372	1,510	3	0	6	6	2	10

March 27th, 2002 page 20

Montana Fish Wildlife and Parks
1998 Furbearer Survey Report: Confidence Bounds on Statistical Estimates
Trapping and Snaring Activities, by Species and Location

Species: FOX

Location	Hunters Trapper	Hunter LowBnd	Hunter UpBnd	Hunter Days	H Days Low Bnd	H Days Up Bnd	Traps Set	Traps Low Bnd	Traps Up Bnd	Trap Days	T Days Low Bnd	T Days Up Bnd	Succes Hunter	S Hunt LowBnd	S Hunt UpBnd	Total Harvest	Harvest Low Bnd	Harvest Up Bnd
DISTRICT 7	27	18	36	1,477	1,407	1,547	456	418	495	34,869	34,530	35,208	27	18	36	489	449	530
Carter	6	2	10	450	412	489	120	100	140	9,908	9,727	10,088	6	2	10	204	178	230
Custer	3	0	6	54	41	67	9	4	14	162	139	185	3	0	6	3	0	6
Dawson	6	2	10	147	125	169	75	59	91	1,997	1,915	2,078	6	2	10	96	78	114
Garfield	3	0	6	240	212	268	75	59	91	6,005	5,864	6,145	3	0	6	120	100	140
Prairie	3	0	6	135	114	156	45	33	57	2,027	1,945	2,108	3	0	6	48	35	61
Treasure	6	2	10	450	412	489	132	111	153	14,771	14,551	14,992	6	2	10	18	10	26

Confidence Bounds on Statistical Estimates
Trapping and Snaring Activities

Montana Fish Wildlife and Parks
1998 Furbearer Survey Report: Confidence Bounds on Statistical Estimates
Trapping and Snaring Activities, by Species and Location

Species: RACCOON

Location	Hunters Trapper	Hunter LowBnd	Hunter UpBnd	Hunter Days	H Days Low Bnd	H Days Up Bnd	Traps Set	Traps Low Bnd	Traps Up Bnd	Trap Days	T Days Low Bnd	T Days Up Bnd	Succes Hunter	S Hunt LowBnd	S Hunt UpBnd	Total Harvest	Harvest Low Bnd	Harvest Up Bnd
STATEWIDE	384	349	420	10,448	10,263	10,634	3,885	3,772	3,998	135,240	134,572	135,907	354	320	388	3,273	3,169	3,376
DISTRICT 1	27	18	36	366	332	401	186	161	211	2,177	2,092	2,261	18	10	26	132	111	153
Flathead	24	15	33	351	317	385	177	153	201	2,132	2,048	2,215	15	8	22	129	108	150
Lincoln	3	0	6	15	8	22	9	4	14	45	33	57	3	0	6	3	0	6
DISTRICT 2	39	28	50	1,012	954	1,069	294	263	325	11,511	11,316	11,706	30	20	40	195	170	220
Deer Lodge	3	0	6	21	13	29	15	8	22	105	86	124	3	0	6	3	0	6
Mineral	3	0	6	42	30	54	3	0	6	42	30	54	0	0	0	0	0	0
Missoula	9	4	14	93	76	111	51	38	64	652	605	698	6	2	10	9	4	14
Powell	3	0	6	42	30	54	12	6	18	168	145	192	3	0	6	6	2	10
Ravalli	21	13	29	814	762	865	213	187	240	10,544	10,358	10,730	18	10	26	177	153	201
DISTRICT 3	96	78	114	2,417	2,328	2,506	940	884	995	28,090	27,786	28,394	93	76	111	700	652	748
Beaverhead	12	6	18	276	246	306	72	57	87	1,759	1,683	1,835	12	6	18	60	46	74
Broadwater	6	2	10	33	23	43	6	2	10	33	23	43	3	0	6	3	0	6
Gallatin	30	20	40	778	727	828	231	204	259	8,199	8,035	8,364	30	20	40	234	206	262
Jefferson	15	8	22	330	297	363	165	142	188	4,503	4,382	4,625	15	8	22	186	161	211
Madison	18	10	26	567	524	611	192	167	217	6,599	6,452	6,746	18	10	26	96	78	114
Park	18	10	26	432	395	470	273	243	303	6,995	6,844	7,147	18	10	26	120	100	140
DISTRICT 4	93	76	111	2,348	2,260	2,436	844	791	896	27,318	27,018	27,618	87	70	104	606	562	651
Cascade	30	20	40	796	744	847	273	243	303	8,839	8,668	9,009	30	20	40	117	97	137
Chouteau	6	2	10	51	38	64	24	15	33	222	195	249	6	2	10	45	33	57
Fergus	18	10	26	279	249	310	174	150	198	3,582	3,473	3,690	18	10	26	195	170	220
Lewis & Clark	18	10	26	667	620	713	132	111	153	4,257	4,139	4,376	12	6	18	132	111	153
Liberty	6	2	10	321	289	354	102	84	120	8,310	8,145	8,476	6	2	10	15	8	22
Pondera	3	0	6	75	59	91	15	8	22	375	340	410	3	0	6	30	20	40
Teton	15	8	22	159	136	182	123	103	143	1,732	1,657	1,808	15	8	22	72	57	87
DISTRICT 5	78	62	94	2,600	2,507	2,693	1,180	1,118	1,242	51,715	51,302	52,128	75	59	91	1,270	1,205	1,335
Bighorn	15	8	22	603	559	648	312	280	344	14,801	14,581	15,022	15	8	22	240	212	268
Carbon	21	13	29	504	464	545	255	226	284	7,383	7,227	7,539	21	13	29	183	159	208
Musselshell	9	4	14	180	156	204	54	41	67	1,441	1,372	1,510	6	2	10	21	13	29
Stillwater	3	0	6	90	73	107	9	4	14	270	240	300	3	0	6	30	20	40
Sweetgrass	6	2	10	375	340	410	210	184	236	13,210	13,002	13,419	6	2	10	423	386	461
Wheatland	12	6	18	480	441	520	105	86	124	5,014	4,885	5,142	12	6	18	117	97	137
Yellowstone	12	6	18	366	332	401	234	206	262	9,595	9,418	9,773	12	6	18	255	226	284
DISTRICT 6	21	13	29	573	530	617	192	167	217	4,789	4,663	4,914	21	13	29	111	92	130
Blaine	3	0	6	90	73	107	30	20	40	901	846	955	3	0	6	6	2	10
Hill	6	2	10	276	246	306	36	25	47	1,657	1,583	1,731	6	2	10	36	25	47
Mccone	3	0	6	12	6	18	6	2	10	24	15	33	3	0	6	9	4	14
Richland	3	0	6	45	33	57	45	33	57	676	628	723	3	0	6	36	25	47
Valley	6	2	10	150	128	172	75	59	91	1,531	1,460	1,602	6	2	10	24	15	33

Confidence Bounds on Statistical Estimates
Trapping and Snaring Activities

March 27th, 2002 page 22

Montana Fish Wildlife and Parks
1998 Furbearer Survey Report: Confidence Bounds on Statistical Estimates
Trapping and Snaring Activities, by Species and Location

Species: RACCOON

Location	Hunters Trapper	Hunter LowBnd	Hunter UpBnd	Hunter Days	H Days Low Bnd	H Days Up Bnd	Traps Set	Traps Low Bnd	Traps Up Bnd	Trap Days	T Days Low Bnd	T Days Up Bnd	Succes Hunter	S Hunt LowBnd	S Hunt UpBnd	Total Harvest	Harvest Low Bnd	Harvest Up Bnd
DISTRICT 7	30	20	40	1,132	1,071	1,193	249	221	278	9,640	9,462	9,819	30	20	40	258	229	287
Carter	6	2	10	360	326	395	54	41	67	3,243	3,139	3,346	6	2	10	60	46	74
Custer	3	0	6	54	41	67	24	15	33	432	395	470	3	0	6	18	10	26
Dawson	9	4	14	222	195	249	60	46	74	1,417	1,349	1,485	9	4	14	36	25	47
Prairie	3	0	6	135	114	156	45	33	57	2,027	1,945	2,108	3	0	6	24	15	33
Rosebud	3	0	6	90	73	107	24	15	33	721	672	769	3	0	6	54	41	67
Treasure	6	2	10	270	240	300	42	30	54	1,801	1,724	1,878	6	2	10	66	51	81

March 27th, 2002 page 23

Species: BADGER

Location	Hunters Trapper	Hunter LowBnd	Hunter UpBnd	Hunter Days	H Days Low Bnd	H Days Up Bnd	Traps Set	Traps Low Bnd	Traps Up Bnd	Trap Days	T Days Low Bnd	T Days Up Bnd	Succes Hunter	S Hunt LowBnd	S Hunt UpBnd	Total Harvest	Harvest Low Bnd	Harvest Up Bnd
STATEWIDE	72	57	87	1,129	1,068	1,190	540	498	583	10,103	9,920	10,285	66	51	81	252	223	281
DISTRICT 2	6	2	10	12	6	18	9	4	14	15	8	22	3	0	6	3	0	6
Missoula	3	0	6	3	0	6	6	2	10	6	2	10	3	0	6	3	0	6
Powell	3	0	6	9	4	14	3	0	6	9	4	14	0	0	0	0	0	0
DISTRICT 3	15	8	22	108	89	127	141	120	163	871	817	924	15	8	22	51	38	64
Beaverhead	9	4	14	45	33	57	102	84	120	718	669	766	9	4	14	42	30	54
Broadwater	3	0	6	60	46	74	6	2	10	120	100	140	3	0	6	3	0	6
Jefferson	3	0	6	3	0	6	33	23	43	33	23	43	3	0	6	6	2	10
DISTRICT 4	24	15	33	270	240	300	87	70	104	1,294	1,229	1,359	21	13	29	81	65	97
Cascade	6	2	10	72	57	87	27	18	36	282	252	313	6	2	10	18	10	26
Fergus	3	0	6	90	73	107	9	4	14	270	240	300	3	0	6	6	2	10
Lewis & Clark	9	4	14	93	76	111	45	33	57	727	678	775	6	2	10	51	38	64
Meagher	3	0	6	12	6	18	3	0	6	12	6	18	3	0	6	3	0	6
Teton	3	0	6	3	0	6	3	0	6	3	0	6	3	0	6	3	0	6
DISTRICT 5	9	4	14	201	175	227	99	81	117	2,471	2,381	2,561	9	4	14	9	4	14
Bighorn	3	0	6	48	35	61	30	20	40	480	441	520	3	0	6	3	0	6
Carbon	3	0	6	63	49	77	9	4	14	189	164	214	3	0	6	3	0	6
Wheatland	3	0	6	90	73	107	60	46	74	1,801	1,724	1,878	3	0	6	3	0	6
DISTRICT 6	6	2	10	57	43	71	96	78	114	1,129	1,068	1,190	6	2	10	39	28	50
Hill	6	2	10	57	43	71	96	78	114	1,129	1,068	1,190	6	2	10	39	28	50
DISTRICT 7	12	6	18	480	441	520	108	89	127	4,323	4,204	4,443	12	6	18	69	54	84
Carter	6	2	10	360	326	395	54	41	67	3,243	3,139	3,346	6	2	10	63	49	77
Custer	3	0	6	60	46	74	48	35	61	961	905	1,017	3	0	6	3	0	6
Dawson	3	0	6	60	46	74	6	2	10	120	100	140	3	0	6	3	0	6

Confidence Bounds on Statistical Estimates
Trapping and Snaring Activities

March 27th, 2002

Montana Fish Wildlife and Parks
1998 Furbearer Survey Report: Confidence Bounds on Statistical Estimates
Trapping and Snaring Activities, by Species and Location

Species: OTHER

Location	Hunters Trapper	Hunter LowBnd	Hunter UpBnd	Hunter Days	H Days Low Bnd	H Days Up Bnd	Traps Set	Traps Low Bnd	Traps Up Bnd	Trap Days	T Days Low Bnd	T Days Up Bnd	Succes Hunter	S Hunt LowBnd	S Hunt UpBnd	Total Harvest	Harvest Low Bnd	Harvest Up Bnd
STATEWIDE	9	4	14	87	70	104	66	51	81	796	744	847	9	4	14	9	4	14
DISTRICT 1	6	2	10	54	41	67	33	23	43	432	395	470	6	2	10	6	2	10
Flathead	3	0	6	12	6	18	3	0	6	12	6	18	3	0	6	3	0	6
Lincoln	3	0	6	42	30	54	30	20	40	420	383	458	3	0	6	3	0	6
DISTRICT 2	3	0	6	33	23	43	33	23	43	363	329	398	3	0	6	3	0	6
Ravalli	3	0	6	33	23	43	33	23	43	363	329	398	3	0	6	3	0	6

Confidence Bounds on Statistical Estimates

Hunting (without hounds) Activities

March 27th, 2002 page 1

Montana Fish Wildlife and Parks
1998 Furbearer Survey Report: Confidence Bounds on Statistical Estimates
Hunting (without hounds) Activities, by Species and Location

Species	Location	Hunters Trapper	Hunter LowBnd	Hunter UpBnd	Hunter Days	H Days Low Bnd	H Days Up Bnd	Succes Hunter	S Hunt LowBnd	S Hunt UpBnd	Total Harvest	Harvest Low Bnd	Harvest Up Bnd
ALL	STATEWIDE	354	320	388	4,972	4,844	5,100	297	266	329	3,077	2,977	3,178
	DISTRICT 1	30	20	40	429	392	467	27	18	36	300	269	332
	Flathead	9	4	14	51	38	64	9	4	14	72	57	87
	Lake	3	0	6	45	33	57	3	0	6	27	18	36
	Lincoln	12	6	18	93	76	111	9	4	14	18	10	26
	Sanders	12	6	18	240	212	268	12	6	18	183	159	208
	DISTRICT 2	30	20	40	126	106	146	21	13	29	84	67	101
	Deer Lodge	3	0	6	3	0	6	3	0	6	6	2	10
	Granite	3	0	6	15	8	22	3	0	6	9	4	14
	Missoula	9	4	14	21	13	29	3	0	6	6	2	10
	Powell	6	2	10	63	49	77	6	2	10	51	38	64
	Ravalli	9	4	14	24	15	33	6	2	10	12	6	18
	DISTRICT 3	81	65	97	1,210	1,147	1,273	72	57	87	591	547	636
	Beaverhead	6	2	10	63	49	77	6	2	10	129	108	150
	Broadwater	9	4	14	57	43	71	9	4	14	51	38	64
	Gallatin	18	10	26	504	464	545	15	8	22	111	92	130
	Jefferson	15	8	22	147	125	169	9	4	14	81	65	97
	Madison	15	8	22	228	201	256	15	8	22	87	70	104
	Park	24	15	33	201	175	227	24	15	33	120	100	140
	Silver Bow	3	0	6	9	4	14	3	0	6	12	6	18
	DISTRICT 4	87	70	104	1,060	1,001	1,119	84	67	101	874	820	927
	Cascade	12	6	18	405	369	442	12	6	18	348	314	382
	Chouteau	15	8	22	276	246	306	15	8	22	252	223	281
	Fergus	18	10	26	108	89	127	18	10	26	75	59	91
	Judith Basin	6	2	10	18	10	26	6	2	10	9	4	14
	Lewis & Clark	6	2	10	54	41	67	6	2	10	21	13	29
	Liberty	6	2	10	42	30	54	6	2	10	21	13	29
	Meagher	9	4	14	45	33	57	9	4	14	54	41	67
	Petroleum	6	2	10	30	20	40	6	2	10	24	15	33
	Teton	6	2	10	12	6	18	3	0	6	3	0	6
	Toole	6	2	10	69	54	84	6	2	10	66	51	81
	DISTRICT 5	72	57	87	760	710	810	54	41	67	468	429	508
	Bighorn	9	4	14	186	161	211	9	4	14	198	173	224
	Carbon	15	8	22	96	78	114	9	4	14	81	65	97
	Golden Valley	6	2	10	15	8	22	0	0	0	0	0	0
	Musselshell	9	4	14	87	70	104	6	2	10	6	2	10
	Stillwater	6	2	10	51	38	64	3	0	6	3	0	6
	Sweetgrass	9	4	14	42	30	54	9	4	14	9	4	14
	Wheatland	6	2	10	27	18	36	6	2	10	78	62	94
	Yellowstone	18	10	26	255	226	284	12	6	18	93	76	111
	DISTRICT 6	33	23	43	222	195	249	21	13	29	210	184	236
	Blaine	3	0	6	6	2	10	3	0	6	3	0	6
	Hill	6	2	10	30	20	40	6	2	10	39	28	50
	Phillips	9	4	14	27	18	36	6	2	10	12	6	18
	Richland	6	2	10	15	8	22	0	0	0	0	0	0
	Sheridan	3	0	6	60	46	74	3	0	6	108	89	127
	Valley	9	4	14	84	67	101	6	2	10	48	35	61
	DISTRICT 7	42	30	54	1,165	1,103	1,227	39	28	50	549	507	592
	Carter	9	4	14	141	120	163	9	4	14	72	57	87
	Custer	9	4	14	150	128	172	9	4	14	90	73	107
	Dawson	6	2	10	129	108	150	6	2	10	123	103	143
	Garfield	3	0	6	3	0	6	0	0	0	0	0	0
	Powder River	6	2	10	210	184	236	6	2	10	21	13	29
	Prairie	6	2	10	60	46	74	6	2	10	69	54	84
	Rosebud	9	4	14	291	260	322	9	4	14	108	89	127
	Treasure	3	0	6	180	156	204	3	0	6	66	51	81
MARTEN	STATEWIDE	3	0	6	15	8	22	3	0	6	9	4	14
	DISTRICT 2	3	0	6	15	8	22	3	0	6	9	4	14
	Granite	3	0	6	15	8	22	3	0	6	9	4	14

Confidence Bounds on Statistical Estimates

Hunting (without hounds) Activities

Montana Fish Wildlife and Parks
1998 Furbearer Survey Report: Confidence Bounds on Statistical Estimates
Hunting (without hounds) Activities, by Species and Location

Species	Location	Hunters Trapper	Hunter LowBnd	Hunter UpBnd	Hunter Days	H Days Low Bnd	H Days Up Bnd	Succes Hunter	S Hunt LowBnd	S Hunt UpBnd	Total Harvest	Harvest Low Bnd	Harvest Up Bnd
BOBCAT	STATEWIDE	63	49	77	258	229	287	27	18	36	33	23	43
	DISTRICT 1	9	4	14	36	25	47	6	2	10	6	2	10
	Flathead	3	0	6	3	0	6	3	0	6	3	0	6
	Lincoln	3	0	6	30	20	40	0	0	0	0	0	0
	Sanders	3	0	6	3	0	6	3	0	6	3	0	6
	DISTRICT 2	3	0	6	3	0	6	3	0	6	3	0	6
	Ravalli	3	0	6	3	0	6	3	0	6	3	0	6
	DISTRICT 3	3	0	6	39	28	50	3	0	6	3	0	6
	Jefferson	3	0	6	9	4	14	0	0	0	0	0	0
	Madison	3	0	6	30	20	40	3	0	6	3	0	6
	DISTRICT 4	12	6	18	21	13	29	6	2	10	12	6	18
	Fergus	6	2	10	15	8	22	0	0	0	0	0	0
	Judith Basin	3	0	6	3	0	6	3	0	6	3	0	6
	Meagher	3	0	6	3	0	6	3	0	6	9	4	14
	DISTRICT 5	21	13	29	78	62	94	6	2	10	6	2	10
	Carbon	3	0	6	6	2	10	0	0	0	0	0	0
	Golden Valley	6	2	10	15	8	22	0	0	0	0	0	0
	Stillwater	3	0	6	42	30	54	3	0	6	3	0	6
	Sweetgrass	6	2	10	12	6	18	3	0	6	3	0	6
	Yellowstone	3	0	6	3	0	6	0	0	0	0	0	0
	DISTRICT 6	6	2	10	18	10	26	0	0	0	0	0	0
	Phillips	3	0	6	12	6	18	0	0	0	0	0	0
	Richland	3	0	6	6	2	10	0	0	0	0	0	0
	DISTRICT 7	9	4	14	63	49	77	3	0	6	3	0	6
	Carter	3	0	6	30	20	40	0	0	0	0	0	0
	Custer	3	0	6	30	20	40	3	0	6	3	0	6
	Garfield	3	0	6	3	0	6	0	0	0	0	0	0
SKUNK	STATEWIDE	12	6	18	90	73	107	12	6	18	54	41	67
	DISTRICT 4	3	0	6	9	4	14	3	0	6	3	0	6
	Petroleum	3	0	6	9	4	14	3	0	6	3	0	6
	DISTRICT 5	6	2	10	21	13	29	6	2	10	33	23	43
	Wheatland	6	2	10	21	13	29	6	2	10	33	23	43
	DISTRICT 7	3	0	6	60	46	74	3	0	6	18	10	26
	Custer	3	0	6	60	46	74	3	0	6	18	10	26
COYOTE	STATEWIDE	291	260	322	3,588	3,479	3,696	249	221	278	2,321	2,233	2,408
	DISTRICT 1	21	13	29	360	326	395	18	10	26	228	201	256
	Flathead	3	0	6	15	8	22	3	0	6	3	0	6
	Lake	3	0	6	45	33	57	3	0	6	27	18	36
	Lincoln	12	6	18	63	49	77	9	4	14	18	10	26
	Sanders	9	4	14	237	209	265	9	4	14	180	156	204
	DISTRICT 2	24	15	33	108	89	127	15	8	22	72	57	87
	Deer Lodge	3	0	6	3	0	6	3	0	6	6	2	10
	Missoula	9	4	14	21	13	29	3	0	6	6	2	10
	Powell	6	2	10	63	49	77	6	2	10	51	38	64
	Ravalli	6	2	10	21	13	29	3	0	6	9	4	14

Montana Fish Wildlife and Parks
1998 Furbearer Survey Report: Confidence Bounds on Statistical Estimates
Hunting (without hounds) Activities, by Species and Location

Species	Location	Hunters Trapper	Hunter LowBnd	Hunter UpBnd	Hunter Days	H Days Low Bnd	H Days Up Bnd	Succes Hunter	S Hunt LowBnd	S Hunt UpBnd	Total Harvest	Harvest Low Bnd	Harvest Up Bnd
COYOTE	DISTRICT 3	69	54	84	919	864	974	60	46	74	516	475	558
	Beaverhead	3	0	6	60	46	74	3	0	6	126	106	146
	Broadwater	9	4	14	57	43	71	9	4	14	51	38	64
	Gallatin	15	8	22	279	249	310	12	6	18	66	51	81
	Jefferson	12	6	18	123	103	143	6	2	10	72	57	87
	Madison	9	4	14	189	164	214	9	4	14	69	54	84
	Park	24	15	33	201	175	227	24	15	33	120	100	140
	Silver Bow	3	0	6	9	4	14	3	0	6	12	6	18
	DISTRICT 4	78	62	94	667	620	713	72	57	87	652	605	698
	Cascade	12	6	18	180	156	204	12	6	18	258	229	287
	Chouteau	15	8	22	213	187	240	15	8	22	177	153	201
	Fergus	18	10	26	90	73	107	18	10	26	75	59	91
	Judith Basin	3	0	6	15	8	22	3	0	6	6	2	10
	Lewis & Clark	3	0	6	36	25	47	3	0	6	18	10	26
	Liberty	6	2	10	27	18	36	3	0	6	15	8	22
	Meagher	9	4	14	42	30	54	9	4	14	45	33	57
	Petroleum	3	0	6	12	6	18	3	0	6	15	8	22
	Teton	6	2	10	12	6	18	3	0	6	3	0	6
	Toole	6	2	10	39	28	50	6	2	10	39	28	50
	DISTRICT 5	51	38	64	525	484	567	39	28	50	180	156	204
	Bighorn	9	4	14	144	122	166	9	4	14	93	76	111
	Carbon	12	6	18	75	59	91	6	2	10	15	8	22
	Musselshell	9	4	14	87	70	104	6	2	10	6	2	10
	Stillwater	3	0	6	9	4	14	0	0	0	0	0	0
	Sweetgrass	6	2	10	30	20	40	6	2	10	6	2	10
	Yellowstone	18	10	26	180	156	204	12	6	18	60	46	74
	DISTRICT 6	27	18	36	165	142	188	21	13	29	198	173	224
	Blaine	3	0	6	6	2	10	3	0	6	3	0	6
	Hill	6	2	10	30	20	40	6	2	10	39	28	50
	Phillips	3	0	6	9	4	14	3	0	6	9	4	14
	Richland	3	0	6	9	4	14	0	0	0	0	0	0
	Sheridan	3	0	6	30	20	40	3	0	6	102	84	120
	Valley	9	4	14	81	65	97	6	2	10	45	33	57
	DISTRICT 7	36	25	47	844	791	896	36	25	47	474	435	514
	Carter	9	4	14	69	54	84	9	4	14	60	46	74
	Custer	6	2	10	60	46	74	6	2	10	69	54	84
	Dawson	6	2	10	69	54	84	6	2	10	93	76	111
	Powder River	6	2	10	204	178	230	6	2	10	15	8	22
	Prairie	6	2	10	60	46	74	6	2	10	69	54	84
	Rosebud	9	4	14	291	260	322	9	4	14	108	89	127
	Treasure	3	0	6	90	73	107	3	0	6	60	46	74
FOX	STATEWIDE	69	54	84	694	646	741	60	46	74	234	206	262
	DISTRICT 3	12	6	18	180	156	204	9	4	14	33	23	43
	Gallatin	12	6	18	180	156	204	9	4	14	33	23	43
	DISTRICT 4	30	20	40	237	209	265	27	18	36	117	97	137
	Cascade	9	4	14	150	128	172	9	4	14	75	59	91
	Chouteau	9	4	14	45	33	57	9	4	14	30	20	40
	Fergus	3	0	6	3	0	6	0	0	0	0	0	0
	Lewis & Clark	3	0	6	18	10	26	3	0	6	3	0	6
	Liberty	3	0	6	12	6	18	3	0	6	3	0	6
	Petroleum	3	0	6	9	4	14	3	0	6	6	2	10
	DISTRICT 5	9	4	14	51	38	64	9	4	14	30	20	40
	Wheatland	3	0	6	3	0	6	3	0	6	12	6	18
	Yellowstone	6	2	10	48	35	61	6	2	10	18	10	26
	DISTRICT 6	6	2	10	36	25	47	6	2	10	9	4	14
	Phillips	3	0	6	6	2	10	3	0	6	3	0	6
	Sheridan	3	0	6	30	20	40	3	0	6	6	2	10

Confidence Bounds on Statistical Estimates
Hunting (without hounds) Activities

Montana Fish Wildlife and Parks
1998 Furbearer Survey Report: Confidence Bounds on Statistical Estimates
Hunting (without hounds) Activities, by Species and Location

Species	Location	Hunters Trapper	Hunter LowBnd	Hunter UpBnd	Hunter Days	H Days Low Bnd	H Days Up Bnd	Succes Hunter	S Hunt LowBnd	S Hunt UpBnd	Total Harvest	Harvest Low Bnd	Harvest Up Bnd
FOX	DISTRICT 7	12	6	18	189	164	214	9	4	14	45	33	57
	Carter	6	2	10	39	28	50	3	0	6	9	4	14
	Dawson	3	0	6	60	46	74	3	0	6	30	20	40
	Treasure	3	0	6	90	73	107	3	0	6	6	2	10
RACCOON	STATEWIDE	54	41	67	288	257	319	51	38	64	354	320	388
	DISTRICT 1	3	0	6	3	0	6	3	0	6	3	0	6
	Flathead	3	0	6	3	0	6	3	0	6	3	0	6
	DISTRICT 3	12	6	18	72	57	87	12	6	18	39	28	50
	Beaverhead	3	0	6	3	0	6	3	0	6	3	0	6
	Gallatin	3	0	6	45	33	57	3	0	6	12	6	18
	Jefferson	3	0	6	15	8	22	3	0	6	9	4	14
	Madison	3	0	6	9	4	14	3	0	6	15	8	22
	DISTRICT 4	21	13	29	120	100	140	18	10	26	84	67	101
	Cascade	6	2	10	75	59	91	3	0	6	15	8	22
	Chouteau	9	4	14	12	6	18	9	4	14	39	28	50
	Liberty	3	0	6	3	0	6	3	0	6	3	0	6
	Toole	3	0	6	30	20	40	3	0	6	27	18	36
	DISTRICT 5	12	6	18	84	67	101	12	6	18	219	192	246
	Bighorn	3	0	6	42	30	54	3	0	6	105	86	124
	Carbon	3	0	6	15	8	22	3	0	6	66	51	81
	Wheatland	3	0	6	3	0	6	3	0	6	33	23	43
	Yellowstone	3	0	6	24	15	33	3	0	6	15	8	22
	DISTRICT 7	6	2	10	9	4	14	6	2	10	9	4	14
	Carter	3	0	6	3	0	6	3	0	6	3	0	6
	Powder River	3	0	6	6	2	10	3	0	6	6	2	10
BADGER	STATEWIDE	6	2	10	9	4	14	6	2	10	9	4	14
	DISTRICT 4	3	0	6	6	2	10	3	0	6	6	2	10
	Chouteau	3	0	6	6	2	10	3	0	6	6	2	10
	DISTRICT 6	3	0	6	3	0	6	3	0	6	3	0	6
	Valley	3	0	6	3	0	6	3	0	6	3	0	6
OTHER	STATEWIDE	3	0	6	30	20	40	3	0	6	63	49	77
	DISTRICT 1	3	0	6	30	20	40	3	0	6	63	49	77
	Flathead	3	0	6	30	20	40	3	0	6	63	49	77

Confidence Bounds on Statistical Estimates
Hunting with Hounds Activities

Montana Fish Wildlife and Parks
1998 Furbearer Survey Report: Confidence Bounds on Statistical Estimates
Hunting with Hounds Activities, by Species and Location

Species	Location	Hunters Trapper	Hunter LowBnd	Hunter UpBnd	Hunter Days	H Days Low Bnd	H Days Up Bnd	Succes Hunter	S Hunt LowBnd	S Hunt UpBnd	Total Harvest	Harvest Low Bnd	Harvest Up Bnd
ALL	STATEWIDE	294	263	325	4,957	4,829	5,085	156	133	179	772	721	822
	DISTRICT 1	114	95	133	1,729	1,654	1,805	54	41	67	120	100	140
	Flathead	36	25	47	378	343	414	15	8	22	30	20	40
	Lake	6	2	10	21	13	29	0	0	0	0	0	0
	Lincoln	48	35	61	793	742	844	21	13	29	45	33	57
	Sanders	36	25	47	537	495	579	24	15	33	45	33	57
	DISTRICT 2	63	49	77	796	744	847	27	18	36	39	28	50
	Deer Lodge	3	0	6	3	0	6	0	0	0	0	0	0
	Granite	6	2	10	39	28	50	0	0	0	0	0	0
	Mineral	15	8	22	165	142	188	6	2	10	6	2	10
	Missoula	36	25	47	516	475	558	21	13	29	33	23	43
	Powell	6	2	10	6	2	10	0	0	0	0	0	0
	Ravalli	9	4	14	66	51	81	0	0	0	0	0	0
	DISTRICT 3	42	30	54	495	455	536	27	18	36	153	131	176
	Beaverhead	3	0	6	9	4	14	0	0	0	0	0	0
	Broadwater	3	0	6	60	46	74	3	0	6	18	10	26
	Gallatin	15	8	22	147	125	169	9	4	14	84	67	101
	Madison	6	2	10	63	49	77	3	0	6	6	2	10
	Park	18	10	26	216	189	243	12	6	18	45	33	57
	DISTRICT 4	51	38	64	988	931	1,045	27	18	36	60	46	74
	Cascade	9	4	14	57	43	71	0	0	0	0	0	0
	Chouteau	3	0	6	9	4	14	3	0	6	24	15	33
	Fergus	9	4	14	18	10	26	0	0	0	0	0	0
	Judith Basin	9	4	14	78	62	94	6	2	10	6	2	10
	Lewis & Clark	18	10	26	330	297	363	12	6	18	15	8	22
	Liberty	6	2	10	96	78	114	3	0	6	6	2	10
	Meagher	6	2	10	57	43	71	3	0	6	9	4	14
	Pondera	6	2	10	174	150	198	0	0	0	0	0	0
	Teton	3	0	6	165	142	188	0	0	0	0	0	0
	Toole	3	0	6	3	0	6	0	0	0	0	0	0
	DISTRICT 5	45	33	57	913	858	968	27	18	36	381	346	417
	Bighorn	3	0	6	9	4	14	0	0	0	0	0	0
	Carbon	9	4	14	63	49	77	6	2	10	105	86	124
	Musselshell	9	4	14	249	221	278	6	2	10	12	6	18
	Stillwater	9	4	14	276	246	306	6	2	10	12	6	18
	Sweetgrass	9	4	14	132	111	153	3	0	6	21	13	29
	Wheatland	3	0	6	3	0	6	3	0	6	72	57	87
	Yellowstone	9	4	14	180	156	204	6	2	10	159	136	182
	DISTRICT 6	3	0	6	27	18	36	3	0	6	18	10	26
	Blaine	3	0	6	27	18	36	3	0	6	18	10	26
	DISTRICT 7	6	2	10	9	4	14	0	0	0	0	0	0
	Dawson	3	0	6	3	0	6	0	0	0	0	0	0
	Garfield	3	0	6	6	2	10	0	0	0	0	0	0
BOBCAT	STATEWIDE	270	240	300	3,717	3,606	3,827	108	89	127	189	164	214
	DISTRICT 1	114	95	133	1,651	1,578	1,725	54	41	67	111	92	130
	Flathead	36	25	47	306	274	338	15	8	22	24	15	33
	Lake	6	2	10	21	13	29	0	0	0	0	0	0
	Lincoln	45	33	57	790	739	841	21	13	29	45	33	57
	Sanders	36	25	47	534	492	576	24	15	33	42	30	54
	DISTRICT 2	63	49	77	706	657	754	24	15	33	36	25	47
	Deer Lodge	3	0	6	3	0	6	0	0	0	0	0	0
	Granite	6	2	10	39	28	50	0	0	0	0	0	0
	Mineral	15	8	22	165	142	188	6	2	10	6	2	10
	Missoula	36	25	47	426	389	464	18	10	26	30	20	40
	Powell	6	2	10	6	2	10	0	0	0	0	0	0
	Ravalli	9	4	14	66	51	81	0	0	0	0	0	0

Confidence Bounds on Statistical Estimates

Hunting with Hounds Activities

March 27th, 2002 page 2

Montana Fish Wildlife and Parks
1998 Furbearer Survey Report: Confidence Bounds on Statistical Estimates
Hunting with Hounds Activities, by Species and Location

Species	Location	Hunters Trapper	Hunter LowBnd	Hunter UpBnd	Hunter Days	H Days Low Bnd	H Days Up Bnd	Succes Hunter	S Hunt LowBnd	S Hunt UpBnd	Total Harvest	Harvest Low Bnd	Harvest Up Bnd
BOBCAT	DISTRICT 3	33	23	43	261	232	291	9	4	14	12	6	18
	Beaverhead	3	0	6	9	4	14	0	0	0	0	0	0
	Gallatin	12	6	18	42	30	54	3	0	6	3	0	6
	Madison	6	2	10	48	35	61	3	0	6	6	2	10
	Park	15	8	22	162	139	185	3	0	6	3	0	6
	DISTRICT 4	45	33	57	751	701	800	12	6	18	15	8	22
	Cascade	3	0	6	30	20	40	0	0	0	0	0	0
	Fergus	6	2	10	15	8	22	0	0	0	0	0	0
	Judith Basin	9	4	14	24	15	33	6	2	10	6	2	10
	Lewis & Clark	18	10	26	291	260	322	6	2	10	9	4	14
	Meagher	6	2	10	48	35	61	0	0	0	0	0	0
	Pondera	6	2	10	174	150	198	0	0	0	0	0	0
	Teton	3	0	6	165	142	188	0	0	0	0	0	0
	Toole	3	0	6	3	0	6	0	0	0	0	0	0
	DISTRICT 5	30	20	40	342	309	376	9	4	14	15	8	22
	Carbon	3	0	6	3	0	6	0	0	0	0	0	0
	Musselshell	6	2	10	180	156	204	3	0	6	6	2	10
	Stillwater	9	4	14	87	70	104	3	0	6	3	0	6
	Sweetgrass	9	4	14	57	43	71	3	0	6	6	2	10
	Yellowstone	6	2	10	15	8	22	0	0	0	0	0	0
	DISTRICT 7	3	0	6	6	2	10	0	0	0	0	0	0
	Garfield	3	0	6	6	2	10	0	0	0	0	0	0
SKUNK	STATEWIDE	3	0	6	3	0	6	3	0	6	6	2	10
	DISTRICT 3	3	0	6	3	0	6	3	0	6	6	2	10
	Park	3	0	6	3	0	6	3	0	6	6	2	10
COYOTE	STATEWIDE	6	2	10	39	28	50	3	0	6	3	0	6
	DISTRICT 3	3	0	6	3	0	6	3	0	6	3	0	6
	Park	3	0	6	3	0	6	3	0	6	3	0	6
	DISTRICT 4	3	0	6	36	25	47	0	0	0	0	0	0
	Judith Basin	3	0	6	36	25	47	0	0	0	0	0	0
RACCOON	STATEWIDE	75	59	91	1,195	1,132	1,258	60	46	74	573	530	617
	DISTRICT 1	9	4	14	78	62	94	6	2	10	9	4	14
	Flathead	3	0	6	72	57	87	3	0	6	6	2	10
	Lincoln	3	0	6	3	0	6	0	0	0	0	0	0
	Sanders	3	0	6	3	0	6	3	0	6	3	0	6
	DISTRICT 2	3	0	6	90	73	107	3	0	6	3	0	6
	Missoula	3	0	6	90	73	107	3	0	6	3	0	6
	DISTRICT 3	18	10	26	228	201	256	15	8	22	132	111	153
	Broadwater	3	0	6	60	46	74	3	0	6	18	10	26
	Gallatin	6	2	10	105	86	124	6	2	10	81	65	97
	Madison	3	0	6	15	8	22	0	0	0	0	0	0
	Park	9	4	14	48	35	61	6	2	10	33	23	43
	DISTRICT 4	21	13	29	201	175	227	15	8	22	45	33	57
	Cascade	6	2	10	27	18	36	0	0	0	0	0	0
	Chouteau	3	0	6	9	4	14	3	0	6	24	15	33
	Fergus	3	0	6	3	0	6	0	0	0	0	0	0
	Judith Basin	3	0	6	18	10	26	0	0	0	0	0	0
	Lewis & Clark	6	2	10	39	28	50	6	2	10	6	2	10
	Liberty	6	2	10	96	78	114	3	0	6	6	2	10
	Meagher	3	0	6	9	4	14	3	0	6	9	4	14

March 27th, 2002 page 3

Montana Fish Wildlife and Parks
1998 Furbearer Survey Report: Confidence Bounds on Statistical Estimates
Hunting with Hounds Activities, by Species and Location

Species	Location	Hunters Trapper	Hunter LowBnd	Hunter UpBnd	Hunter Days	H Days Low Bnd	H Days Up Bnd	Succes Hunter	S Hunt LowBnd	S Hunt UpBnd	Total Harvest	Harvest Low Bnd	Harvest Up Bnd
RACCOON	DISTRICT 5	30	20	40	570	527	614	21	13	29	366	332	401
	Bighorn	3	0	6	9	4	14	0	0	0	0	0	0
	Carbon	6	2	10	60	46	74	6	2	10	105	86	124
	Musselshell	6	2	10	69	54	84	3	0	6	6	2	10
	Stillwater	6	2	10	189	164	214	3	0	6	9	4	14
	Sweetgrass	3	0	6	75	59	91	3	0	6	15	8	22
	Wheatland	3	0	6	3	0	6	3	0	6	72	57	87
	Yellowstone	6	2	10	165	142	188	6	2	10	159	136	182
	DISTRICT 6	3	0	6	27	18	36	3	0	6	18	10	26
	Blaine	3	0	6	27	18	36	3	0	6	18	10	26
BADGER	STATEWIDE	3	0	6	3	0	6	0	0	0	0	0	0
	DISTRICT 7	3	0	6	3	0	6	0	0	0	0	0	0
	Dawson	3	0	6	3	0	6	0	0	0	0	0	0

FURBEARER HARVEST SURVEY

Montana Fish, Wildlife & Parks

Thank you for your cooperation with this Furbearer Harvest Survey.

Although you may have already provided some information on several furbearers which have pelt tagging and registration requirements, you are requested to provide information on your harvest effort for all furbearer, predatory, and nongame species that are trapped and hunted in Montana. This is a statewide survey of ALL furbearer license holder activities including unsuccessful furbearer harvesters. This survey includes ALL your activities (trapping and snaring, hunting, and the use of hounds) related to the species listed on the back of this questionnaire.

As you are aware, furbearer harvests, the fur industry and furbearer populations and their habitats are all current topics of extensive interest and discussion by various governmental agencies and the public. The information you provide is vital to a successful furbearer management program because it provides the knowledge necessary to support the continuation of your harvest activities as a sound wildlife management strategy and assists FWP in maintaining the flexibility to manage your furbearer resources in Montana.

EVEN IF YOU DID NOT TRAP, SNARE OR HUNT, OR USE HOUNDS FOR FURBEARERS, PLEASE ANSWER QUESTION NO. 1 AND RETURN THIS SURVEY WITHIN FOUR (4) WEEKS. THANK YOU.

1. Did you trap, snare, hunt, or use hounds during the 1998-99 furbearer season? ☐ NO ☐ YES

PLEASE REFER TO THE BACK OF THIS QUESTIONNAIRE TO REPORT YOUR HARVEST ACTIVITIES.

QUESTION 2 REFERS TO YOUR TRAPPING AND SNARING ACTIVITIES.

QUESTION 3 REFERS ONLY TO YOUR HUNTING ACTIVITIES.

QUESTION 4 REFERS ONLY TO THE USE OF HOUNDS FOR YOUR HUNTING ACTIVITIES.

2. Please report your TRAPPING AND SNARING activities by county in the appropriate boxes below.
NOTE: If your activities occurred in more than one county, list the information in each county separately.

DEFINITIONS: County Name: county where trapped and snared, hunted or used hounds.
Avg. No. Of Traps/Snares Set: average number of traps and snares set for this species in each county.
Avg. No of Days Set: average number of days that traps and snares were set for this species in each county.
Number Harvested: actual number of animals taken of this species in each county.

Species	County Name	Avg. No. of Traps/Snares Set	Avg. No. of Days Set	Number Harvested
Example:	Gallatin	30	14	23
Beaver				
Otter				
Muskrat				
Mink				
Marten				
Fisher				
Wolverine				
Lynx				

Species	County Name	Avg. No. of Traps/Snares Set	Avg. No. of Days Set	Number Harvested
Bobcat				
Weasel				
Skunk				
Coyote				
Fox				
Raccoon				
Badger				
Other				

3. Please report your furbearer and predator HUNTING activity WITHOUT HOUNDS. (bobcat, lynx, wolverine, coyote, fox, raccoon, badger, skunk)

List Species Hunted	County Name	Days Hunted	Number Harvested

4. Please report your furbearer HUNTING activity WITH HOUNDS. (bobcat, raccoon) (do not list mountain lions, they are not a furbearer)

List Species Hunted	County Name	Days Hunted	Number Harvested

FURBEARER

1998

TRAPPING & HUNTING REGULATIONS
STATE OF MONTANA

Furbearer trapping and hunting regulations are adopted on an annual basis. The seasons, limits and regulations listed herein are valid through June 30, 1999.

DEFINITIONS

Furbearer animals are legally defined as beaver, otter, muskrat, mink, marten, fisher, wolverine, bobcat, lynx and swift fox. ONLY MONTANA RESIDENTS MAY TRAP OR HUNT FURBEARERS, LICENSE REQUIRED.

Predatory animals are legally defined as coyote, weasel, skunk and civet cat (spotted skunk). LICENSE REQUIRED FOR NONRESIDENT TRAPPERS ONLY.

Nongame wildlife means any wild animal not otherwise legally classified by statute or regulation in Montana. Examples of nongame wildlife with commercial value are badger, raccoon and red fox. LICENSE REQUIRED FOR NONRESIDENT TRAPPERS ONLY.

Fur dealer is defined as any person or persons, firm, company or corporation engaging in or conducting wholly or in part the business of buying or selling, trading or dealing within the State of Montana, in the skins or pelts of any animal or animals, designated by the laws of Montana as furbearing or predatory animals. If such fur dealer resides in or if his principal place of business is within the State of Montana, he shall be deemed a resident fur dealer. All other fur dealers shall be deemed nonresident fur dealers.

LICENSES

The following licenses are available at Fish, Wildlife & Parks offices in Kalispell, Missoula, Bozeman, Great Falls, Billings, Glasgow, Miles City and Helena; also available at the Helena, Butte and Havre resource area offices.

Bobcat, lynx and wolverine may be taken only by resident trappers or hunters that purchase a trapper license prior to December 1.

A license is not required for resident trappers/hunters or nonresident hunters to take predatory animals and nongame wildlife.

Conservation (required prerequisite) — $4 Resident and $5 Nonresident.

General Trapper — $20; available only to resident conservation license holders 13 years of age or older.

Youth Trapper — $3; available only to resident conservation license holders 6 through 12 years of age. Valid for mink and muskrat.

Landowner Trapper — $1; applicants must give legal description of land owned or leased, name, address and resident conservation license number.

-------NEW REGULATIONS------

Landowner Permission — Resident trappers must obtain permission of the landowner, lessee or their agent before trapping on private land. Nonresidents must obtain written permission from the landowner, lessee or their agent before trapping or snaring predatory animals and nongame wildlife on private property (MCA Sec. 87-2-604).

It is unlawful to set snares on private property without landowner permission (MCA Sec.87-3- 107). Snares must be set in a manner and at a time so as not to duly endanger livestock. A trapper who injures livestock in a snare is liable for damage and this constitutes a misdemeanor.

Right-of-Way —Trapping is prohibited on the right of way of publicly maintained roads.

Conibear Ground Sets — On public or private land ground sets using 220 or 330 conibear traps must have the trap trigger recessed a minimum of seven (7) inches within a secure enclosure that provides openings no greater than fifty (50) square inches each.

Conibear Setbacks — When using a body gripping landset trap, a setback of 50 yards from the approximate centerline of public roads is required.

Bobcat Chasing Hours — See specific regulation under the bobcat portion of these regulations.

LICENSES (Continued)

Nonresident Trapper — $250; available only to nonresident conservation license holders, 13 years of age or older, whose state of residence has nonresident trapper licenses available to Montana trappers. Valid for predatory animals and nongame wildlife. Season Dates: October 16 - April 15.

Fur Dealer — $10 Resident; $10 Agent; $50 Nonresident.

GENERAL REGULATIONS

Taking of furbearer animals during the open season by any means other than trapping or snaring is prohibited, unless otherwise stated.

Hunting — Bobcat, lynx and wolverine are the only animals defined by law as furbearing animals that may be taken by hunting (MCA Sec.87-2-601).

Dogs — Dogs may be used to take bobcat (MCA Sec.87-3-124), but no other animals defined by law as furbearing animals.

Checking and Placing Traps — Traps should be checked at least once every 48 hours. It is the trapper's responsibility to check his/her traps regularly. Failure to pick up snares or traps at the end of the trapping season or attending them in a manner that wastes furbearing animals constitutes a misdemeanor.

Exposed Bait — To prevent accidental trapping of raptors, no trap or snare may be set within 30 feet of an exposed carcass placed in a manner that can be seen by soaring raptors. EXEMPTION: trappers employed or contracted by a government agency in the official performance of their duties. Exposed carcass or bait is defined as the meat or viscera of a mammal, bird or fish, or any part thereof more than one pound in weight. Bleached bones are excluded.

Trap Identification — Metal identification tags that bear the name and address of the trapper must be fastened to all traps and snares. Tags should be attached to the end of the snare, chain or other anchoring material at the end farthest from the portion of the device which holds the animal. Snares must also have telephone numbers included on the tag. Landowners who trap on their own lands and irrigation right-of way contiguous to their land do not need to tag traps or snares.

Disturbing Traps or Trapped Animals — It is unlawful to destroy, disturb or remove any trap, snare or trapped wildlife belonging to a trapper without permission of the owner of the trap or snare, except that from May 1 to October 1 a landowner may remove any snare from owned or leased land if such snare could endanger livestock (MCA Sec.87-3-507).

Live Furbearers — Live furbearing animals may not be possessed except under the provisions of the fur farm or roadside zoo permits. It is unlawful to capture wild furbearers for fur farm stock.

Destroying Muskrat and Beaver Houses — It is unlawful for any person to willfully destroy, open or leave open, a muskrat or beaver house. This shall not prohibit trapping in muskrat houses when authorized by the Commission.

Tagged Furbearers — A number of furbearing animals have been tagged for scientific study. If one of these animals is captured, please notify the nearest game warden or regional office of the tag number or numbers and the locality of the capture.

Non-Target Species — Protected birds or animals found in traps, uninjured, shall be released on site. Species in need of rehabilitation shall be removed and immediately presented to a Fish, Wildlife & Parks office, game warden or biologist. (Dead animals should be left at the trapping site and immediately reported to a Fish, Wildlife & Parks office or field personnel for disposition).

Trespass to Property — Montana law states that private lands can be closed to the public either by posting the land or through verbal communication by landowners or their agents. If permission is granted, the landowner may revoke the permission by personal communication at any time.

School Trust Land — A special use license is required to trap on these lands. For further information contact a Department of Natural Resources and Conservation district office or the state office at 1625 11th Avenue, Helena MT 59620 (406-444-2074).

State Game Preserves, Parks and FWP Wildlife Management Areas (WMA) — All state game preserves are open to trapping. Wildlife Management Areas with big game winter range, unless otherwise posted, are closed to public entry from the day following the end of the general deer/elk season or December 1, whichever is later, to May 15 each year, as posted. EXCEPTION: Blackfoot-Clearwater WMA closes November 10. Trapping on Fish, Wildlife & Parks lands and WMAs will be allowed by written authorization of the area manager or a department employee on land not having a resident manager. Beaver Creek Park is open to trapping only by permission obtained from the Hill County Park Board.

The Montana Stream Access law does not apply to the trapping or snaring of furbearers. Trappers are required to obtain permission from the landowner to trap or snare on streams and rivers between the high water marks.

Littering — A person convicted of littering while hunting, trapping, fishing or camping shall forfeit their license or privileges to hunt, trap, fish or camp within Montana for a period of one year.

National Wildlife Refuges — More restrictive regulations may apply to national wildlife refuges open to public trapping. For additional information on federal regulations, contact Special Agent-in-Charge, U. S. Fish & Wildlife Service, POB 25486, Denver Federal Center, Denver CO 80225 (303)234-4612) or the local manager.

Indian Reservation — Tribal governments may have adopted trapping regulations within the exterior boundaries of their respective reservations. Trappers should be aware that tribal regulations may differ from the statewide trapping regulations adopted by the Fish, Wildlife & Parks Commission. Currently no Montana tribe offers nonmember trapping permits. The question of state-tribal jurisdiction has not been resolved.

Closures — All National Parks, National Wildlife refuges and Indian Trust or Tribal Trust lands are closed to trapping except as otherwise specified. Permits to trap on National Wildlife refuges may be issued by the Refuge office.

Recorded or Electronic Devices — It is unlawful to use any recorded or electrically amplified bird or animal calls or sounds or imitations of bird or animal calls or sounds to assist in the hunting, taking, killing or capturing of any wildlife except predatory animals. (MCA Sec.87-3-108).

Pelt Possession — It shall be unlawful for any fur dealer or fur dealer agent to purchase or possess any untagged marten, fisher, wolverine, bobcat, lynx or otter pelt, except those untagged furs originating outside Montana, when accompanied by an export permit or other documentation of lawful acquisition.

Export — A federal export permit is required in addition to a Montana state tag before the pelts of bobcat, lynx and otter may be exported from the United States. Apply to U.S. Fish and Wildlife Service, 600 Central Plaza, Room 209, Great Falls MT 59401.

If you are transporting game or fish between Montana and Canada, whether for commercial or non-commercial purposes, you must complete a USFWS declaration form. Contact the USFWS Wildlife Inspector at 406-453-5790 or FAX 406-453-3657 for details.

Penalties — Persons convicted of knowingly taking, possessing or transporting furbearers or pelts in violation of the rules or laws, shall be fined not less than $50 or more than $1,000, imprisoned in the county jail for not more than 6 months, or both. In addition, such person shall forfeit his privilege to hunt, fish or trap for not less than 24 months. Civil restitution from $100 to $500 may be assessed for each illegal animal or pelt.

QUOTAS/SEASONS CLOSURES

Current harvest information may be obtained by calling the appropriate Fish, Wildlife & Parks regional office during normal business hours or by calling 1-800-711-TRAP (1-800-711-8727) 24 hours a day. Furbearer seasons will close in 48 hours when a species quota is reached prior to the end of the regular season date.

PELT TAGGING

Marten — Marten pelts must be tagged by Fish, Wildlife & Parks personnel residing in the trapping district where animal was taken no later than 10 days after close of the season.

Bobcat, Lynx, Otter, Wolverine & Fisher — Pelts must be tagged by Fish, Wildlife & Parks personnel residing in the trapping district where animal was taken within 72 hours of taking. Trappers or hunters unable to comply with the tagging requirements due to special or unique circumstances must report their harvest and make arrangements for tagging to the proper regional office or by contacting field personnel within 72 hours of harvest. Pelts not registered or presented to department personnel within 72 hours are subject to confiscation.

The species, trapping district, date and tag number will be permanently recorded on the back of the trapper's license when pelts are tagged.

CARCASSES/SKULLS

Lynx, Wolverine, Fisher, Otter, Marten & Bobcat — It is mandatory that the entire and intact carcass of all lynx, wolverine, fisher, otter and the skulls of marten and bobcat be turned into Fish, Wildlife & Parks in good condition, at the time the pelt is presented for tagging. The skulls will be retained by Fish, Wildlife & Parks for processing and examination and then returned to the owner if desired. Good condition is defined as fresh or frozen and securely wrapped in such a manner as to have prevented decomposition in order that all tissue samples are suitable for lab analysis. Any lynx, wolverine, fisher or otter pelt that is presented for tagging without the carcass in good condition, shall be subject to confiscation.

FURBEARER SEASONS

The state is divided into seven legally described trapping districts, designated by numbers, wherein the season dates, limits and species of furbearers which may be taken are specified.

BEAVER — STATEWIDE SEASON DATES: November 1 - April 15 of the following year, except state Wildlife Management Areas and specific closures. (See SPECIAL REGULATIONS and CLOSURES)

Beaver that have been legally trapped can be dispatched with a firearm.

Owners and lessees of real estate being damaged by beaver may apply for a permit to trap beaver under provisions of the law. Please see your local game warden for further information.

Trappers participating in a beaver damage complaint must have in their possession the damage permit issued to the landowner (or a copy thereof) during trapping activities.

OTTER — STATEWIDE SEASON DATES: November 1 - April 15 of the following year, except state Wildlife Management Areas and specific closures (See SPECIAL REGULATIONS and CLOSURES)

Limit— Persons may take and possess one (1) otter each per season. (See PELT TAGGING and CARCASSES/SKULLS). The otter season on the Flathead Indian Reservation is closed to all trappers (members and nonmembers).

MUSKRAT — STATEWIDE SEASON DATES: November 1 - April 15 of the following year, except state Wildlife Management Areas and specific closures. (See SPECIAL REGULATIONS)

Traps may be set in muskrat houses provided the part removed is replaced after insertion of the trap and after removal of the trap. It is unlawful for any person to willfully destroy, leave open or partially destroy a muskrat house.

MINK — STATEWIDE SEASON DATES: November 1 - April 15 of the following year except state Wildlife Management Areas and specific closures. (See SPECIAL REGULATIONS)

MARTEN — SEASON DATES: TRAPPING DISTRICT 1 through 5: December 1 - February 15 of the following year (See PELT TAGGING AND CARCASSES/SKULLS)

FISHER — SEASON DATES: TRAPPING DISTRICTS 1 & 2: December 1 - February 15 of the following year. Fisher season will close in 48 hours upon reaching the trapping district quota or on February 15, whichever occurs first.

Limit — Persons may take and possess one (1) fisher each per season. (See PELT TAGGING AND CARCASSES/SKULLS)

Quota - Trapping District 1 has a quota of two (2) fishers. Trapping District 2 has a quota of five (5) fishers. Statewide Quota is seven (7) fishers.

Accidentally trapped fishers that cannot be released uninjured must be immediately reported to Fish, Wildlife & Parks.

WOLVERINE — SEASON DATES: TRAPPING DISTRICTS 1 through 5: December 1 - February 15 of the following year. License must be purchased prior to December 1.

Limit — Persons may take and possess one (1) wolverine each per season. (See PELT TAGGING and CARCASSES/SKULLS)

BOBCAT — STATEWIDE SEASON DATES: Trapping districts 1, 2 and 3: December 1 - February 15 of the following year; Trapping districts 4, 5, 6 and 7: December 1 - March 1 of the following year. License must be purchased prior to December 1. Season will close in 48 hours upon reaching the trapping district quota.

Limit - Persons may take and possess seven (7) bobcats each per season in Trapping Districts 1, 2 and 3. There is no per trapper limit in the remaining districts. (See PELT TAGGING and CARCASSES/ SKULLS). The bobcat season on the Flathead Indian Reservation is closed to all trappers (members and nonmembers).

District:	1	2	3	4	5	6	7
QUOTA	150	140	125	175	200	100	600

Chase - A hound handler who has purchased a mountain lion license marked for hound handling, or a free hound handler permit, may legally chase bobcat during the hunting season and any time after the season is closed in the trapping district, or until April 14. A hound handler permit must be obtained prior to December 1 of the current year.

USE OF DOGS: dogs may be used to chase or hunt bobcats within prescribed seasons. Bobcat hunting is open each day from one-half hour before sunrise to one-half hour after sunset. Bobcat chasing is open each day from two hours before sunrise to one-half hour after sunset in the hunting districts where mountain lion season has closed (Check mountain lion toll free line 1-800-385-7826); Bobcat chasing is open each day from one-half hour before sunrise to one-half hour after sunset in the hunting districts where mountain lion season is open. BOBCATS MAY NOT BE TAKEN UNTIL LEGAL BOBCAT HUNTING HOURS. It is prohibited for a hound handler or bobcat hunter to release dogs on a bobcat track, or allow dogs to chase a bobcat, or hold a bobcat at bay when the season is not open to hunting or chasing bobcats.

CHASE ONLY SEASON: ALL TRAPPING DISTRICTS are open each day from two hours before sunrise to one-half hour after sunset for the CHASE ONLY season February 16 -

RER TRAPPING & HUNTING DISTRICTS

ls Available. Please Call 406-444-2612

DISTRICT 4

Those portions of Hill, Glacier, Chouteau, Toole, Liberty, Pondera, Teton, Cascade, Lewis and Clark, Jefferson Meagher, Park, Judith Basin, Fergus and Petroleum counties lying within the following described boundary: Beginning at a point where the eastern boundary of Glacier National Park intersects the United States-Canada Boundary, then east along said boundary to a county road approximately one mile west of the Liberty-Hill County line, then southerly along said road to U.S. Highway 2 at Joplin, then west along said highway to State Route 223 at Chester, then south along said route to the Marias River, then southerly along the east bank of said river to the Missouri River, then easterly along the south bank of said river to the Fort Peck Reservoir, then easterly and southerly along the south edge of said reservoir to the Musselshell River, then southerly along the west bank of said river to Flatwillow Creek, then westerly along the north bank of said creek to Durfee Creek, then westerly along said creek to Little Snowy Mountain Divide, then westerly along said divide to the Musselshell-Missouri Divide, then southeasterly and easterly along said divide to the Sixteen Mile-Musselshell River Divide, then southerly and easterly to the Sixteen Mile Creek-Shields River divide, then westerly and southerly along said divide to the head of the Middle Fork of Sixteen Mile Creek, then westerly down the south bank of said creek to Sixteen Mile Creek, then northeasterly along the north bank of said creek to the Missouri River-Battle Creek divide, then northerly along said divide to the Missouri River-Smith River divide, then northwesterly along said divide to the Soup Creek-Beaver Creek divide, then westerly along said divide to Hauser Dam on the Missouri River, then southerly along the east shore of the Missouri River to the Canyon Ferry Reservoir, then westerly across the Missouri River and southeasterly along the west shore of Canyon Ferry Reservoir to the Beaver Creek-Spokane Creek divide, then southwesterly along said divide to the Beaver Creek-Prickly Pear Creek divide, then southwesterly up said divide to the Crow Creek-Prickly Pear Creek divide, then southwesterly along said divide to the Boulder River-Prickly Pear Creek divide, then northwesterly along said divide to the Continental Divide, then northerly along said divide to the Glacier National Park boundary, then easterly and northerly along said boundary to the United States-Canada boundary, the point of beginning.

DISTRICT 5

Those portions of Fergus, Golden Valley, Meagher, Musselshell, Petroleum, Stillwater, Sweet grass, Wheatland, Park, Yellowstone, Big Horn, Carbon and Treasure counties lying within the following described boundaries: Beginning at Wolverine Peak where the Stillwater-Yellowstone River divide meets with the Yellowstone National Park Boundary, then northwesterly along said divide to Columbine Pass and the Boulder River-Yellowstone River divide, then westerly and northerly along said divide to Interstate 90, then easterly along said interstate to U.S. Highway 191, then northerly along said highway to the Yellowstone River, then westerly along the south bank of said river to the mouth of Duck Creek, then northwesterly along the west bank of said creek to the West Fork of Duck Creek, then northwesterly along the west bank of said creek to the Shields-Yellowstone River divide (Crazy Mountain Divide), then northerly and westerly along said divide to the Shields-Musselshell River Divide, then westerly along said divide to the Missouri-Musselshell River divide, then northerly and easterly along said divide to Little Snowy Mountain Divide, then easterly along said divide to the head of Durfee Creek, then down said creek to Flatwillow Creek, then easterly along the north bank of Flatwillow Creek to the Musselshell River, then south down the east bank of the Musselshell River to the Melstone-Custer Road bridge, 1-1/2 miles south of Melstone, then south along the Melstone-Custer Road to the north bank of the Yellowstone River, then east down the north bank of said river to its confluence with the Bighorn River, then south up the east bank of the Bighorn River to Manning Diversion Dam, then southerly along the Bighorn-Tullock Creek Divide to the Little Bighorn Tullock Creek Divide, then southerly along said divide to the Little Bighorn-Rosebud Creek Divide, then southerly along said divide to the Little Bighorn-Tongue River Divide, then southerly along said divide to the Montana-Wyoming state line, then westerly along said line to the Yellowstone National Park Boundary, then northerly and westerly along said boundary to the Stillwater-Yellowstone River divide at Wolverine Peak, the point of beginning.

DISTRICT 6

Those portions of Liberty, Hill, Choteau, Blaine, Phillips, Valley, Daniels, Sheridan, Richland, Roosevelt, Garfield and McCone Counties lying within the following described boundary: Beginning at a point where State Route 233 joins the Canadian Line (near the port of Willow Creek), then west along said line to the county road west of the Hill-Liberty county line, then south along said road to U.S. Highway 2 to State Route 223 at Chester, then south along said route to the Marias River, then southerly along said river to the Missouri River, then east and southeast along said river to Fort Peck Reservoir, then east and south along said reservoir to Big Dry Creek, then south along said creek to State Route 200, then east and northeast along said route to the North Dakota border, then north along said border to the Canadian Border, then west along said border to State Route 233, the point of beginning.

DISTRICT 7

Those portions of Bighorn, Carter, Custer, Dawson, Fallon, Garfield, McCone, Musselshell, Powder River, Prairie, Richland, Rosebud, Treasure, Yellowstone, Wibaux Counties lying within the following described boundary: Beginning at the confluence of the Bighorn and Yellowstone Rivers, then west along the Yellowstone River to the Custer-Melstone Road, then north along said road to Melstone, then east along U.S. Highway 12 to the Musselshell River bridge, then north down the east bank of the Musselshell River to the Missouri River, then east and north down the said river to Fort Peck Powerhouse, then south along the east shore of the Fort Peck Reservoir to Big Dry Creek, then south up said creek to Little Dry Creek, then east along State Route 200 to the Montana-North Dakota state line, then south to the Montana-Wyoming state line, then west along said state line to the Little Bighorn-Tongue River Divide, then northerly along said divide to the Little Bighorn-Rosebud Creek Divide, then northerly along said divide to the Little Bighorn-Tullock Creek Divide, then northerly along said divide to the Manning Diversion Dam on the east bank of the Bighorn River, then along said river to the confluence of the Bighorn and Yellowstone Rivers, the point of beginning.

FURBEARER TRAPPIN



& HUNTING DISTRICTS MAP



osed reas - Glacier National Park, Yellowstone National Park

LEGAL DESCRIPTIONS - FURB

Larger Print Size of These L

DISTRICT 1

Those portions of Flathead, Lake, Lincoln, Lewis and Clark, Missoula, Powell, and Sanders counties within the following described boundary: Beginning at a point where the Continental Divide intersects with the Glacier National Park boundary at Marias Pass, then westerly and northerly along the Glacier National Park boundary to the Canadian line, then westerly along the said line to the Montana-Idaho border, then southerly along said border to its junction with the Sanders-Mineral County line, then easterly along said county line to Trail 404 near Combpest Peak, then east on Trail 404 to Miller Creek Loop Road, then along Miller Creek and Forest Road 7593 to Patrick's Knob, then southerly on Trail 1714 to Miller Creek Loop Road, then along Miller Creek and Forest Road 7593 to Patrick's Knob, then southerly on Trail 1714 to Montana Route 135, then easterly along said route to Trail 242, then southerly along said trail to Clark Fork-Ninemile Divide, then easterly along said divide and Sanders County line to the Flathead Indian Reservation, then northerly and easterly and then southerly along said reservation to the Swan-Clearwater Divide, then east and north along said divide to the Blackfoot-Flathead Divide at Wolverine Peak, then south, east and north along said divide to the Continental Divide at Triple Divide Mountain, then northerly along said divide to the Glacier National Park boundary at Marias Pass, the point of beginning.

DISTRICT 2

Those portions of Deer Lodge, Granite, Lewis and Clark, Mineral, Missoula, Powell, and Ravalli Counties lying within the following described boundary: Beginning at Lookout Pass on the Montana-Idaho border, then in an easterly direction along the Mineral County-Sanders County line to U.S. Forest Service Trail 404 near Combpest Peak, then east on said trail to Miller Creek Loop Forest Service Road, then east along said road to its junction with U.S. Forest Service Trail 415, then south and east on said trail to its junction with U.S. Forest Service Trail 1714, then south on said trail to the Clark Fork River at the Cascade Campground, then south along Forest Service Trail 242 to the Ninemile-Seigel Creek Divide, then easterly along said divide to the Flathead Indian Reservation, then southeasterly and northeasterly along said reservation boundary to the Swan-Clearwater Divide, then easterly and northerly along said divide to the Blackfoot-Flathead Divide, then southerly, easterly and northerly along said divide to the Continental Divide at Triple Divide Mountain, then southeasterly along said divide to the Deer Lodge-Silver Bow County line, then southerly and westerly along said line to Interstate 90, then southerly along said interstate to U.S. Highway 10A, then northwesterly along said highway to State Route 274 (Mill Creek Road), then southerly along said route to the Continental Divide, then southwesterly along said divide to the Montana-Idaho border, then westerly and northerly along said border to Lookout Pass, the point of beginning.

DISTRICT 3

Those portions of Beaverhead, Broadwater, Deer Lodge, Gallatin, Jefferson, Madison, Meagher, Park and Silver Bow Counties lying within the following described boundary: Beginning at Mt. Tiny on the Continental Divide, then southwesterly along said divide to the Montana-Idaho border, then southerly and westerly along said border to the Yellowstone National Park boundary, then northerly and easterly along said boundary to the Stillwater-Yellowstone River Divide, then northwesterly along said divide to Columbine Pass and the Boulder River-Yellowstone River divide, then westerly and northerly along said divide to Interstate 90, then easterly along said interstate to U.S. Highway 192, then northerly along said highway to the Yellowstone River, then westerly along the south bank of said river to the mouth of Duck Creek, then northwesterly along the west bank of said creek to the Shields-Yellowstone River divide (Crazy Mountain Divide), then northerly and westerly along said divide to the Shields-Musselshell River Divide, then westerly along said divide to the Smith Shields River Divide and the head of the Middle Fork of Sixteen Mile Creek, then westerly down the south bank of said creek to Sixteen Mile Creek, then northeasterly along the south bank of said creek to the Missouri River-Battle Creek divide, then northerly along said divide to the Missouri River-Smith River divide, then northwesterly along said divide to the Soup Creek-Beaver Creek divide, then westerly along said divide to Hauser Dam on the Missouri River, then southerly along the east shore of the Missouri River to the Canyon Ferry Reservoir, then westerly across the Missouri River and southeasterly along the west shore of Canyon Ferry Reservoir to the Beaver Creek-Prickly Pear Creek divide, then southwesterly up said divide to the Crow Creek-Prickly Pear Creek divide, then southwesterly along said divide to the Boulder River-Prickly Pear Creek divide, then northwesterly along said divide to the Continental Divide, then westerly and southwesterly along said divide to the Deer Lodge-Silver Bow County line, then southerly and westerly along said line to Interstate 90, then southerly along said interstate to U.S. Highway 10A, then northwesterly along said highway to State Route 274, then southerly along said route to the Continental Divide near Mt. Tiny, the point of beginning.

Upper Madison Beaver Management Area: Those portions of Gallatin and Madison counties that include all of the Madison River drainage upstream from the Earthquake Lake Dam described as follows: Beginning at the outlet of Earthquake Lake Dam on the Madison River, then northerly to U.S. Highway 287, then northeasterly to the intersection of Rock Creek, then up said creek to the Beaverhead-Gallatin National Forest boundary, then northerly on said boundary to the Madison River-Gallatin River divide, then easterly along said divide to the western boundary of Yellowstone National Park, then south along said boundary to the Montana-Idaho state line, then westerly and northerly along this boundary to the Madison River, then easterly along said river to the outlet of Earthquake Lake Dam, the point of beginning.

April 14; All Wildlife Management Areas, National Wildlife Refuges and Deer, Elk & Mountain Lion Hunting District 282 are closed to bobcat chase season.

LYNX — SEASON DATES: TRAPPING DISTRICT 1, 2, 3 and 4: December 1 - February 15 of the following year. License must be purchased prior to December 1. Season will close in 48 hours upon reaching the trapping district quota or state quota or on February 15 of the following year, whichever occurs first.

Limit - Persons may take and possess one (1) lynx each per season (See PELT TAGGING AND CARCASSES/SKULLS) The lynx season on the Flathead Reservation is closed to all trappers (members and nonmembers).

Quota — Trapping Districts 1 and 2 have a quota of one (1) lynx; Trapping Districts 3 and 4 have a quota of one (1) lynx. Statewide quota is two (2) lynx.

Accidentally trapped lynx that cannot be released uninjured must be immediately reported to MT Fish, Wildlife & Parks.

SWIFT FOX — CLOSED SEASON. Accidentally trapped swift fox that cannot be released uninjured must be immediately reported to Fish, Wildlife & Parks.

SPECIAL REGULATIONS

Mt. Haggin Wildlife Management Area — The Mt.Haggin WMA consists of trapping units where a quota of three (3) licensed trappers shall be permitted to trap one limit of furbearers each, including ten (10) beaver. Trappers will be selected by a random drawing. Trappers will be able to select an area to trap in the order of names drawn. The last trapper selected will be assigned the remaining trapping area. All trapping permits are valid through April 15. Trappers wishing to take predators must contact Craig Fager for a trapping permit. Applicants must submit their name, address, phone number, and valid trapper's license number by September 15 to:

Craig Fager, Montana Fish, Wildlife & Parks
Butte Area Resource Office, 1820 Meadowlark Lane
Butte MT 59701

Freezout Lake Wildlife Management Area — The Freezout Lake WMA is divided into four (4) different trapping units for furbearers. Three of these units consist of ponds and are available for trapping to interested trappers by drawing only. Two trapping seasons are designated: fall (November 1 to December 31) and spring (January 1 to April 15). After April 1 no traps will be allowed in/on muskrat houses or hay bale nesting structures. Trappers and trapping units will be selected/assigned by random drawing. Unless supply exceeds demand, any one trapper may trap only one unit and/or season per year. The fourth trapping unit consists of the Main Lake and Priest Lake. The Main Lake and Priest Lake will be open to any/all interested trappers except those persons already holding drawn permission to trap an area on the WMA. Trapping, hunting and access within the waterfowl closure on the south end of the Main Lake is prohibited until November 20. Any part of the WMA that is open to public access is open to interested parties for the hunting and/or trapping of predators and nongame wildlife. Interested trappers must submit their name, address, telephone number, valid trapper's license number and indicate the season for which they wish to be considered by September 15 to:

Freezout Lake WMA/Trapping
Montana Fish, Wildlife & Parks
POB 488, Fairfield MT 59436

Canyon Ferry Wildlife Management Area — The Canyon Ferry Wildlife Management Area is divided into two (2) trapping units with only one unit open to trapping in a given year. One trapper will be selected by a random drawing and will be notified which unit is open for trapping. Applicants should be aware that only limited populations of most furbearers exist on the WMA and that most access is by foot. No trapping will be allowed on the WMA until the end of the pheasant season. Applicants must submit their name, address, phone number and valid trapper's license number by September 15 to:

Tom Carlsen
Montana Fish, Wildlife & Parks
Box 998, Townsend MT 59644

Upper Madison Beaver Management Area - Refer to Legal Description.
The upper Madison trapping area consists of seven (7) units for beaver and otter with quotas for each species. Trapping season is October 15 through April 30 by permit only. Trapping units will be allocated based upon a random drawing of written trapper applications. Trappers may select a trapping area in the order their names are drawn. Each of the selected trappers shall be permitted to trap five (5), or ten (10) beaver depending on the trapping area assigned. The last trapper selected will be assigned the remaining trapping area. Applicants must submit their name, address, phone number and valid trapper's license number by September 15 to:

Kurt Alt, Montana
Fish, Wildlife & Parks
1400 S. 19th Avenue, Bozeman MT 59715

Blackfoot-Clearwater Wildlife Management Area — The Blackfoot-Clearwater Area is divided into two (2) trapping units (Clearwater River and Cottonwood Creek), and trapping is permitted during two (2) periods (November 1 - January 31; February 1 - April 15), with one trapper per unit and time period (4 trappers total). Trappers will be selected by a random drawing. The first trapper will be asked to choose a unit and period, the second trapper drawn will be offered the remaining choices, and so on. Each of the selected trappers shall be permitted to trap one limit of furbearers, including ten (10) beaver. Applicants must submit their name, address, phone number and valid trapper's license number by September 15 to:

Mike Thompson
Montana Fish, Wildlife & Parks
3201 Spurgin Road, Missoula MT 59801

Lake Helena Wildlife Management Area — The Lake Helena Wildlife Management Area consists of one (1) trapping unit. A spring trapping season is designated: January 1 to April 15. No trapping will be allowed on the Area until after the waterfowl hunting season. One trapper will be permitted to trap furbearers and predators. The trapper will be selected by a random drawing. Applicants must submit their name, address, phone number and valid trapper's license number by September 15 to:

Gayle Joslin
Montana Fish, Wildlife & Parks
930 Custer Avenue West, Helena MT 59620

CLOSED TO BEAVER/OTTER TRAPPING

NOTE — All areas closed to beaver trapping are also closed to otter trapping.

Beaverhead County —Trail Creek and Trapper Creek drainages and Canyon Creek upstream from the National Forest boundary.

Broadwater County — Those portions of Dry Creek, Confederate Gulch, White Gulch, Avalanche Gulch, Eagle Creek, Crow Creek and Jenkins Creek on public land.

Deer Lodge County — The entire Dry Cottonwood Creek drainage.

Gallatin County — That portion of the Gallatin River and all of its tributaries above the Gallatin River Bridge at the Squaw Creek Ranger Station.

Gallatin and Park Counties —That portion of the Yellowstone River and all of its tributaries inside the Gallatin National Forest boundary above the Yellowstone River Bridge on Interstate Highway 90 at Livingston.

Granite County —The entire Smart Creek, Wyman Creek, Swamp Gulch Creek, and Sand Basin Creek drainages.

Lewis and Clark County — The Blackfoot River upstream from the mouth of Bartlett Creek including the entire Bartlett Creek drainage.

Mineral County — The entire Cedar Creek, Big Creek and Flatrock Creek drainages.

Missoula and Mineral Counties — The entire Fish Creek drainage.

Missoula County — Nine Mile Creek drainage above Pine Creek.

Powell County — The entire Pikes Peak drainage.

Sweet Grass County — That portion of the East Boulder River and all its tributaries from the Gallatin National Forest boundary upstream to the headwaters of the East Boulder River.

Sweet Grass and Park Counties — That portion of the Main Boulder River and all its tributaries from the mouth of Falls Creek upstream to the headwaters of the Main Boulder River.

Teton County — The entire Teton drainage including all tributaries of the South, Middle, West and North Forks of the Teton River, downstream to the US Forest Service boundary.

Montana Fish, Wildlife & Parks Regional Headquarters and Area Resource Offices

REGION 1
490 North Meridian Rd.
KALISPELL 59901
406-752-5501

REGION 2
3201 Spurgin Road
MISSOULA 59801
406-542-5500

REGION 3
1400 South 19th
BOZEMAN 59715
406-994-4042

1820 Meadowlark Lane
BUTTE 59701
406-494-1953

930 Custer Avenue West
HELENA 59620
406-444-4720

REGION 4
4600 Giant Springs Road
GREAT FALLS 59406
406-454-5840

REGION 5
2300 Lake Elmo Drive
BILLINGS 59105
406-247-2940

REGION 6
Route 1-4210
GLASGOW 59230
406-228-3700

2165 Highway 2 East
HAVRE 59501
406-265-6177

REGION 7
POB 1630
MILES CITY 59301
406-232-0900

STATE HEADQUARTERS
MT Fish, Wildlife & Parks
1420 East Sixth Avenue
HELENA 59620
406-444-2535

Trapper Education

Resident trappers are encouraged to participate in the voluntary trapper education program.


1
2
3
4
5
6
7
LINCOLN
FLATHEAD
LAKE
SANDERS
MINERAL
MISSOULA
GRANITE
RAVALLI
POWELL
DEER LODGE
SILVER BOW
BEAVERHEAD
MADISON
JEFFERSON
GALLATIN
BROAD-WATER
LEWIS & CLARK
GLACIER
PONDERA
TETON
TOOLE
LIBERTY
CASCADE
CHOTEAU
MEAGHER
PARK
HILL
JUDITH BASIN
WHEATLAND
SWEET GRASS
BLAINE
FERGUS
GOLDEN VALLEY
STILLWATER
CARBON
PHILLIPS
PETROLEUM
MUSSELSHELL
YELLOWSTONE
BIGHORN
VALLEY
GARFIELD
TREASURE
ROSEBUD
DANIELS
SHERIDAN
ROOSEVELT
Mc CONE
RICHLAND
DAWSON
PRAIRIE
WIBAUX
FALLON
CUSTER
CARTER
POWDER RIVER

TURN IN POACHERS

with this information

- What, Where
- When, Who
- How

1-800-TIP-MONT
(847-6668)

NOTICE TO TRAPPERS

The Montana Fish, Wildlife & Parks Commission has established a Montana Trapper Advisory Committee to review trapping regulations. As a reminder, it is important for trappers to review regulations for changes.

These regulations and final quotas are adopted under the authority granted to the commission in Section 87-1-301, MCA and are valid July 1, 1998 through June 30, 1999. These regulations were adopted by the Montana Fish, Wildlife & Parks Commission on August 7,1998. Patrick J. Graham, Secretary.

Montana Fish, Wildlife & Parks

♻